Appearing monthly
ANNUAL CUMULATIVE INDEX

INDEX 1987

ISSN 0027-5107
MUREAV 176–192/INDEX, 1–44 (1987)

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

Editor-in-Chief: F.H. Sobels (Leiden)

Board of Managing Editors

J. Ashby, Macclesfield
B.W. Glickman, Toronto, Ont.
P.C. Hanawalt, Stanford, CA (DNA Repair Reports)
P.H.M. Lohman, Rijswijk (DNA Repair Reports)
R.J. Preston, Oak Ridge, TN (Mutation Research Letters)
K. Sankaranarayanan, Leiden
F.J. de Serres, Research Triangle Park, NC
M.D. Shelby, Research Triangle Park, NC
H. Takebe, Kyoto (DNA Repair Reports)
E. Vogel, Leiden
J.S. Wassom, Oak Ridge, TN

Elsevier

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

INSTRUCTIONS TO AUTHORS

Types of paper *Mutation Research* contains 3 types of publication. (1) Papers reporting results of original fundamental research concerning mutagenesis, chromosome breakage and related subjects. (2) Review articles. (3) Short communications (published in the Section *Mutation Research Letters*).

General arrangement of papers Papers should be preferably in English, but may also be submitted in French or German. A summary (about 300 words) is mandatory for all (normal-length) articles. Papers in German or French should have a summary in English. The first paragraph of the article should summarize the research problem and the pertinent findings. The main text may be divided into sections such as Materials and methods, Experimental, Results, Discussion.

In papers mentioning chemicals, authors are requested to include *CAS registry numbers*. Registry numbers can be found by consulting Chemical Abstracts Ninth Collective Molecule Formula Index, by using Lockheed's computer access file named Chemline or by contacting the Chemical Abstracts Service, P.O. Box 3012, Columbus, Ohio 43210 (U.S.A.).

Keywords **A list of 3–6 words or short phases should be included on the first page of the manuscript. In the event that keywords are not supplied editorial discretion will be exercised in introducing appropriate words.**

Preparation of text (a) Manuscripts should be typewritten, double-spaced with wide margins, on one side of the paper only. Legends, footnotes—everything—must also be double-spaced. (b) The full postal address(es) of the author(s), including postal code and country, should be given after their name(s). (c) Line-drawn figures (including graphs) should be submitted in black ink on white paper and must be lettered ready for direct reproduction. Sharp photoprints of lettered line drawings may also be submitted. It is important that the drawings themselves AND the lettering are in proportion and large enough to allow for reduction before printing. Figures should be prepared suitably for either one column width (76 mm) or the entire page width (160 mm). The maximum height is 206 mm. The amount of reduction that will be made can be judged from the sizes of figures in recent issues of the journal. (d) Half-tone figures should be submitted as very sharp and contrasty glossy photoprints, separate from line drawings. (e) Legends for both line-drawn and half-tone figures should be typed on separate sheets. (f) Tables (also to be typed double-spaced) should be provided with headings. (g) Typescripts should be carefully checked before submission to obviate alterations after acceptance.

References The journal uses the Harvard system, in which names and dates are given in the body of the text and an alphabetical list of references at the end of the manuscript. References in the text should give the author's surname with the year of publication, e.g.: Smith (1980); Smith and Jones (1967a, 1979b); Baker et al. (1978). In the list of references, titles of journals should be abbreviated to conform with *Chemical Abstracts Bibliographic Guide for Authors and Editors 1974*. References to books should give details of chapter title, editors, title of the book, publishers and their location.

Examples:

Ehrenberg, L., and C.A. Wachtmeister (1977) Safety precautions in work with mutagenic and carcinogenic chemicals, in: B.J. Kilbey, M.S. Legator, W. Nichols and C. Ramel (Eds.), Handbook of Mutagenicity Test Procedures, Elsevier, Amsterdam, pp. 401–410.

Kastenbaum, M.A., and K.O. Bowman (1970) Tables for determining the statistical significance of mutation frequencies, Mutation Res., 9, 527–549.

Proofs Only printer's errors may be corrected: no changes in or additions to the edited manuscript will be accepted.

In case printers' proofs are returned by any courier service, they should be addressed as follows:
Mr. J.G. Corbet, Mutation Research, Elsevier Science Publishers, BMD, Molenwerf 1, 1014 AG Amsterdam (The Netherlands).

Submission of a paper for publication in *Mutation Research* implies that it is not submitted for publication elsewhere.

Contributions—in triplicate (one original plus two copies, also of the illustrations)—may be sent to Prof. F.H. Sobels, Editor-in-Chief, *Mutation Research*, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands).

or to

Dr. M.D. Shelby, *Mutation Research*, NIEHS, P.O. Box 12233, Research Triangle Park, NC 27709 (U.S.A.).

Manuscripts in the field of Molecular Genetics may be submitted to

Prof. B.W. Glickman, *Mutation Research*, Biology Department, York University, 4700 Keele Street, Toronto, Ont. M3J 1P3 (Canada).

Manuscripts for publication in *DNA Repair Reports* may be submitted to Professor Philip C. Hanawalt, Herrin Biology Laboratories, Stanford University, Stanford University, Stanford, CA 94305 (U.S.A.)

or to

Prof. Dr. P.H.M. Lohman, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands)

or to

Professor H. Takebe, Department of Experimental Radiology, Faculty of Medicine, Kyoto University, Kyoto 606 (Japan)

Manuscripts for publication in *Mutation Research Letters* may be submitted to Dr. R.J. Preston, Oak Ridge National Laboratory, Biology Division, P.O. Box Y. Oak Ridge, TN 37830 (U.S.A.)

Reprints 50 reprints of each article are sent to the author(s) free of charge. Additional reprints can be ordered by the author(s).

Advertising For advertising rates apply to the Publishers.

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

Vol. 176–192 (1987)

ANNUAL CUMULATIVE INDEX

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

INSTRUCTIONS TO AUTHORS

Types of paper *Mutation Research* contains 3 types of publication. (1) Papers reporting results of original fundamental research concerning mutagenesis, chromosome breakage and related subjects. (2) Review articles. (3) Short communications (published in the Section *Mutation Research Letters*).

General arrangement of papers Papers should be preferably in English, but may also be submitted in French or German. A summary (about 300 words) is mandatory for all (normal-length) articles. Papers in German or French should have a summary in English. The first paragraph of the article should summarize the research problem and the pertinent findings. The main text may be divided into sections such as Materials and methods, Experimental, Results, Discussion.

In papers mentioning chemicals, authors are requested to include *CAS registry numbers*. Registry numbers can be found by consulting Chemical Abstracts Ninth Collective Molecule Formula Index, by using Lockheed's computer access file named Chemline or by contacting the Chemical Abstracts Service, P.O. Box 3012, Columbus, Ohio 43210 (U.S.A.).

Keywords **A list of 3–6 words or short phases should be included on the first page of the manuscript. In the event that keywords are not supplied editorial discretion will be exercised in introducing appropriate words.**

Preparation of text (a) Manuscripts should be typewritten, double-spaced with wide margins, on one side of the paper only. Legends, footnotes—everything—must also be double-spaced. (b) The full postal address(es) of the author(s), including postal code and country, should be given after their name(s). (c) Line-drawn figures (including graphs) should be submitted in black ink on white paper and must be lettered ready for direct reproduction. Sharp photoprints of lettered line drawings may also be submitted. It is important that the drawings themselves AND the lettering are in proportion and large enough to allow for reduction before printing. Figures should be prepared suitably for either one column width (76 mm) or the entire page width (160 mm). The maximum height is 206 mm. The amount of reduction that will be made can be judged from the sizes of figures in recent issues of the journal. (d) Half-tone figures should be submitted as very sharp and contrasty glossy photoprints, separate from line drawings. (e) Legends for both line-drawn and half-tone figures should be typed on separate sheets. (f) Tables (also to be typed double-spaced) should be provided with headings. (g) Typescripts should be carefully checked before submission to obviate alterations after acceptance.

References The journal uses the Harvard system, in which names and dates are given in the body of the text and an alphabetical list of references at the end of the manuscript. References in the text should give the author's surname with the year of publication, e.g.: Smith (1980); Smith and Jones (1967a, 1979b); Baker et al. (1978). In the list of references, titles of journals should be abbreviated to conform with *Chemical Abstracts Bibliographic Guide for Authors and Editors 1974*. References to books should give details of chapter title, editors, title of the book, publishers and their location.

Examples:

Ehrenberg, L., and C.A. Wachtmeister (1977) Safety precautions in work with mutagenic and carcinogenic chemicals, in: B.J. Kilbey, M.S. Legator, W. Nichols and C. Ramel (Eds.), Handbook of Mutagenicity Test Procedures, Elsevier, Amsterdam, pp. 401–410.

Kastenbaum, M.A., and K.O. Bowman (1970) Tables for determining the statistical significance of mutation frequencies, Mutation Res., 9, 527–549.

Proofs Only printer's errors may be corrected: no changes in or additions to the edited manuscript will be accepted.

In case printers' proofs are returned by any courier service, they should be addressed as follows:
Mr. J.G. Corbet, Mutation Research, Elsevier Science Publishers, BMD, Molenwerf 1, 1014 AG Amsterdam (The Netherlands).

Submission of a paper for publication in *Mutation Research* implies that it is not submitted for publication elsewhere.

Contributions—in triplicate (one original plus two copies, also of the illustrations)—may be sent to Prof. F.H. Sobels, Editor-in-Chief, *Mutation Research*, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands).

or to

Dr. M.D. Shelby, *Mutation Research*, NIEHS, P.O. Box 12233, Research Triangle Park, NC 27709 (U.S.A.).

Manuscripts in the field of Molecular Genetics may be submitted to

Prof. B.W. Glickman, *Mutation Research*, Biology Department, York University, 4700 Keele Street, Toronto, Ont. M3J 1P3 (Canada).

Manuscripts for publication in *DNA Repair Reports* may be submitted to Professor Philip C. Hanawalt, Herrin Biology Laboratories, Stanford University, Stanford University, Stanford, CA 94305 (U.S.A.)

or to

Prof. Dr. P.H.M. Lohman, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands)

or to

Professor H. Takebe, Department of Experimental Radiology, Faculty of Medicine, Kyoto University, Kyoto 606 (Japan)

Manuscripts for publication in *Mutation Research Letters* may be submitted to Dr. R.J. Preston, Oak Ridge National Laboratory, Biology Division, P.O. Box Y. Oak Ridge, TN 37830 (U.S.A.)

Reprints 50 reprints of each article are sent to the author(s) free of charge. Additional reprints can be ordered by the author(s).

Advertising For advertising rates apply to the Publishers.

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

Vol. 176–192 (1987)

ANNUAL CUMULATIVE INDEX

Mutation Research

INTERNATIONAL JOURNAL ON MUTAGENESIS,

CHROMOSOME BREAKAGE AND RELATED SUBJECTS

EDITOR-IN-CHIEF: F.H. Sobels, *Leiden*

BOARD OF MANAGING EDITORS

J. Ashby, *Macclesfield*; B.W. Glickman, *Toronto, Ont.*; P.C. Hanawalt, *Stanford, CA (DNA Repair Reports)*;
P.H.M. Lohman, *Leiden (DNA Repair Reports)*; R.J. Preston, *Oak Ridge, TN (Mutation Research Letters)*;
K. Sankaranarayanan, *Leiden*; F.J. de Serres, *Research Triangle Park, NC*;
M.D. Shelby, *Research Triangle Park, NC*; H. Takebe, *Kyoto (DNA Repair Reports)*;
E. Vogel, *Leiden*; J.S. Wassom, *Oak Ridge, TN*

EDITORIAL BOARD

R.J. Albertini, *Burlington, VT*
C. Auerbach, *Edinburgh*
H. Bartsch, *Lyon*
M.A Bender, *Upton, NY*
B.A. Bridges, *Brighton*
A.V. Carrano, *Livermore, CA*
E.H.Y. Chu, *Ann Arbor, MI*
U.H. Ehling, *Neuherberg*
E. Eisenstadt, *Boston, MA*
H.J. Evans, *Edinburgh*
W.M. Generoso, *Oak Ridge, TN*
R.H. Haynes, *Toronto, Ont.*
J.A. Heddle, *Toronto, Ont.*
G.R. Hoffmann, *Worcester, MA*
B.A. Kihlman, *Uppsala*
S.A. Latt, *Boston, MA*
M.F. Lyon, *Harwell*
D.G. MacPhee, *Bundoora, Vic.*
H.V. Malling, *Research Triangle Park, NC*
T. Matsushima, *Tokyo*
G.R. Mohn, *Leiden*
E. Moustacchi, *Paris*
A.T. Natarajan, *Leiden*
G. Obe, *Essen*
G. Olivieri, *Rome*
J.M. Parry, *Swansea*
L.S. Ripley, *Research Triangle Park, NC*
H.S. Rosenkranz, *Cleveland, OH*
L.B. Russell, *Oak Ridge, TN*
M.S. Sasaki, *Kyoto*
J.R.K. Savage, *Harwell*
T. Sugimura, *Tokyo*
J. Thacker, *Harwell*
W.G. Thilly, *Cambridge, MA*
L.H. Thompson, *Livermore, CA*
R.C. von Borstel, *Edmonton, Alb.*
G.C. Walker, *Cambridge, MA*
S. Wolff, *San Francisco, CA*
F.K. Zimmermann, *Darmstadt*

Vols. 176–192 **INDEX 1987**

ELSEVIER SCIENCE PUBLISHERS B.V.
AMSTERDAM

© 1987, Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam (The Netherlands).

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, Paragraph 2 of the Dutch Copyright Act of 1912, and in the Royal Decree of June 20, 1974 (S. 351) pursuant to Article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970 (U.S.A.). If no code appears in an article the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of U.S. $2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

Printed in The Netherlands

Mutation Research, 176–192/INDEX (1987) 1–28
Elsevier

Cumulative Author Index 1987
Volumes 176–192

Aaron, C.S., see Mason, J.M. (189) 93
Abe, S., see Manabe, S. (179) 33
Abel, G.
Chromosome damage induced in human lymphocytes by 5-methoxypsoralen and 8-methoxypsoralen plus UV-A (190) 63
Adams, G.M.W., see Vlček, D. (183) 169
Adams, N.H., see Myers, L.E. (182) 121
Adler, I.-D., see Kliesch, U. (192) 181
Ahlborg, U.G., see Victorin, K. (179) 41
Ahmad, S.I. and Van Sluis, C.A.
Inducible DNA polymerase I synthesis in a UV hyper-resistant mutant of *Escherichia coli* (190) 77
Aida, M. and Nishimura, S.
An ab initio molecular orbital study on the characteristics of 8-hydroxyguanine (192) 83
Akerele, J.O., see Obaseiki-Ebor, E.E. (192) 175
Al-Hakkak, Z.S., see Hamamy, H.A. (189) 395
Al-Meshal, I.A., see Tariq, M. (190) 153
Al Achkar, W., see Sabatier, L. (178) 91
Albanese, R.
The cytonucleus test in the rat: a combined metaphase and micronucleus assay (182) 309
Albanese, R. and Middleton, B.J.
The assessment of micronucleated polychromatic erythrocytes in rat bone marrow. Technical and statistical considerations (182) 323
Albertini, R., see Ostrosky-Wegman, P. (191) 211
Albiano, N., see Dulout, F.N. (189) 381
Albrecht, R., see Cassano, P. (191) 67
Alejandre-Durán, E., Alonso-Moraga, A. and Pueyo, C.
Implication of active oxygen species in the direct-acting mutagenicity of tea (188) 251
Alexander, J., see Holme, J.A. (187) 181
Alfonzo, J., see Sahota, A. (180) 81
Aliboni, F., see Chieli, E. (192) 141
Allen, J., see Claxton, L.D. (189) 83
Allen, J.W., DeWeese, G.K., Gibson, J.B., Poorman, P.A. and Moses, M.J.
Synaptonemal complex damage as a measure of chemical mutagen effects on mammalian germ cells (190) 19
Allen, J.W., see Erexson, G.L. (178) 117
Almassy, Z., see Lloyd, D.C. (179) 197
Alonso-Moraga, A., see Alejandre-Durán, E. (188) 251
Alvi, A.Z., see Rasool, S.A. (188) 197
Alzieu, P., Cassand, P., Colin, C., Grolier, P. and Narbonne, J.F.
Effect of vitamins A, C and glutathione on the mutagenicity of benzo[*a*]pyrene mediated by S9 from vitamin A-deficient rats (192) 227
Alzieu, P., see Narbonne, J.F. (191) 21
Amacher, D.E. and Turner, G.N.
The mutagenicity of 5-azacytidine and other inhibitors of replicative DNA synthesis in the L5178Y mouse lymphoma cell (176) 123
Amelizad, Z., see Cassano, P. (191) 67
Anders, M., see Holloway, M.P. (187) 199
Anderson, D., see Jenkinson, P.C. (188) 57
Anderson, D., see Lovell, D.P. (187) 37
Anderson, D., see Obe, G. (186) 177
Anderson, M.L.M., see Spandidos, D.A. (185) 271
Andersson, H.C. and Kihlman, B.A.
Effects of G_2 treatments with inhibitors of DNA synthesis and repair on chromosome damage induced by X-rays and chemical clastogens in root tips of *Vicia faba*. Comparison with corresponding effects in cultured human lymphocytes (181) 173
Andersson, O., see Romert, L. (178) 123
Andrae, U., see Ziegler-Skylakakis, K. (192) 65
Andrews, A.W., see Lijinsky, W. (178) 157
Andriadze, M.I., Pleskach, N.M., Mikhelson, V.M. and Zhestyanikov, V.D.
Sister-chromatid exchanges in a special form of xeroderma pigmentosum (form II) (180) 89
Angelis, K.J., see Velemaansky, J. (190) 125
Antonelli, A., see Elli, R. (191) 177
Arany, J., see Vleminckx, C. (189) 387
Arey, J., see Zielinska, B. (190) 259
Arimoto, S., Ohara, Y., Hiramoto, K. and Hayatsu, H.
Inhibitory effect of myoglobin and hemoglobin on the direct-acting mutagenicity of protein pyrolysate heterocyclic amine derivatives (192) 253
Arlett, C.F., see MacGregor, G.R. (183) 273
Armstrong, M.J., see Bradley, M.O. (189) 69
Armstrong, M.J., see Galloway, S.M. (189) 15
Aronson, J.F. and Stamato, T.D.
Lethal sectoring is not the basis for EMS-induced pure mutant clones in Chinese hamster cells (177) 277
Aronson, J.F. and Stamato, T.D.
The probability with which EMS-initiated mutagenic lesions generate mutations in CHO cells (192) 79
Aroumir, C., see Espinosa-Aguirre, J.J. (188) 111
Ashby, J., Mohammed, R. and Callander, R.D.
N-Chloropiperidine and calcium hypochlorite: Possible examples of toxicity-dependent clastogenicity in vitro (189) 59
Ashby, J., see Butterworth, B.E. (189) 113
Ashby, J., see Butterworth, B.E. (189) 123
Ashby, J., see Mirkova, E. (182) 203
Au, W.W., see Rithidech, K. (188) 135

0027-5107/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Auffray, Y. and Boutibonnes, P.
Photoreactivation capacity of ultraviolet-irradiated *Bacillus thuringiensis* (192) 11
Auffray, Y. and Boutibonnes, P.
Presence of inducible DNA repair in *Bacillus thuringiensis* (183) 225
Auffray, Y., see Boutibonnes, P. (190) 83
Augustine, M.L., see Lloyd, R.S. (179) 135
Auletta, A., see Claxton, L.D. (189) 83
Auletta, A.E., see Ray, V.A. (185) 197
Aurich, O., see Heindorff, K. (181) 157
Aurich, O., see Rieger, R. (191) 93
Averbeck, D., see Papadopoulo, D. (184) 271
Axon, A.T.R., see O'Connor, H.J. (188) 201
Azevedo, J.L., see Martinez-Rossi, N.M. (176) 29

Baan, R.A., see Willems, M.I. (176) 211
Babich, M.A. and Day III, R.S.
Exogenous O^6-methylguanine inhibits adduct removal and sensitizes human cells to killing by the chemical carcinogen *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine (184) 245
Bachmann, M., see Bösch, R. (188) 161
Badolati, G.S., see De Flora, S. (192) 169
Baev, I., see Bayrakova, A. (176) 53
Bahramandpour, S., see Reali, D. (192) 145
Bailey, D.A., see Henderson, D.S. (177) 83
Bains, J., see Bains, W. (179) 65
Bains, W. and Bains, J.
Rate of base substitution in mammalian nuclear DNA is dependent on local sequence context (179) 65
Balansky, R.M., Blagoeva, P.M. and Mircheva, Z.I.
Investigation of the mutagenic activity of tobacco smoke (188) 13
Ball, J.C. and Young, W.C.
Mutagenicity studies of α,α'-dihalomethylbenzenes, α-methylbenzyl halides, and 1-chloromethylpyrene in the Ames assay (191) 79
Ball, J.C., Young, W.C. and Salmeen, I.T.
Catalyst-free sodium borohydride reduction as a guide in the identification of direct-acting Ames assay mutagens in diesel-particle extracts (192) 283
Ball, L.M., see Goldring, J.M. (187) 67
Barale, R., see Davis, A. (188) 65
Barale, R., see Reali, D. (192) 145
Baraona, E., see Lieber, C.S. (186) 201
Barbé, J., Villaverde, A. and Guerrero, R.
Induction of the SOS response by hydroxyurea in *Escherichia coli* K12 (192) 105
Barbé, J., see Llagostera, M. (191) 1
Barjaktarovic, N., see Lloyd, D.C. (179) 197
Barjaktarović, N., see Lukić, B. (191) 121
Barlow, A., see Bockrath, R. (183) 241
Bartsch, H., see Davis, A. (188) 65
Bashir, M., Kingston, D.G.I., Carman, R.J., Van Tassell, R.L. and Wilkins, T.D.
Anaerobic metabolism of 2-amino-3-methyl-3H-imidazo[4,5-f]quinoline (IQ) by human fecal flora (190) 187
Bass, R., see Madle, S. (182) 187
Bauchinger, M., Kulka, U. and Schmid, E.
Analysis of cytogenetic effect in human lymphocytes induced by metabolically activated 2-nitropropane (190) 217
Bauchinger, M., Schmid, E. and Braselmann, H.
Letter to the Editor (180) 135
Bauchinger, M., see Kugler, U. (187) 151
Bauchinger, M., see Schmid, E. (191) 5
Bauluz, C., see Paramio, J.M. (176) 21
Bayrakova, A., Filev, G., Baev, I. and Kalina, I.
Reciprocal translocations in germ cells of male mice receiving external γ-irradiation (176) 53
Bean, C.L., see Galloway, S.M. (189) 15
Beck, D.J., see Popoff, S.C. (183) 129
Behera, B.C., see Bhunya, S.P. (188) 215
Beije, B.
Induction of unscheduled DNA synthesis in liver and micronucleus in bone marrow of rats exposed in vivo to the benzidine-derived azo dye, Direct Black 38 (187) 227
Bennett, J.J., see Thomas, E.L. (188) 35
Berends, F., see Fichtinger-Schepman, A.M.J. (190) 59
Berends, F., see Lohman, P.H.M. (181) 227
Berenstein, D.
UV-inducible DNA repair in *Acinetobacter calcoaceticus* (183) 219
Berman, E., see DeMarini, D.M. (189) 205
Bermudez, E., see Butterworth, B.E. (189) 113
Bermudez, E., see Butterworth, B.E. (189) 123
Bermudez, E., see Craft, T.R. (176) 147
Bernal-Lugo, I., see Zarain H., M. (181) 103
Bernstein, C., see Chen, D. (184) 87
Bertazzi, P.A., see Forni, A. (181) 289
Bewsey, B.J., see Oberly, T.J. (182) 99
Bhattacharya, R.K., Francis, A.R. and Shetty, T.K.
Modifying role of dietary factors on the mutagenicity of aflatoxin B_1: In vitro effect of vitamins (188) 121
Bhunya, S.P. and Behera, B.C.
Relative genotoxicity of trichloroacetic acid (TCA) as revealed by different cytogenetic assays: bone marrow chromosome aberration, micronucleus and sperm-head abnormality in the mouse (188) 215
Biagi, G.L., see Paolini, M. (178) 11
Biaglow, M.C., see Holloway, M.P. (187) 199
Biggart, N.W. and Rinehart, R.R.
Comparison between aqueous-phase and gas-phase exposure protocols for determining the mutagenic potential of nitrogen dioxide and the gas fraction of welding fumes (188) 175
Biggart, N.W., Rinehart, R.R. and Verfaillie, J.
Evidence for the presence of mutagenic compounds other than chromium in particles from mild steel welding (180) 55
Biles, W.T., see Fiala, E.S. (179) 15
Biondi, O., see Nuzzo, F. (177) 117
Blagoeva, P.M., see Balansky, R.M. (188) 13
Blanco, M., see Woodgate, R. (183) 31
Bockrath, R., Barlow, A. and Engstrom, J.
Mutation frequency decline in *Escherichia coli* B/r after mutagenesis with ethyl methanesulfonate (183) 241

Boffa, L.C., Bolognesi, C. and Mariani, M.R.
Specific targets of alkylating agents in nuclear proteins of cultured hepatocytes (190) 119
Boiteux, S., see Costa de Oliveira, R. (183) 11
Bolcsfoldi, G., see Cifone, M.A. (189) 39
Bolognesi, C., see Boffa, L.C. (190) 119
Bond, D.J.
Mechanisms of aneuploid induction (181) 257
Bonmassar, E., see Vernole, P. (189) 349
Bonnamour, D., see Cassano, P. (191) 67
Boorstein, R.J., Levy, D.D. and Teebor, G.W.
5-Hydroxymethyluracil-DNA glycosylase activity may be a differentiated mammalian function (183) 257
Bootsma, D., see Zdzienicka, M.Z. (183) 69
Bos, R.P., Prinsen, W.J.C., Van Rooy, J.G.M., Jongeneelen, F.J., Theuws, J.L.G. and Henderson, P.T.
Fluoranthene, a volatile mutagenic compound, present in creosote and coal tar (187) 119
Bösch, R., Friederich, U., Lutz, W.K., Brocker, E., Bachmann, M. and Schlatter, C.
Investigations on DNA binding in rat liver and in Salmonella and on mutagenicity in the Ames test by emodin, a natural anthraquinone (188) 161
Bosi, R., see Elli, R. (191) 177
Bosworth, D., see Venitt, S. (190) 191
Bosworth, D., see Venitt, S. (191) 129
Bouter, S., see Kerklaan, P.R.M. (176) 171
Boutibonnes, P. and Auffray, Y.
Evidence that *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine induces adaptive response in *Bacillus thuringiensis* (190) 83
Boutibonnes, P., see Auffray, Y. (183) 225
Boutibonnes, P., see Auffray, Y. (192) 11
Boutis, L., see Mourelatos, D. (190) 205
Bowers, L., see Caspary, W.J. (187) 165
Boyd, J.B., see Harris, P.V. (183) 53
Braden, P.W., see Generoso, W.M. (176) 269
Bradley, M.O., Taylor, V.I., Armstrong, M.J. and Galloway, S.M.
Relationships among cytotoxicity, lysosomal breakdown, chromosome aberrations, and DNA double-strand breaks (189) 69
Bradley, M.O., see Galloway, S.M. (189) 15
Bradley, W.E.C., see Seifert, A.M. (191) 57
Brambilla, G., see Cajelli, E. (190) 169
Brambilla, G., see Cajelli, E. (190) 47
Brandi, G., Sestili, P., Pedrini, M.A., Salvaggio, L., Cattabeni, F. and Cantoni, O.
The effect of temperature or anoxia on *Escherichia coli* killing induced by hydrogen peroxide (190) 237
Braselmann, H., see Bauchinger, M. (180) 135
Braselmann, H., see Schmid, E. (191) 5
Bridges, B.A., Woodgate, R., Ruiz-Rubio, M., Sharif, F., Sedgwick, S.G. and Hübscher, U.
Current understanding of UV-induced base pair substitution mutation in *E. coli* with particular reference to the DNA polymerase III complex (181) 219
Bridges, B.A., see Woodgate, R. (183) 31
Briley, L.P., see Kaufmann, W.K. (184) 47
Briley, L.P., see Kaufmann, W.K. (184) 237
Briscoe, D.I., see Margulies, L. (179) 183
Brock, K.H., see DeMarini, D.M. (187) 141
Brock, K.H., see DeMarini, D.M. (192) 151
Brock, K.H., see Moore, M.M. (191) 183
Brocker, E., see Bösch, R. (188) 161
Brockman, H.E., De Serres, F.J., Ong, T.-M. and Hung, C.Y.
Two *N*-hydroxylaminopurines are highly mutagenic in the *ad-3* forward-mutation test in growing cultures of heterokaryon 12 of *Neurospora crassa* (177) 61
Bronzetti, G., see Paolini, M. (178) 11
Brown, A., see Caspary, W.J. (187) 165
Brown, J.K., see Lloyd, D.C. (179) 197
Brown, K.W., see Donnelly, K.C. (180) 31
Brown, K.W., see Donnelly, K.C. (180) 43
Brun, G., see Davis, A. (188) 65
Brunborg, G., see Holme, J.A. (187) 181
Brunetti, R., see Majone, F. (191) 157
Brusick, D.J.
Implications of treatment-condition-induced genotoxicity for chemical screening and data interpretation (189) 1
Bryant, B.J., see Mohapatra, N. (188) 323
Bucci, L.R. and Meistrich, M.L.
Effects of busulfan on murine spermatogenesis: cytotoxicity, sterility, sperm abnormalities, and dominant lethal mutations (176) 259
Buchwald, M., Ng, J., Clarke, C. and Duckworth-Rysiecki, G.
Studies of gene transfer and reversion to mitomycin C resistance in Fanconi anemia cells (184) 153
Bull, P., Yanez, L. and Nervi, F.
Mutagenic substances in red and white wine in Chile, a high risk area for gastric cancer (187) 113
Burke, J.F., see MacGregor, G.R. (183) 273
Busbee, D.L., see Joe, C.O. (184) 129
Busiello, V., see Di Girolamo, M. (192) 221
Busk, L., see Victorin, K. (179) 41
Butterworth, B.E., Ashby, J., Bermudez, E., Casciano, D., Mirsalis, J., Probst, G. and Williams, G.
A protocol and guide for the in vitro rat hepatocyte DNA-repair assay (189) 113
Butterworth, B.E., Ashby, J., Bermudez, E., Casciano, D., Mirsalis, J., Probst, G. and Williams, G.
A protocol and guide for the in vivo rat hepatocyte DNA-repair assay (189) 123
Butterworth, B.E., see Smith-Oliver, T. (188) 21
Cain, K.T., see Generoso, W.M. (176) 269
Cajelli, E., Canonero, R., Martelli, A. and Brambilla, G.
Methylglyoxal-induced mutation to 6-thioguanine resistance in V79 cells (190) 47
Cajelli, E., Ferraris, A. and Brambilla, G.
Mutagenicity of 4-hydroxynonenal in V79 Chinese hamster cells (190) 169
Caligo, M.A. and Rainaldi, G.
Origin of araC-induced endoreduplicated cells (177) 261
Calkins, J., see Selby, C.P. (188) 287
Call, K.M., see Liber, H.L. (178) 143
Callander, R.D., see Ashby, J. (189) 59
Calmon, J.P., see Narbonne, J.F. (191) 21

Cambray, G.J., Roberts, C.J., Carver, S.K. and Holt, P.D.
A comparison of the radiation-induced mutation at the HGPRT locus in V79 and BHK cells (176) 225
Cameron, T.P., Hughes, T.J., Kirby, P.E., Fung, V.A. and Dunkel, V.C.
Mutagenic activity of 27 dyes and related chemicals in the Salmonella/microsome and mouse lymphoma $TK^{+/-}$ assays (189) 223
Canonero, R., see Cajelli, E. (190) 47
Cantelli-Forti, G., see Paolini, M. (178) 11
Cantoni, O., see Brandi, G. (190) 237
Caporossi, D., see Vernole, P. (189) 349
Carbone, M.L.A., see Sora, S. (190) 13
Carducci, A., see Reali, D. (192) 145
Carman, R.J., see Bashir, M. (190) 187
Carter, R.E., see Sterner, O. (188) 169
Carver, J.H., see Li, A.P. (189) 135
Carver, S.K., see Cambray, G.J. (176) 225
Casati, A., see Nuzzo, F. (177) 117
Casciano, D., see Butterworth, B.E. (189) 113
Casciano, D., see Butterworth, B.E. (189) 123
Caspary, W., see Clive, D. (189) 143
Caspary, W.J., Myhr, B., Bowers, L., McGregor, D., Riach, C. and Brown, A.
Mutagenic activity of fluorides in mouse lymphoma cells (187) 165
Cassand, P., see Alzieu, P. (192) 227
Cassand, P., see Narbonne, J.F. (191) 21
Cassano, P., Bonnamour, D., Grolier, P., Pelissier, M.A., Amelizad, Z., Albrecht, R. and Narbonne, J.F.
The effect of dietary imbalances on the activation of benzo[*a*]pyrene by the metabolizing enzymes from rat liver (191) 67
Castroviejo, M., see Litvak, S. (181) 81
Catsoulacos, P., see Mourelatos, D. (190) 205
Cattabeni, F., see Brandi, G. (190) 237
Cattanach, B.M. and Kirk, M.J.
Enhanced spermatogonial stem cell killing and reduced translocation yield from X-irradiated 101/H mice (176) 69
Celotti, L., Furlan, D., Seccati, L. and Levis, A.G.
Interactions of nitrilotriacetic acid (NTA) with Cr(VI) compounds in the induction of gene mutations in cultured mammalian cells (190) 35
Cerami, A., see Lee, A.T. (179) 151
Černá, M., Lepši, P., Rössner, P. and Pohlová, H.
Mutagenicity of some substituted 1-phenyl-3,3-dimethyltriazenes. I. The Salmonella/mammalian microsome assay and repair test (190) 177
Černá, M., see Rössner, P. (190) 183
Cestaro, B., see Nuzzo, F. (177) 117
Chan, R.I.M., see San, R.H.C. (177) 229
Chang, H.-R., see Ikenaga, M. (184) 161
Chao, C.C.-K. and Lin-Chao, S.
Regulation of photorepair in growing and arrested frog cells in response to ultraviolet light (192) 211
Charles, D.J. and Pretsch, W.
Linear dose–response relationship of erythrocyte enzyme-activity mutations in offspring of ethylnitrosourea-treated mice (176) 81
Chauhan, P.S., see Neuhäuser-Klaus, A. (191) 111
Chen, D. and Bernstein, C.
Recombinational repair of hydrogen peroxide-induced damages in DNA of phage T4 (184) 87
Chen, J.J., see Hass, B.S. (190) 247
Chen, X., see Dai, Y. (191) 29
Chen, X., see Sun, L. (191) 45
Cheng, L. and Yan-shu, D.
Changes of SCE frequency and chromatin molecular composition in rat progeny whose mothers were treated with oral contraceptives in early pregnancy (180) 115
Chevron, M., see Dayan, J. (187) 55
Chieli, E., Aliboni, F., Saviozzi, M. and Malvaldi, G.
Induction of micronucleated erythrocytes by primary thioamides and their metabolites in the mouse (192) 141
Chipman, J.K., Davies, J.E. and Paterson, P.
Mechanisms of butylated hydroxytoluene-mediated modulation of 2-acetylaminofluorene mutagenicity in rat and human hepatocyte/Salmonella assays (187) 105
Chiu, S.-M., see Warters, R.L. (180) 21
Chou, M.W., see Hass, B.S. (190) 247
Choy, W.N., see Li, A.P. (189) 135
Christensen, M.L., see Tucker, J.D. (190) 225
Christensen, T., see Holme, J.A. (187) 181
Chu, E.H.Y., see Li, I.-c. (190) 281
Cid, M.G. and Matos, E.
Chromosomal aberrations in cultured human lymphocytes treated with aldicarb, a carbamate pesticide (191) 99
Cid, M.G., see Dulout, F.N. (189) 381
Cieminis, K.G.K., Rančelienė, V.M., Prijalgauskienė, A.J., Tiunaitienė, N.V., Rudzianskaitė, A.M. and Jančys, Z.J.
Chromosome and DNA damage and their repair in higher plants irradiated with short-wave ultraviolet light (181) 9
Cienfuegos, E., see Espinosa-Aguirre, J.J. (188) 111
Cifone, M.A., Myhr, B., Eiche, A. and Bolcsfoldi, G.
Effect of pH shifts on the mutant frequency at the thymidine kinase locus in mouse lymphoma L5178Y $TK^{+/-}$ cells (189) 39
Cini, C., see Di Girolamo, M. (192) 221
Cintrón, C.N., see Pérez-Chiesa, Y. (188) 307
Clarke, C., see Buchwald, M. (184) 153
Claxton, L.D., Allen, J., Auletta, A., Mortelmans, K., Nestmann, E. and Zeiger, E.
Guide for the *Salmonella typhimurium*/mammalian microsome tests for bacterial mutagenicity (189) 83
Claxton, L.D., Dearfield, K.L., Spanggord, R.J., Riccio, E.S. and Mortelmans, K.
Comparative mutagenicity of halogenated pyridines in the *Salmonella typhimurium*/mammalian microsome test (176) 185
Claxton, L.D., see Myers, L.E. (182) 121
Claxton, L.D., see Walsh, D.B. (182) 55
Clayson, D.B.
The need for biological risk assessment in reaching decisions about carcinogens (185) 243

Cleaver, J.E., see Vuksanovic, L. (184) 255
Clive, D., Caspary, W., Kirby, P.E., Krehl, R., Moore, M., Mayo, J. and Oberly, T.J.
Guide for performing the mouse lymphoma assay for mammalian cell mutagenicity (189) 143
Clive, D., see Turner, N.T. (189) 285
Coco, R., see García Heras, J. (178) 223
Colella, C.M., see Rainaldi, G. (177) 255
Coleman, W.E., see Meier, J.R. (189) 363
Colin, C., see Alzieu, P. (192) 227
Collins, A.R.S., see Johnson, R.T. (184) 113
Colot, M., see Elbling, L. (176) 117
Colyer, S.P., see Richardson, V.B. (180) 121
Combes, R.D., see Dashwood, R.H. (190) 173
Conaway, C.C., see Fiala, E.S. (179) 15
Conley, M.P., see Jacobsen, J.S. (179) 89
Correll, A.T. and Ford, J.H.
Chromosome flexion: Potential for assessing the state of spindle assembly (190) 137
Corsi, C., see Paolini, M. (178) 11
Cortés, F., Escalza, P., Mateos, S. and Díaz-Recasens, M.
Factors affecting the production of SCEs by maleic hydrazide in root-tip chromosomes of *Allium cepa* (192) 125
Cortés, F., Mateos, S., Ortiz, T. and Piñero, J.
Effects of caffeine and inhibitors of DNA synthesis on chromatid-type aberrations induced by acetaldehyde in root-tip cells (180) 183
Cortés, F., Morgan, W.F. and Wolff, S.
Effect of exogenous thymidine on sister-chromatid exchange frequency in Chinese hamster ovary cells with bromodeoxyuridine- and chlorodeoxyuridine-substituted chromosomes (192) 277
Costa de Oliveira, R., Laval, J. and Boiteux, S.
Induction of SOS and adaptive responses by alkylating agents in *Escherichia coli* mutants deficient in 3-methyladenine-DNA glycosylase activities (183) 11
Cotor, F., see Luca, D. (189) 333
Cox, R., see Jones, N.J. (183) 279
Craft, T.R., Bermudez, E. and Skopek, T.R.
Formaldehyde mutagenesis and formation of DNA–protein crosslinks in human lymphoblasts in vitro (176) 147
Crespi, C.L., Seixas, G.M. and Penman, B.W.
The induction of aneuploidy by nitrogen mustard in a human lymphoblastoid cell line (190) 69
Cummings, C.C., see Russell, L.B. (188) 335
Cunningham, M.L., Peak, J.G. and Peak, M.J.
Single-strand DNA breaks in rodent and human cells produced by superoxide anion or its reduction products (184) 217
Curvall, M., Romert, L., Norlén, E. and Enzell, C.R.
Mutagen levels in urine from snuff users, cigarette smokers and non tobacco users — A comparison (188) 105
Czeizel, A. and Kis-Varga, A.
Mutation surveillance of sentinel anomalies in Hungary, 1980–1984 (186) 73

Dai, Y., Yu, Y. and Chen, X.
The cell-cycle dependent and the DNA-damaging agent-induced changes of cellular NAD content and their significance (191) 29
Dandoy, E., Schyns, R., Deltour, R. and Verly, W.G.
Appearance and repair of apurinic/apyrimidinic sites in DNA during early germination of *Zea mays* (181) 57
Danno, G., see Mizuno, M. (176) 179
Darroudi, F. and Natarajan, A.T.
Cytological characterization of Chinese hamster ovary X-ray-sensitive mutant cells xrs 5 and xrs 6. I. Induction of chromosomal aberrations by X-irradiation and its modulation with 3-aminobenzamide and caffeine (177) 133
Darroudi, F. and Natarajan, A.T.
Cytological characterization of Chinese hamster ovary X-ray-sensitive mutant cells, xrs 5 and xrs 6. II. Induction of sister-chromatid exchanges and chromosomal aberrations by X-rays and UV-irradiation and their modulation by inhibitors of poly(ADP-ribose) synthetase and α-polymerase (177) 149
Das, B.C. and Sharma, T.
The fate of X-ray-induced chromosome aberrations in blood lymphocyte culture (176) 93
Das, C.C., see Tripathy, N.K. (189) 277
Das, S.K.
Further evidence for a different mode of action of caffeine and benzamide on mammalian cells (192) 69
Dashwood, R.H. and Combes, R.D.
Deficiencies in the covalent binding index (CBI) for expressing in vivo binding to DNA with respect to predicting chemical carcinogenicity. A proposal for a target-organ binding index (190) 173
Davies, J.E., see Chipman, J.K. (187) 105
Davis, A., Barale, R., Brun, G., Forster, R., Günther, T., Hautefeuille, H., Van der Heijden, C.A., Knaap, A.G.A.C., Krowke, R., Kuroki, T., Loprieno, N., Malaveille, C., Merker, H.J., Monaco, M., Mosesso, P., Neubert, D., Norppa, H., Sorsa, M., Vogel, E., Voogd, C.E., Umeda, M. and Bartsch, H.
Evaluation of the genetic and embryotoxic effects of bis(tri-*n*-butyltin)oxide (TBTO), a broad-spectrum pesticide, in multiple in vivo and in vitro short-term tests (188) 65
Daya-Grosjean, L., James, M.R., Drougard, C. and Sarasin, A.
An immortalized xeroderma pigmentosum, group C, cell line which replicates SV40 shuttle vectors (183) 185
Dayan, A.D., see Hoffmann, S.H. (188) 29
Dayan, J., Deguingand, S., Truzman, C. and Chevron, M.
Application of the SOS chromotest to 10 pharmaceutical agents (187) 55
Day III, R.S., see Babich, M.A. (184) 245
Day III, R.S., see Yagi, T. (184) 223
Dean, B.J., see Preston, R.J. (189) 157
Dearfield, K.L., see Claxton, L.D. (176) 185
Deasy, D.A., see Galloway, S.M. (189) 15
De Carli, L., see Nuzzo, F. (177) 117
Decheng, C., Ming, J., Ling, H., Shan, W., Ziqing, X. and Xinshui, Z.
Cytogenetic analysis in workers occupationally exposed to nickel carbonyl (188) 149
Defais, M., see Salles, B. (183) 213

Defais, M., see Villani, G. (183) 21
De Flora, S., Badolati, G.S., Serra, D., Picciotto, A., Magnolia, M.R. and Savarino, V.
Circadian reduction of chromium in the gastric environment (192) 169
Deguingand, S., see Dayan, J. (187) 55
De Jong, A.W.M., see Eeken, J.C.J. (192) 259
De Klein, A.
Oncogene activation by chromosomal rearrangement in chronic myelocytic leukemia (186) 161
Del Gallo, M., Gratani, L. and Morpurgo, G.
Azospirillum brasilense, a nitrogen-fixing bacterium which lacks the SOS error-prone repair system (178) 195
Dell'Aquila, A., see Elder, R.H. (181) 61
Della Valle, G., see Nuzzo, F. (177) 117
Deltour, R., see Dandoy, E. (181) 57
De Marco, C., see Di Girolamo, M. (192) 221
DeMarini, D.M., Brock, K.H., Doerr, C.L. and Moore, M.M.
Mutagenicity and clastogenicity of teniposide (VM-26) in L5178Y/TK$^{+/-}$-3.7.2C mouse lymphoma cells (187) 141
DeMarini, D.M., Brock, K.H., Doerr, C.L. and Moore, M.M.
Mutagenicity of actinomycin D in mammalian cells due to clastogenic effects (192) 151
DeMarini, D.M., Inmon, J.P., Simmons, J.E., Berman, E., Pasley, T.C., Warren, S.H. and Williams, R.W.
Mutagenicity in Salmonella of hazardous wastes and urine from rats fed these wastes (189) 205
DeMarini, D.M., see Houk, V.S. (182) 193
DeMarini, D.M., see Moore, M.M. (191) 183
De Nava, C.C., see Espinosa-Aguirre, J.J. (188) 111
De Nava, C.C., see Hennig, U.G.G. (187) 79
De Nava, C.C., see Ostrosky-Wegman, P. (191) 211
Denman, A.M., see Palmer, R.G. (177) 125
Denny, W.A., see Ferguson, L.R. (187) 1
De Oliveira, A.R. and Machado-Santelli, G.M.
Diphenylhydantoin and mitotic spindle abnormalities in cultured mouse and human cells (187) 91
De Pargament, M.D.M., De Vinuesa, M.L. and Larripa, I.
Mutagenic bioassay of certain pharmacological drugs I. Thiabendazole (TBZ) (188) 1
De Raat, W.K., see Willems, M.I. (176) 211
De Serres, F.J. and Matsushima, T.
Deployment of short-term assays for environmental mutagens and carcinogens (182) 173
De Serres, F.J., see Brockman, H.E. (177) 61
De Serres, F.J., see Sobels, F.H. (182) 297
De Silva, H.V. and Shankel, D.M.
Effects of the antimutagen cinnamaldehyde on reversion and survival of selected Salmonella tester strains (187) 11
Deutsch, W.A.
Enzymatic studies of DNA repair in *Drosophila melanogaster* (184) 209
Devi, P.S. and Polasa, H.
Evaluation of the anti-inflammatory drug indomethacin, for its genotoxicity in mice (188) 343
De Vidania, R., see Paramio, J.M. (176) 21
De Vinuesa, M.L., see De Pargament, M.D.M. (188) 1
DeWeese, G.K., see Allen, J.W. (190) 19
Dey, L., see Tripathy, N.K. (189) 277
Díaz-Recasens, M., see Cortés, F. (192) 125
Di Girolamo, A., see Di Girolamo, M. (192) 221
Di Girolamo, M., Busiello, V., Di Girolamo, A., Cini, C. and De Marco, C.
Biochemical characterization of a thialysine-resistant clone of CHO cells (192) 221
Dijkwel, P.A., see Linskens, M.H.K. (178) 243
Di Marino, F., see Reali, D. (192) 145
Dimitrov, B.
Relationship between sister-chromatid exchanges and heterochromatin or DNA replication in chromosomes of Crepis capillaris (190) 271
Dion, M. and Hamelin, C.
Enhanced reactivation of ultraviolet-irradiated human cytomegalovirus in normal host cells (179) 49
Dixon, K., see Munson, P.J. (179) 103
Djaldetti, M., see Friedman, J. (191) 207
Djondjurov, L., see Leitao, J. (180) 239
Dodson, M.L., see Lloyd, R.S. (183) 109
Doerjer, G., see Turchi, G. (190) 31
Doerr, C.L., see DeMarini, D.M. (187) 141
Doerr, C.L., see DeMarini, D.M. (192) 151
Doerr, C.L., see Moore, M.M. (191) 183
Dogliotti, E., see Livia Tosato, M. (179) 123
Dolanská, M., see Kučerová, M. (192) 59
Dong, W., see Zhang, S. (180) 109
Donnelly, K.C., Brown, K.W. and Kampbell, D.
Chemical and biological characterization of hazardous industrial waste. I. Prokaryotic bioassays and chemical analysis of a wood-preserving bottom-sediment waste (180) 31
Donnelly, K.C., Brown, K.W. and Scott, B.R.
Chemical and biological characterization of hazardous industrial waste. II. Eukaryotic bioassay of a wood-preserving bottom sediment (180) 43
Doolittle, D.J., Muller, G. and Scribner, H.E.
A comparative study of hepatic DNA repair, DNA replication and hepatotoxicity in the CD-1 mouse following multiple administrations of dimethylnitrosamine (188) 141
Dore, C.J., see Palmer, R.G. (177) 125
Dozi-Vassiliades, J., see Mourelatos, D. (190) 205
Drinkwater, N.R., see Eckert, K.A. (178) 1
Drougard, C., see Daya-Grosjean, L. (183) 185
Du, P., see Qi, Z.-T. (192) 75
Duckworth-Rysiecki, G., see Buchwald, M. (184) 153
Dulout, F.N., Pastori, M.C., Cid, M.G., Matos, E., Von Guradze, H.N., Maderna, C.R., Loria, D., Sainz, L., Albiano, N. and Sobel, N.
Cytogenetic analysis in plant breeders (189) 381
Dunipace, A.J., see Li, Y. (190) 229
Dunipace, A.J., see Li, Y. (192) 191
Dunkel, V.C., see Cameron, T.P. (189) 223
Dunn, T.L., Gardiner, R.A., Seymour, G.J. and Lavin, M.F.
Genotoxicity of analgesic compounds assessed by an *in vitro* micronucleus assay (189) 299
Dusenbery, R.L.
Mutations at the *mei-41, mus(1)101, mus(1)103, mus(2)205* and *mus(3)310* loci of Drosophila exhibit differential UDS responses with different DNA-damaging agents (183) 45

Dutrillaux, B., see Sabatier, L. (178) 91
Duverger-van Bogaert, M., Stecca, C. and Léonard, A.
Detection of mutagenic activity in urine samples using a new concentration procedure (178) 21
Dybing, E., see Holme, J.A. (187) 181

Easton, D.F., see Venitt, S. (190) 191
Easton, D.F., see Venitt, S. (191) 129
Ebie, M., see Kohda, K.H. (177) 219
Ebine, Y., see Shimada, H. (192) 1
Eckert, K.A. and Drinkwater, N.R.
*rec*A-dependent and *rec*A-independent *N*-ethyl-*N*-nitrosourea mutagenesis at a plasmid-encoded herpes simplex virus thymidine kinase gene in *Escherichia coli* (178) 1
Edenberg, H.J., see Scaria, A. (183) 265
Edwards, A.A., see Lloyd, D.C. (179) 197
Edwards, A.A., see Moquet, J.E. (176) 143
Eeken, J.C.J., De Jong, A.W.M. and Green, M.M.
The spontaneous mutation rate in *Drosophila simulans* (192) 259
Eeken, J.C.J., see Pastink, A. (177) 101
Egozcue, J., see Santaló, J. (189) 407
Ehling, U.H., see Favor, J. (177) 161
Eiche, A., see Cifone, M.A. (189) 39
Eijsermans, A., see Linskens, M.H.K. (178) 243
Eklund, R., see Parvez, Z. (188) 233
El-Feraly, F.S., see Tariq, M. (190) 153
Elbling, L. and Colot, M.
Persistence of SCE-inducing damage in mouse embryos and fetuses following superovulation (176) 117
Elder, R.H., Dell'Aquila, A., Mezzina, M., Sarasin, A. and Osborne, D.J.
DNA ligase in repair and replication in the embryos of rye, *Secale cereale* (181) 61
Elespuru, R.K., see Lijinsky, W. (178) 157
Elli, R., Antonelli, A., Petrinelli, P., Bosi, R., Gigliani, F. and Marcucci, L.
The pR plasmid: a tool for discriminating between DNA lesions induced by different types of cytotoxic agents in cultured mammalian cells (191) 177
Ellis, S., see Mohapatra, N. (188) 323
Engelhardt, G., Fleig, I. and Helmstädter, G.
Letter to the Editor (180) 131
Engstrom, J., see Bockrath, R. (183) 241
Enoch, H.G., see Selby, C.P. (188) 287
Enzell, C.R., see Curvall, M. (188) 105
Erexson, G.L., Kligerman, A.D. and Allen, J.W.
Diaziquone-induced micronuclei in cytochalasin B-blocked mouse peripheral blood lymphocytes (178) 117
Eriksson, C.J.P.
Genetic aspects of the relation between alcohol metabolism and consumption in humans (186) 241
Eriksson, C.J.P.
Human acetaldehyde levels: aspects of current interest (186) 235
Escalza, P., see Cortés, F. (192) 125
Espinosa-Aguirre, J.J., Aroumir, C., Meza, M.T., Cienfuegos, E. and De Nava, C.C.
Genotoxicity of amebicide and anthelmintic drugs in *Escherichia coli pol* A^+/*pol* A^- (188) 111
Estop, A.M., see Santaló, J. (189) 407
Evans, H.J., see Featherstone, T. (179) 215
Everson, R.B., see Lundgren, K. (188) 223

Fahrig, R.
Letter to the Editor (182) 295
Faigle, J.W., see Glatt, H.R. (190) 7
Favor, J., Neuhäuser-Klaus, A. and Ehling, U.H.
Radiation-induced forward and reverse specific locus mutations and dominant cataract mutations in treated strain BALB/c and DBA/2 male mice (177) 161
Featherstone, T., Marshall, P.D. and Evans, H.J.
Problems and pitfalls in assessing human T-lymphocyte mutant frequencies (179) 215
Felton, J.S., see Knize, M.G. (178) 25
Felton, J.S., see Knize, M.G. (192) 23
Ferguson, L.R. and Turner, P.M.
Frameshift mutagenesis by nitracrine analogues in wild-type, uvrB, polA and recA strains of *Salmonella typhimurium*, with and without plasmid pKM101 (184) 13
Ferguson, L.R. and Turner, P.M.
Mutagenic, recombinogenic and antimitochondrial effects of nitracrine analogues in *Saccharomyces cerevisiae* (187) 209
Ferguson, L.R., Turner, P.M. and Denny, W.A.
Mutagenicity of nitracrine analogues in *Salmonella typhimurium*: Mutational specificity and activation by bacterial enzymes and rat-liver S9 (187) 1
Ferraris, A., see Cajelli, E. (190) 169
Ferro, W., see Vegt, G.B. (177) 95
Fiala, E.S., Conaway, C.C., Biles, W.T. and Johnson, B.
Enhanced mutagenicity of 2-nitropropane nitronate with respect to 2-nitropropane — possible involvement of free radical species (179) 15
Fichtinger-Schepman, A.M.J., van Oosterom, A.T., Lohman, P.H.M. and Berends, F.
Interindividual human variation in cisplatinum sensitivity, predictable in an in vitro assay? (190) 59
Fiddler, W., see Miller, A.J. (180) 75
Filev, G., see Bayrakova, A. (176) 53
Fix, D.F. and Glickman, B.W.
Thermal resistance to photoreactivation of ultraviolet light induced mutations in the *lacI* gene of *E. coli ung* (179) 143
Fleig, I., see Engelhardt, G. (180) 131
Flori, L., see Rainaldi, G. (177) 255
Ford, J.H., see Correll, A.T. (190) 137
Forni, A. and Bertazzi, P.A.
Epidemiology in protection and prevention against environmental mutagens/carcinogens. Examples from occupational medicine (181) 289
Forster, R., see Davis, A. (188) 65
Francis, A.R., see Bhattacharya, R.K. (188) 121
Fredholm, L., see Övervik, E. (187) 47
Freeman, A.G., Schweikart, K.M. and Larcom, L.L.
Effect of ultraviolet radiation on the *Bacillus subtilis* phages SPO2, SPP1 and Φ29 and their DNAs (184) 187
Frenkel, K., see Shirnamé-Moré, L. (178) 177

Friebe, B., see Vogel, R. (192) 121
Friederich, U., see Bösch, R. (188) 161
Friedman, J., Shabtai, F., Levy, L.S. and Djaldetti, M.
Chromium chloride induces chromosomal aberrations in human lymphocytes via indirect action (191) 207
Fritz-Niggli, H. and Suda, T.
Role of the germinal centre of *Drosophila melanogaster*: the presence of a master cell (192) 47
Frost, B.F. and Small, G.D.
The apparent lack of repair of O^6-methylguanine in nuclear DNA of *Chlamydomonas reinhardtii* (181) 37
Fu, P.P., see Hass, B.S. (190) 247
Fu, P.P., see Ni, Y.-C. (192) 15
Fujimoto, T., Ose, Y., Sato, T., Matsuda, H., Nagase, H. and Kito, H.
Antimutagenic factors in aquatic plants (178) 209
Fujino, M., see Mitani, H. (191) 201
Fujio, C., see Ikenaga, M. (184) 161
Fujio, C., see Ishizaki, K. (184) 121
Fujioka, Y., see Ogawa, S. (192) 37
Fukui, S., see Hirayama, T. (191) 73
Fukui, S., see Ogawa, S. (190) 107
Fukui, S., see Ogawa, S. (190) 241
Fukui, S., see Ogawa, S. (192) 37
Fukui, S., see Watanabe, T. (190) 113
Fukushima, M., see Ishida, F. (188) 301
Fung, V.A., see Cameron, T.P. (189) 223
Furlan, D., see Celotti, L. (190) 35

Gaddamidi, V., see Rosman, L.B. (189) 189
Galindo-Prince, O.C., see Hennig, U.G.G. (187) 79
Galloway, S., see Preston, R.J. (189) 157
Galloway, S.M., Deasy, D.A., Bean, C.L., Kraynak, A.R., Armstrong, M.J. and Bradley, M.O.
Effects of high osmotic strength on chromosome aberrations, sister-chromatid exchanges and DNA strand breaks, and the relation to toxicity (189) 15
Galloway, S.M., see Bradley, M.O. (189) 69
Galloway, S.M., see Murli, H. (180) 101
Gangolli, S.D., see Jenkinson, P.C. (188) 57
Gantt, R.
A cell cycle-associated pathway for repair of DNA–protein crosslinks in mammalian cells (183) 75
García Heras, J. and Coco, R.
X-Radiation-induced chromosome breakage in retinoblastoma lymphocytes (178) 223
Gardiner, R.A., see Dunn, T.L. (189) 299
Garnaat, M.A., see Rietveld, E.C. (188) 97
Garner, R.C., see O'Connor, H.J. (188) 201
Garner, R.C., see Wood, M.L. (176) 11
Garrido, S., see Llagostera, M. (191) 1
Garro, A., see Lieber, C.S. (186) 201
Garry, V.F. and Nelson, R.L.
Host-mediated transformation: metronidazole (190) 289
Gavaler, J.S. and Van Thiel, D.H.
Reproductive consequences of alcohol abuse: males and females compared and contrasted (186) 269
Gelbič, I., see Marec, F. (188) 209
Generoso, W.M., Rutledge, J.C., Cain, K.T., Hughes, L.A. and Braden, P.W.
Exposure of female mice to ethylene oxide within hours after mating leads to fetal malformation and death (176) 269
Gentile, G.J., see Gentile, J.M. (188) 185
Gentile, J.M., Gentile, G.J. and Plewa, M.J.
Mutagenicity of selected aniline derivatives to Salmonella following plant activation and mammalian hepatic activation (188) 185
Gentile, J.M., Heydenburg, D., Hertel, L. and Plewa, M.J.
Plants cells at different stages in their growth curve differentially activate promutagens (191) 151
Germanier, M., see Salles, B. (183) 213
Ghaskadbi, S., Pavaskar, S.V. and Vaidya, V.G.
Bio-antimutagenic effect of L-cysteine on diiodohydroxyquinoline-induced micronuclei in Swiss mice (187) 219
Gibson, J.B., see Allen, J.W. (190) 19
Gichner, T. and Velemínský, J.
The organic solvents acetone, ethanol and dimethylformamide potentiate the mutagenic activity of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, but have no effect on the mutagenic potential of *N*-methyl-*N*-nitrosourea (192) 31
Gichner, T., Véleminský, J., Rapoport, I.A. and Vasilieva, S.V.
Antimutagenic effect of *p*-aminobenzoic acid on the mutagenicity of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Salmonella typhimurium* (192) 95
Gichner, T., see Juříček, M. (179) 175
Gichner, T., see Velemínský, J. (181) 73
Gigliani, F., see Elli, R. (191) 177
Gilot-Delhalle, J., see Moutschen, J. (181) 187
Giorgi, R., see Stefanini, M. (191) 117
Giroux, C.N., see Pierce, M.K. (182) 65
Glatt, H., see Turchi, G. (190) 31
Glatt, H.R., Faigle, J.W. and Oesch, F.
Tricyclic drugs: potent mutagenicity of traces of a nitroarene formed in the reaction of opipramol with nitrite (190) 7
Glickman, B.W., see Fix, D.F. (179) 143
Glickman, B.W., see Gordon, A.J.E. (190) 253
Göggelmann, W., see Kugler, U. (187) 151
Göggelmann, W., see Schmid, E. (191) 5
Goin, C.J., see Mayer, V.W. (187) 21
Goin, C.J., see Mayer, V.W. (187) 31
Gola, I., see Majone, F. (191) 157
Gold, A., see Goldring, J.M. (187) 67
Gold, A., see Mohapatra, N. (188) 323
Goldin, B.R., see Radermacher, J. (187) 99
Goldring, J.M., Ball, L.M., Sangaiah, R. and Gold, A.
Mutagenic activity of nitro-substituted cyclopenta-fused polycyclic aromatic hydrocarbons towards *Salmonella typhimurium* (187) 67
Goldstein, L.S.
Dominant lethal mutations induced in mouse spermatogonia by mechlorethamine, procarbazine and vincristine administered in 2-drug and 3-drug combinations (191) 171
Gorbach, S.L., see Radermacher, J. (187) 99

Gordon, A.J.E. and Glickman, B.W.
A molecular analysis of the RK mutatest (190) 253
Gorla, N.B.
Sister-chromatid exchange in spleenic lymphocytes of mice after exposure to nifurtimox or benznidazole (188) 129
Gossen, J.A., see Lohman, P.H.M. (181) 227
Goth-Goldstein, R. and Hughes, M.
Cell killing by various monofunctional alkylating agents in Chinese hamster ovary cells (177) 267
Goth-Goldstein, R. and Hughes, M.
Characterization of a CHO variant in respect to alkylating agent-induced biological effects and DNA repair (184) 139
Gotoh, S., see Yanagisawa, K. (183) 89
Goudzwaard, H.J., see Van Buul, P.P.W. (190) 145
Gratani, L., see Del Gallo, M. (178) 195
Graves, R.J., see Swann, P.F. (186) 261
Green, M.M., see Eeken, J.C.J. (192) 259
Green, S., Lavappa, K.S., Manandhar, M., Sheu, C.-j., Whorton, E. and Springer, J.A.
A guide for mutagenicity testing using the dominant lethal assay (189) 167
Gregor, V., see Kučerová, M. (192) 59
Griffiths, T.D. and Ling, S.Y.
Activation of alternative sites of replicon initiation in Chinese hamster cells exposed to ultraviolet light (184) 39
Grigliatti, T.A., see Henderson, D.S. (177) 83
Grolier, P., see Alzieu, P. (192) 227
Grolier, P., see Cassano, P. (191) 67
Grolier, P., see Narbonne, J.F. (191) 21
Grover, I.S., see Malhi, P.K. (188) 45
Gruskin, E.A., see Lloyd, R.S. (183) 109
Grúz, P., see Juříček, M. (178) 43
Gualandi, G.
Use of α- and β-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans* (178) 33
Guerrero, I. and Pellicer, A.
Mutational activation of oncogenes in animal model systems of carcinogenesis (185) 293
Guerrero, R., see Barbé, J. (192) 105
Guerrero, R., see Llagostera, M. (191) 1
Günther, T., see Davis, A. (188) 65
Guo, S.-B., see Manabe, S. (179) 33
Gupta, R.S., see Li, A.P. (189) 135
Gustafsson, J.-Å., see Övervik, E. (187) 47
Gustavino, B., Vitagliano, E., Sottili, A. and Rizzoni, M.
A comparison between short-term evolution of micronuclei induced by X-rays and colchicine in root tips of *Vicia faba* (192) 109
Gustavino, B., see Rizzoni, M. (176) 205
Gutierrez, C.
Excision repair of uracil in higher plant cells: uracil–DNA glycosylase and sister-chromatid exchanges (181) 111
Guttenplan, J.B.
N-Nitrosamines: bacterial mutagenesis and in vitro metabolism (186) 81
Guttenplan, J.B., see Zielenska, M. (180) 11

Haas, R.A., see Zielinska, B. (190) 259
Haas, R.T., see Ray, V.A. (185) 197
Hackenberg, U., see Walk, R.-A. (182) 333
Hadházi, M., see Páldy, A. (187) 127
Hakura, A., Kohda, K. and Kawazoe, Y.
Inhibitory effect of heavy water on mutability of chemically injured *Escherichia coli* cells (180) 155
Hama-Inaba, H., see Shiomi, T. (182) 223
Hama-Inaba, H., see Tsuji, H. (178) 99
Hamamy, H.A., Al-Hakkak, Z.S. and Hussain, A.F.
Chromosome aberrations in workers at a tannery in Iraq (189) 395
Hamelin, C., see Dion, M. (179) 49
Hamilton, C.M. and Mirsalis, J.C.
Factors that affect the sensitivity of the in vivo–in vitro hepatocyte DNA repair assay in the male rat (189) 341
Hammock, B., see Ottea, J.A. (177) 247
Hanson, C.V., see Zielinska, B. (190) 259
Hanson, K., see Van Buul, P.P.W. (190) 145
Happe, J.A., see Knize, M.G. (178) 25
Haraikawa, K., see Tanaka, H. (176) 165
Harger, W.P., see Zielinska, B. (190) 259
Harless, J. and Hewitt, R.R.
Intranuclear localization of UV-induced DNA repair in human VA13 cells (183) 177
Harper, B.L. and Legator, M.S.
Pyridine prevents the clastogenicity of benzene but not of benzo[*a*]pyrene or cyclophosphamide (179) 23
Harris, C.C., see Hsu, I.C. (177) 1
Harris, P.V. and Boyd, J.B.
Pyrimidine dimers in Drosophila chromatin become increasingly accessible after irradiation (183) 53
Harshman, L.G., see Ottea, J.A. (177) 247
Hartke, M.A., see Volkert, M.R. (184) 181
Hass, B.S., Chen, J.J., Chou, M.W., Fu, P.P. and Heflich, R.H.
Binary mixtures containing isomers of nitrobenzo[*a*]pyrene induce greater-than-additive mutational responses in *Salmonella typhimurium*. I. Analysis by the total concentration-proportional mixture model (190) 247
Hata, S., see Nomura, T. (190) 25
Haupter, S., see Speit, G. (190) 197
Hauser, J., see Munson, P.J. (179) 103
Hautefeuille, H., see Davis, A. (188) 65
Hayase, F., see Kim, S.B. (177) 9
Hayase, K., see Sato, T. (176) 199
Hayatsu, H., see Arimoto, S. (192) 253
Hayatsu, H., see Nomura, A. (177) 283
Healy, S.K., see Knize, M.G. (178) 25
Heddle, J.A., see MacGregor, J.T. (189) 103
Heerema, N.A., see Li, Y. (192) 191
Heflich, R.H., see Hass, B.S. (190) 247
Heflich, R.H., see Ni, Y.-C. (192) 15
Heindorff, K., Rieger, R., Michaelis, A. and Takehisa, S.
Clastogenic adaptation triggered by S-phase-independent clastogens in *Vicia faba* (190) 131
Heindorff, K., Rieger, R., Schubert, I., Michaelis, A. and Aurich, O.
Clastogenic adaptation of plant cells — reduction of the yield of clastogen-induced chromatid aberrations by various pretreatment procedures (181) 157

Helmstädter, G., see Engelhardt, G. (180) 131
Hemavathy, K.C. and Krishnamurthy, N.B.
Mutagenicity studies in *Drosophila melanogaster* with Lannate 20 (191) 41
Henderson, D.S., Bailey, D.A., Sinclair, D.A.R. and Grigliatti, T.A.
Isolation and characterization of second chromosome mutagen-sensitive mutations in *Drosophila melanogaster* (177) 83
Henderson, L., see Palmer, R.G. (177) 125
Henderson, P.T., see Bos, R.P. (187) 119
Hendrickx, B., see Vleminckx, C. (189) 387
Hennig, U.G.G., Galindo-Prince, O.C., De Nava, C.C., Savage, E.A. and Von Borstel, R.C.
A comparison of the genetic activity of pyrvinium pamoate with that of several other anthelmintic drugs in *Saccharomyces cerevisiae* (187) 79
Henry, D.R., Lavine, B.K. and Jurs, P.C.
Electronic factors and acridine frameshift mutagenicity — a pattern recognition study (179) 115
Herrera, G., see Woodgate, R. (183) 31
Hertel, L., see Gentile, J.M. (191) 151
Hewitt, R.R., see Harless, J. (183) 177
Heydenburg, D., see Gentile, J.M. (191) 151
Hieda-Shiomi, N., see Shiomi, T. (182) 223
Higgins, K.M. and Lloyd, R.S.
Purification of the T4 endonuclease V (183) 117
Hirai, K., see Ogawa, S. (190) 107
Hirai, K., see Ogawa, S. (190) 241
Hirai, K., see Ogawa, S. (192) 37
Hiramoto, K., see Arimoto, S. (192) 253
Hirayama, T., Kusakabe, H., Watanabe, T., Ono, M. and Fukui, S.
Mutagenic reactivities of 3,4-dinitrobiphenyl derivatives (191) 73
Hirayama, T., see Ogawa, S. (190) 107
Hirayama, T., see Ogawa, S. (190) 241
Hirayama, T., see Ogawa, S. (192) 37
Hirayama, T., see Watanabe, T. (190) 113
Hite, M., see MacGregor, J.T. (189) 103
Hoekstra, M.F. and Malone, R.E.
Hyper-mutation caused by the *rem1* mutation in yeast is not dependent on error-prone or excision repair (178) 199
Hoffmann, S.H., Wade, M.J., Staffa, J.A., McGregor, D.B., Holmstrom, M. and Dayan, A.D.
Dominant lethal study of ribavirin in male rats (188) 29
Hoffschir, F., see Sabatier, L. (178) 91
Hofnung, M., see Quillardet, P. (177) 17
Holden, H., see Preston, R.J. (189) 157
Hollaender, A.
Obituary (179) 1
Holliday, R.
DNA methylation and epigenetic defects in carcinogenesis (181) 215
Holloway, M.P., Biaglow, M.C., McCoy, E.C., Anders, M., Rosenkranz, H.S. and Howard, P.C.
Photochemical instability of 1-nitropyrene, 3-nitrofluoranthene, 1,8-dinitropyrene and their parent polycyclic aromatic hydrocarbons (187) 199
Holme, J.A., Hongslo, J.K., Søderlund, E., Brunborg, G., Christensen, T., Alexander, J. and Dybing, E.
Comparative genotoxic effects of IQ and MeIQ in *Salmonella typhimurium* and cultured mammalian cells (187) 181
Holmstrom, M., see Hoffmann, S.H. (188) 29
Holsapple, M.P., see Johnson, K.W. (182) 211
Holt, P.D., see Cambray, G.J. (176) 225
Hongslo, J.K., see Holme, J.A. (187) 181
Horikawa, K., see Nakagawa, R. (191) 85
Horvat, D., see Lloyd, D.C. (179) 197
Houk, V.S. and DeMarini, D.M.
Induction of prophage lambda by chlorinated pesticides (182) 193
Howard, P.C., see Holloway, M.P. (187) 199
Hozier, J.C., see Turner, N.T. (189) 285
Hrelia, P., see Paolini, M. (178) 11
Hsie, A.W., see Li, A.P. (189) 135
Hsie, A.W., see Recio, L. (178) 255
Hsu, I.C., Harris, C.C., Lipsky, M.M., Snyder, S. and Trump, B.F.
Cell and species differences in metabolic activation of chemical carcinogens (177) 1
Hsu, I.C., see Snyder, S. (182) 31
Hu, J., see Stamato, T.D. (183) 61
Huang, C.C.
Retinol (vitamin A) inhibition of dimethylnitrosamine (DMN) and diethylnitrosamine (DEN) induced sister-chromatid exchanges in V79 cells and mutations in Salmonella/microsome assays (187) 133
Huang, C.C., see Sirianni, S.R. (188) 7
Hübscher, U., see Bridges, B.A. (181) 219
Hughes, L.A., see Generoso, W.M. (176) 269
Hughes, M., see Goth-Goldstein, R. (177) 267
Hughes, M., see Goth-Goldstein, R. (184) 139
Hughes, T.J., see Cameron, T.P. (189) 223
Hughes, T.J., see Myers, L.E. (182) 121
Humayun, M.Z., see Jacobsen, J.S. (179) 89
Hung, C.Y., see Brockman, H.E. (177) 61
Hunsicker, P.R., see Russell, L.B. (176) 47
Hunsicker, P.R., see Russell, L.B. (188) 335
Hunter, B.J., see Pall, M.L. (182) 5
Husgafvel-Pursiainen, K.
Sister-chromatid exchange and cell proliferation in cultured lymphocytes of passively and actively smoking restaurant personnel (190) 211
Hussain, A.F., see Hamamy, H.A. (189) 395

Iba, M.M.
Comparative activation of 3,3′-dichlorobenzidine and related benzidines to mutagens in the *Salmonella typhimurium* assay by hepatic S9 and microsomes from rats pretreated with different inducers of cytochrome P-450 (182) 231
Iba, M.M., see Lang, B. (191) 139
Ikai-Tano, K., see Ohnishi, T. (184) 7
Ikenaga, M., Tsujimura, T., Chang, H.-R., Fujio, C., Zhang, Y.-P., Ishizaki, K., Kataoka, H. and Shima, A.
Comparative analysis of O^6-methylguanine methyltransferase activity and cellular sensitivity to alkylating agents in

cell strains derived from a variety of animal species (184) 161
Ikenaga, M., see Ishizaki, K. (184) 121
Ikushima, T.
Chromosomal responses to ionizing radiation reminiscent of an adaptive response in cultured Chinese hamster cells (180) 215
Ikushima, T.
Somatic mutation in cereals (181) 199
Imanishi, H., see Sasaki, Y.F. (189) 313
Imanishi, H., see Sasaki, Y.F. (191) 193
Inamasu, T., see Ohyama, S. (192) 7
Inmon, J.P., see DeMarini, D.M. (189) 205
Inoue, M., see Kurihara, T. (183) 197
Inoue, M., see Kurihara, T. (184) 147
Inui, N., see Sato, S.-i. (192) 185
Ishida, F. and Kamei, T.
Mutagenic evaluation of etintidine (BL-5641), a novel histamine H_2–receptor antagonist, using the chromosome aberration test in CHL cells and the micronucleus test in mice (180) 231
Ishida, F., Kondo, H., Fukushima, M. and Kamei, T.
Mutagenic evaluation of etintidine (BL-5641), a novel histamine H_2-eceptor antagonist, using reverse mutation tests in bacteria and forward mutation tests in V79 Chinese hamster cells (188) 301
Ishidate Jr., M., see Sawada, M. (187) 157
Ishiguro, T., Otsuka, F., Ochi, T. and Ohsawa, M.
Involvement of DNA polymerases in the repair of DNA damage by benzo[*a*]pyrene in cultured Chinese hamster cells (184) 57
Ishikawa, S., see Manabe, S. (179) 33
Ishinishi, N., see Ohyama, S. (192) 7
Ishizaki, K., Tsujimura, T., Fujio, C., Yangpei, Z., Yawata, H., Nakabeppu, Y., Sekiguchi, M. and Ikenaga, M.
Expression of the truncated *E. coli* O^6-methylguanine methyltransferase gene in repair-deficient human cells and restoration of cellular resistance to alkylating agents (184) 121
Ishizaki, K., see Ikenaga, M. (184) 161
Ishizawa, M., see Ohyama, S. (192) 7
Ismail, S.R., see Lloyd, D.C. (179) 197
Ito, A., see Shiomi, T. (182) 223
Ito, K., see Mitani, H. (191) 201
Itzhaki, R.F., see Smith, T.A.D. (184) 107
Ivett, J.L., see Murli, H. (180) 101
Ivett, J.L., see Tice, R.R. (182) 15
Iwamoto, S., see Ohnishi, T. (184) 7

Jackson, J.F.
DNA repair in pollen. A review (181) 17
Jacobs, M.M., see Prasanna, P. (190) 101
Jacobsen, J.S., Refolo, L.M., Conley, M.P., Sambamurti, K. and Humayun, M.Z.
DNA replication-blocking properties of adducts formed by aflatoxin B_1-2,3-dichloride and aflatoxin B_1-2,3-oxide (179) 89
Jacobson, E.L., see Nunbhakdi, V. (180) 249
James, M.R., see Daya-Grosjean, L. (183) 185
James, M.R., see MacGregor, G.R. (183) 273
Jančys, Z.J., see Cieminis, K.G.K. (181) 9
Jansson, T. and Zech, L.
Effects of vanillin on sister-chromatid exchanges and chromosome aberrations in human lymphocytes (190) 221
Jarý, J., see Juříček, M. (178) 43
Jarý, J., see Juříček, M. (179) 175
Jasiewicz, M.L. and Richardson, J.C.
Absence of mutagenic activity of benorylate, paracetamol and aspirin in the Salmonella/mammalian microsome test (190) 95
Jefferson, M.M., see Thomas, E.L. (188) 35
Jenderny, J., see Walk, R.-A. (182) 333
Jenkinson, P.C., Anderson, D. and Gangolli, S.D.
Increased incidence of abnormal foetuses in the offspring of cyclophosphamide-treated male mice (188) 57
Jenkinson, P.C., see Lovell, D.P. (187) 37
Jenssen, D., see Romert, L. (178) 123
Joe, C.O., Sylvia, V.L., Norman, J.O. and Busbee, D.L.
Repair of benzo[*a*]pyrene-initiated DNA damage in human cells requires activation of DNA polymerase alpha (184) 129
Johannes, C., see Obe, G. (192) 263
Johnson, B., see Fiala, E.S. (179) 15
Johnson, K.W., Kim, D.-H., Munson, A.E. and Holsapple, M.P.
Dependence on intact cells for the in vitro activation of dimethylnitrosamine to an immunosuppressive form (182) 211
Johnson, L.A., see Libbus, B.L. (182) 265
Johnson, N.P., see Villani, G. (183) 21
Johnson, R.T., Rasko, I. and Collins, A.R.S.
Abnormal mutation frequencies in human repair-defective hybrid cell lines (184) 113
Jones, N.J., Cox, R. and Thacker, J.
Isolation and cross-sensitivity of X-ray-sensitive mutants of V79-4 hamster cells (183) 279
Jongeneelen, F.J., see Bos, R.P. (187) 119
Juříček, M., Grúz, P., Velemínský, J., Staněk, S., Moravcová, J. and Jarý, J.
High mutagenic activity of 3-azido-1,2-propanediol (azidoglycerol, AG) in strain D7 of *Saccharomyces cerevisiae* (178) 43
Juříček, M., Gichner, T., Kočišová, J., Yefremova, G.I., Velemínský, J., Staněk, J., Moravcová, J. and Jarý, J.
Comparative mutagenicity of 3-azido-1,2-propanediol and sodium azide in various pro- and eu-karyote systems (179) 175
Juříček, M., see Velemínský, J. (181) 73
Jurs, P.C., see Henry, D.R. (179) 115

Kadlubar, F.F., see Ni, Y.-C. (192) 15
Kaiya, T., see Takahashi, K. (187) 191
Kalina, I., see Bayrakova, A. (176) 53
Kamei, T., see Ishida, F. (180) 231
Kamei, T., see Ishida, F. (188) 301
Kampbell, D., see Donnelly, K.C. (180) 31
Kanazawa, K., see Mizuno, M. (176) 179
Kannan, K.L., see Ray, V.A. (185) 197

Kantor, G.J., see Player, A.N. (184) 169
Kappas, A., see Nicoloff, H. (189) 271
Kasper, P., see Madle, E. (188) 153
Kasper, P., see Obe, G. (192) 263
Kataoka, H., see Ikenaga, M. (184) 161
Kato, H., see Kim, S.B. (177) 9
Kato, T., see Kikugawa, K. (177) 35
Kato, T., see Kikugawa, K. (179) 5
Katz, A.J.
Inhalation of methyl bromide gas induces mitotic recombination in somatic cells of *Drosophila melanogaster* (192) 131
Katz, E.J. and Sirover, M.A.
DNA nucleotide excision-repair synthesis is independent of perturbations of deoxynucleoside triphosphate pool size (183) 249
Kaufman, E.R.
Uncoupling of the induction of mutations and sister-chromatid exchanges by the replication of 5-bromouracil-substituted DNA (176) 133
Kaufmann, W.K. and Briley, L.P.
Formation of DNA strand breaks in UV-irradiated human fibroblast preparations (184) 47
Kaufmann, W.K. and Briley, L.P.
Reparative strand incision in saponin-permeabilized human fibroblasts (184) 237
Kawano, H., see Ohyama, S. (192) 7
Kawazoe, Y., see Hakura, A. (180) 155
Kawazoe, Y., see Kohda, K.H. (177) 219
Kawazoe, Y., see Takahashi, K. (180) 163
Kawazoe, Y., see Takahashi, K. (187) 191
Kaylor, W.H., see Meier, J.R. (189) 363
Kenne, K. and Ljungquist, S.
RecA-like activity in mammalian cell extracts of different origin (184) 229
Kerklaan, P.R.M., Bouter, S., Koppele, J.M., Vermeulen, N.P.E., Van Bladeren, P.J. and Mohn, G.R.
Mutagenicity of halogenated and other substituted dinitrobenzenes in *Salmonella typhimurium* TA100 and derivatives deficient in glutathione (TA100/GSH$^-$) and nitroreductase (TA100NR) (176) 171
Kersch, R.L. and Thilly, W.G.
Internal standards for survival: increasing the accuracy for human cell mutation assays (182) 83
Khan, M.A., see Rasool, S.A. (188) 197
Kiefer, J.
UV response of the temperature-conditional rad 54 mutant of the yeast *Saccharomyces cerevisiae* (191) 9
Kier, L.D., see Ray, V.A. (185) 197
Kihlman, B.A., see Andersson, H.C. (181) 173
Kikugawa, K. and Kato, T.
Formation of mutagens, 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline (MeIQx) and 2-amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline (4,8-DiMeIQx), in heated fish meats (179) 5
Kikugawa, K., Kato, T. and Takeda, Y.
Formation of a highly mutagenic diazo compound from the bamethan–nitrite reaction (177) 35
Kim, D.-H., see Johnson, K.W. (182) 211
Kim, S.B., Hayase, F. and Kato, H.
Desmutagenic effect of α-dicarbonyl and α-hydroxycarbonyl compounds against mutagenic heterocyclic amines (177) 9
Kim, Y.-H., see Lee, H.K. (192) 99
Kim, Y.K., see Lee, H.K. (192) 99
Kimball, R.F.
The development of ideas about the effect of DNA repair on the induction of gene mutations and chromosomal aberrations by radiation and by chemicals (186) 1
Kingston, D.G.I., see Bashir, M. (190) 187
Kinouchi, T., see Mori, H. (190) 159
Kirby, P.E., see Cameron, T.P. (189) 223
Kirby, P.E., see Clive, D. (189) 143
Kirk, M.J., see Cattanach, B.M. (176) 69
Kis-Varga, A., see Czeizel, A. (186) 73
Kishi, K.
Effects of repair inhibition in the G_1 phase of clastogen-treated human lymphocytes on the frequencies of chromosome-type and chromatid-type aberrations and sister-chromatid exchanges (176) 105
Kitajima, H., see Sato, S.-i. (192) 185
Kitamori, S., see Ohyama, S. (192) 7
Kito, H., see Fujimoto, T. (178) 209
Klaude, M. and Von der Decken, A.
O^6-Methylguanine–DNA methyltransferase and alkylation of liver DNA in mice exposed to dimethylnitrosamine during dietary deficiency of essential amino acids (183) 287
Kleibl, K., see Sedliaková, M. (191) 13
Kleinhofs, A., see Velemínský, J. (181) 73
Kliesch, U. and Adler, I.-D.
Micronucleus test in bone marrow of mice treated with 1-nitropropane, 2-nitropropane and cisplatin (192) 181
Kligerman, A.D., see Erexson, G.L. (178) 117
Kliment, V., see Kučerová, M. (192) 59
Knaap, A.G.A.C., see Davis, A. (188) 65
Knežević-Vukčević, J., Vuković, B. and Simić, D.
Role of *rec* genes in SOS-induced inhibition of cell division in *Escherichia coli* (192) 247
Knize, M.G., Happe, J.A., Healy, S.K. and Felton, J.S.
Identification of the mutagenic quinoxaline isomers from fried ground beef (178) 25
Knize, M.G., Takemoto, B.T., Lewis, P.R. and Felton, J.S.
The characterization of the mutagenic activity of soil (192) 23
Knohl, R.B., see Meier, J.R. (189) 363
Knuiman, M.W., Laird, N.M. and Louis, T.A.
Inter-laboratory variability in Ames assay results (180) 171
Kobayashi, J., see Murakami, H. (180) 147
Kobayashi, Y., see Suzuki, J. (178) 187
Kočišová, J., see Juříček, M. (179) 175
Kodera, Y., see Nakagawa, R. (191) 85
Koga, S.J. and Schroeder, A.L.
γ-Ray-sensitive mutants of *Neurospora crassa* with characteristics analogous to ataxia telangiectasia cell lines (183) 139
Kohda, K., see Hakura, A. (180) 155

Kohda, K.H., Ninomiya, S.-i., Washizu, K., Shiraki, K., Ebie, M. and Kawazoe, Y.
Mutagenicity of a series of *N*-alkyl-, *N*-hydroxyalkyl-, *N*-haloalkyl- and *N*-carboxyalkyl-*N*-nitrosoureas in *Escherichia coli* tester strains: Dependence on the *uvrA* DNA-repair system (177) 219
Koizumi, A., see Tachi-Shinkawa, K. (191) 37
Kondo, H., see Ishida, F. (188) 301
Kondo, S., Satoh, Y. and Kuroki, T.
Defect in UV-induced unscheduled DNA synthesis in cultured epidermal keratinocytes from xeroderma pigmentosum (183) 95
Kondrashova, T.V., see Luchnik, N.V. (190) 149
Konishi, S., see Sato, S.-i. (192) 185
Konishi, Y., see Mori, Y. (192) 91
Kopfler, F.C., see Meier, J.R. (189) 363
Koplitz, R.M., see Schaaper, R.M. (177) 179
Koppele, J.M., see Kerklaan, P.R.M. (176) 171
Kormano, M., see Parvez, Z. (188) 233
Korte, A., see Madle, S. (182) 187
Köteles, G.J., see Lloyd, D.C. (179) 197
Kraynak, A.R., see Galloway, S.M. (189) 15
Krehl, R., see Clive, D. (189) 143
Krepinsky, A., see Lloyd, D.C. (179) 197
Krishnamurthy, N.B., see Hemavathy, K.C. (191) 41
Krowke, R., see Davis, A. (188) 65
Kučerová, M., Polívková, Z., Gregor, V., Dolanská, M., Málek, B., Kliment, V., Ždárský, E., Marouškova, A. and Nováková, J.
The possible mutagenic effect of the occupation of TV announcer (192) 59
Kucerova, M., see Lloyd, D.C. (179) 197
Kugler, U., Bauchinger, M., Schmid, E. and Göggelmann, W.
The effectiveness of S9 and microsomal mix on activation of cyclophosphamide to induce genotoxicity in human lymphocytes (187) 151
Kulka, U., see Bauchinger, M. (190) 217
Kunkel, T.A., see Snow, E.T. (180) 137
Kunz, B.A., see Pierce, M.K. (182) 65
Kurihara, T., Inoue, M. and Tatsumi, K.
Hypersensitivity of Bloom's syndrome fibroblasts to *N*-ethyl-*N*-nitrosourea (184) 147
Kurihara, T., Tatsumi, K., Takahashi, H. and Inoue, M.
Sister-chromatid exchanges induced by ultraviolet light in Bloom's syndrome fibroblasts (183) 197
Kuroda, Y., see Nomura, A. (177) 283
Kuroda, Y., see Tachi-Shinkawa, K. (191) 37
Kuroki, T., see Davis, A. (188) 65
Kuroki, T., see Kondo, S. (183) 95
Kusafuka, T., see Nomura, T. (190) 25
Kusakabe, H., see Hirayama, T. (191) 73

Lafi, A., Parry, E.M. and Parry, J.M.
The effects of benzodiazepines upon the fidelity of mitotic cell division in cultured Chinese hamster cells (189) 319
Lagomarsini, P., see Stefanini, M. (191) 117
Laird, N.M., see Knuiman, M.W. (180) 171
Lam, L.H. and Reynolds, R.J.
DNA sequence dependence of closely opposed cyclobutyl pyrimidine dimers induced by UV radiation (178) 167
Lambert, J.M., see Lundgren, K. (188) 223
Lambert, M.E. and Weinstein, I.B.
Nitropyrenes are inducers of polyoma viral DNA synthesis (183) 203
Lamprecht, I., see Obe, G. (192) 263
Lang, B. and Iba, M.M.
Peroxidative activation of 3,3′-dichlorobenzidine to mutagenic products in the *Salmonella typhimurium* test (191) 139
Lansbergen, M.J., see Willems, M.I. (176) 211
Larcom, L.L., see Freeman, A.G. (184) 187
Larramendy, M., Mello-Filho, A.C., Leme Martins, E.A. and Meneghini, R.
Iron-mediated induction of sister-chromatid exchanges by hydrogen peroxide and superoxide anion (178) 57
Larripa, I., see De Pargament, M.D.M. (188) 1
Lauwerys, R., see Léonard, A. (186) 35
Laval, J., see Costa de Oliveira, R. (183) 11
Lavappa, K.S., see Green, S. (189) 167
LaVelle, J.M. and Mangold, J.B.
Structure–activity relationships of the azide metabolite, azidoalanine, in *S. typhimurium* (177) 27
Lavin, M.F., see Dunn, T.L. (189) 299
Lavine, B.K., see Henry, D.R. (179) 115
Learn, D.B., see Thomas, E.L. (188) 35
Lee, A.T. and Cerami, A.
The formation of reactive intermediate(s) of glucose 6-phosphate and lysine capable of rapidly reacting with DNA (179) 151
Lee, H.K., Kim, Y.K., Kim, Y.-H. and Roh, J.K.
Effect of bacterial growth-inhibiting ingredients on the Ames mutagenicity of medicinal herbs (192) 99
Lee, T.C., see Wang, T.C. (188) 311
Lee, W.R., see Mason, J.M. (189) 93
Legator, M.S., see Harper, B.L. (179) 23
Legator, M.S., see Rithidech, K. (188) 135
Leitao, J., Petkova, S. and Djondjurov, L.
The induction of DNA strand breaks at specific sites by *N*-nitroso-*N*-ethylurea depends on the phases of the cell cycle (180) 239
Leme Martins, E.A., see Larramendy, M. (178) 57
Leo, M.A., see Lieber, C.S. (186) 201
Léonard, A. and Lauwerys, R.
Mutagenicity, carcinogenicity and teratogenicity of beryllium (186) 35
Léonard, A., see Duverger-van Bogaert, M. (178) 21
Leonard, J.C. and Merz, T.
Chromosomal aberrations in irradiated Down's syndrome fibroblasts (180) 223
Lepši, P., see Černá, M. (190) 177
Lepši, P., see Rössner, P. (190) 183
Levin, Ö., see Övervik, E. (187) 47
Levine, A.S., see Munson, P.J. (179) 103
Levis, A.G., see Celotti, L. (190) 35
Levis, A.G., see Majone, F. (191) 157
Levis, A.G., see Sarto, F. (192) 157
Levy, D.D., see Boorstein, R.J. (183) 257
Levy, L.S., see Friedman, J. (191) 207
Lewin, A.S., see Sahota, A. (180) 81
Lewis, P.R., see Knize, M.G. (192) 23
Lherisson, C., see Villani, G. (183) 21

Li, A.P., Carver, J.H., Choy, W.N., Hsie, A.W., Gupta, R.S., Loveday, K.S., O'Neill, J.P., Riddle, J.C., Stankowski Jr., L.F. and Yang, L.L.
A guide for the performance of the Chinese hamster ovary cell/ hypoxanthine–guanine phosphoribosyl transferase gene mutation assay (189) 135
Li, I.-c. and Chu, E.H.Y.
Evaluation of methods for the estimation of mutation rates in cultured mammalian cell populations (190) 281
Li, Y., Dunipace, A.J. and Stookey, G.K.
Absence of mutagenic and antimutagenic activities of fluoride in Ames Salmonella assays (190) 229
Li, Y., Heerema, N.A., Dunipace, A.J. and Stookey, G.K.
Genotoxic effects of fluoride evaluated by sister-chromatid exchange (192) 191
Libbus, B.L., Perreault, S.D., Johnson, L.A. and Pinkel, D.
Incidence of chromosome aberrations in mammalian sperm stained with Hoechst 33342 and UV-laser irradiated during flow sorting (182) 265
Liber, H.L., Call, K.M. and Little, J.B.
Molecular and biochemical analyses of spontaneous and X-ray-induced mutants in human lymphoblastoid cells (178) 143
Lieber, C.S., Baraona, E., Leo, M.A. and Garro, A.
Metabolism and metabolic effects of ethanol, including interaction with drugs, carcinogens and nutrition (186) 201
Lijinsky, W., Elespuru, R.K. and Andrews, A.W.
Relative mutagenic and prophage-inducing effects of mono- and di-alkyl nitrosoureas (178) 157
Lin-Chao, S., see Chao, C.C.-K. (192) 211
Lin, M.F., Wu, C.L. and Wang, T.C.
Pesticide clastogenicity in Chinese hamster ovary cells (188) 241
Lin, M.F., see Wang, T.C. (188) 311
Lin, S.Y., see Wang, T.C. (188) 311
Ling, H., see Decheng, C. (188) 149
Ling, S.Y., see Griffiths, T.D. (184) 39
Linskens, M.H.K., Eijsermans, A. and Dijkwel, P.A.
Comparative analysis of DNA loop length in nontransformed and transformed hamster cells (178) 243
Lipsky, M.M., see Hsu, I.C. (177) 1
Little, J.B., see Liber, H.L. (178) 143
Little, J.B., see Nove, J. (184) 29
Littlefield, L.G., see Lloyd, D.C. (179) 197
Littlefield, L.G., see Richardson, V.B. (180) 121
Litvak, S. and Castroviejo, M.
DNA polymerases from plant cells (181) 81
Livia Tosato, M., Terlizzese, M. and Dogliotti, E.
Effects of buffer composition on water stability of alkylating agents. The example of *N*-ethyl-*N*-nitrosourea (179) 123
Ljungquist, S., see Kenne, K. (184) 229
Llagostera, M., Garrido, S., Barbé, J., Guerrero, R. and Rueff, J.
Influence of S9 mix in the induction of SOS system by quercetin (191) 1
Lloyd, D.C., Edwards, A.A., Prosser, J.S., Barjaktarovic, N., Brown, J.K., Horvat, D., Ismail, S.R., Köteles, G.J., Almassy, Z., Krepinsky, A., Kucerova, M., Littlefield, L.G., Mukherjee, U., Natarajan, A.T. and Sasaki, M.S.
A collaborative exercise on cytogenetic dosimetry for simulated whole and partial body accidental irradiation (179) 197
Lloyd, D.C., see Moquet, J.E. (176) 143
Lloyd, R.S. and Augustine, M.L.
High-frequency spontaneous deletion of DNA sequences flanked by direct DNA repeats which also contain an internal palindrome (179) 135
Lloyd, R.S., Dodson, M.L., Gruskin, E.A. and Robberson, D.L.
T4 endonuclease V promotes the formation of multimeric DNA structures (183) 109
Lloyd, R.S., see Higgins, K.M. (183) 117
Loeb, L.A., see Schaaper, R.M. (177) 179
Loeb, L.A., see Snow, E.T. (180) 137
Lohman, P.H.M., see Fichtinger-Schepman, A.M.J. (190) 59
Lohman, P.H.M., see Willems, M.I. (176) 211
Lohman, P.H.M., Vijg, J., Uitterlinden, A.G., Slagboom, P.. Gossen, J.A. and Berends, F.
DNA methods for detecting and analyzing mutations in vivo (181) 227
Loprieno, N., see Davis, A. (188) 65
Loprieno, N., see Reali, D. (192) 145
Loria, D., see Dulout, F.N. (189) 381
Louis, T.A., see Knuiman, M.W. (180) 171
Loveday, K.S., see Li, A.P. (189) 135
Lovell, D.P., Anderson, D. and Jenkinson, P.C.
The use of a battery of strains of mice in a factorial design to study the induction of dominant lethal mutations (187) 37
Luca, D., Luca, V., Cotor, F. and Răileanu, L.
In vivo and in vitro cytogenetic damage induced by sodium nitrite (189) 333
Luca, V., see Luca, D. (189) 333
Luccioni, C., see Sabatier, L. (178) 91
Luchnik, N.V., Porjadkova, N.A., Kondrashova, T.V. and Seilanov, A.S.
Production of sister-chromatid exchange by irradiation during the G1 stage: The probable role of 5-bromodeoxyuridine (190) 149
Lukash, L.L., see Manuilova, E.S. (179) 231
Lukić, B. and Barjaktarović, N.
Sister-chromatid exchanges in newborns after normal and progesterone-treated pregnancies (191) 121
Lundgren, K., Lambert, J.M., Schreinemachers, D. and Everson, R.B.
Effects of 5-bromo-2-deoxyuridine concentration and α-naphthoflavone on the association between smoking and the frequency of sister-chromatid exchanges in lymphocytes from maternal and cord blood (188) 223
Lutz, W.K., see Bösch, R. (188) 161
Lvova, G.N., see Sinelshchikova, T.A. (184) 265
Lyons, B.W., see Warters, R.L. (180) 21

McCoy, E.C., see Holloway, M.P. (187) 199
Mace, R., see Swann, P.F. (186) 261
McFee, A.F., see Preston, R.J. (189) 157
McFee, A.F., see Preston, R.J. (189) 175

McFee, A.F., see Tice, R.R. (182) 15
McGregor, D., see Caspary, W.J. (187) 165
McGregor, D.B., see Hoffmann, S.H. (188) 29
MacGregor, G.R., James, M.R., Arlett, C.F. and Burke, J.F.
Analysis of mutations occurring during replication of a SV40 shuttle vector in mammalian cells (183) 273
MacGregor, J.T., Heddle, J.A., Hite, M., Margolin, B.H., Ramel, C., Salamone, M.F., Tice, R.R. and Wild, D.
Guidelines for the conduct of micronucleus assays in mammalian bone marrow erythrocytes (189) 103
Machado-Santelli, G.M., see De Oliveira, A.R. (187) 91
McKenna, P.G. and Ward, P.E.
Mutation at the APRT locus in Friend erythroleukaemia cells. 1. Mutation rates and properties of mutants (180) 267
McKenna, P.G., see Ward, P.E. (180) 273
McLennan, A.G.
The repair of ultraviolet light-induced DNA damage in plant cells (181) 1
MacNair, P., see Mohapatra, N. (188) 323
MacPhee, D., see Sobels, F.H. (182) 297
MacPhee, D.G., see Thomas, S.M. (180) 67
MacPhee, D.G., see Thomas, S.M. (192) 233
Maderna, C.R., see Dulout, F.N. (189) 381
Madle, E., Kasper, P., Madle, S. and Tiedemann, G.
Hepatocyte-mediated SCE induction by indirect mutagens: Importance of hepatocyte density and cell-to-cell contact (188) 153
Madle, S., Korte, A. and Bass, R.
Experience with mutagenicity testing of new drugs: viewpoint of a regulatory agency (182) 187
Madle, S., see Madle, E. (188) 153
Magnolia, M.R., see De Flora, S. (192) 169
Mailhes, J.B., see Yuan, Z.P. (179) 209
Majhi, B., see Tripathy, N.K. (189) 277
Majone, F., Brunetti, R., Gola, I. and Levis, A.G.
Persistence of micronuclei in the marine mussel, *Mytilus galloprovincialis*, after treatment with mitomycin C (191) 157
Mäki-Paakkanen, J.
Chromosome aberrations, micronuclei and sister-chromatid exchanges in blood lymphocytes after occupational exposure to low levels of styrene (189) 399
Mäki-Paakkanen, J. and Norppa, H.
Induction of micronuclei by vinyl acetate in mouse bone marrow cells and cultured human lymphocytes (190) 41
Malaveille, C., see Davis, A. (188) 65
Málek, B., see Kučerová, M. (192) 59
Malhi, P.K. and Grover, I.S.
Genotoxic effects of some organophosphorus pesticides, II. In vivo chromosomal aberration bioassay in bone marrow cells in rat (188) 45
Malone, R.E., see Hoekstra, M.F. (178) 199
Malvaldi, G., see Chieli, E. (192) 141
Manabe, S., Yanagisawa, H., Guo, S.-B., Abe, S., Ishikawa, S. and Wada, O.
Detection of Trp-P-1 and Trp-P-2, carcinogenic tryptophan pyrolysis products, in dialysis fluid of patients with uremia (179) 33
Manandhar, M., see Green, S. (189) 167
Mandel, R. and Ryser, H.J.-P.
Mechanisms of synergism in the mutagenicity of cadmium and *N*-methyl-*N*-nitrosourea in *Salmonella typhimurium*: the effect of pH (176) 1
Mangold, J.B., see LaVelle, J.M. (177) 27
Manuilova, E.S., Lukash, L.L. and Shapiro, N.I.
The action of the tumour promoter, TPA, on mutagenesis induced by different agents (UV light, chemical and viral mutagens) (179) 231
Marchesi, M.L., Villaggi, F., Spadari, S., Pedrali-Noy, G. and Sala, F.
Properties of a DNA primase from rice cells (181) 93
Marconi, M.C., see Rizzoni, M. (176) 205
Marcucci, L., see Elli, R. (191) 177
Marec, F., Socha, R. and Gelbič, I.
Mutagenicity testing of the juvenoid methoprene (ZR-515) by means of the Drosophila wing spot test (188) 209
Margolin, B.H., see MacGregor, J.T. (189) 103
Margulies, L., Briscoe, D.I. and Wallace, S.S.
The relationship between radiation-induced and transposon-induced genetic damage during Drosophila spermatogenesis (179) 183
Mariani, M.R., see Boffa, L.C. (190) 119
Mariani, T., see Rainaldi, G. (177) 255
Maroušková, A., see Kučerová, M. (192) 59
Marshall, P.D., see Featherstone, T. (179) 215
Martelli, A., see Cajelli, E. (190) 47
Martinez-Rossi, N.M. and Azevedo, J.L.
Detection of point-mutation mutagens in *Aspergillus nidulans*: Comparison of methionine suppressors and arginine resistance induction by fungicides (176) 29
Marzin, D., see Olivier, P. (189) 263
Mašek, F., see Sedliaková, M. (191) 13
Masker, W.E., see Scearce, L.M. (190) 1
Mason, J.M., Aaron, C.S., Lee, W.R., Smith, P.D., Thakar, A., Valencia, R., Woodruff, R.C., Würgler, F.E. and Zimmering, S.
A guide for performing germ cell mutagenesis assays using *Drosophila melanogaster* (189) 93
Masuda, T., see Murakami, H. (180) 147
Mateos, S., see Cortés, F. (180) 183
Mateos, S., see Cortés, F. (192) 125
Matos, E., see Cid, M.G. (191) 99
Matos, E., see Dulout, F.N. (189) 381
Matsuda, H., see Fujimoto, T. (178) 209
Matsuda, Y. and Tobari, I.
Studies on radiation-induced chromosome aberrations in mouse spermatocytes, I. Stage specificity and dose–response relationships of chromosome aberrations induced in mouse primary spermatocytes following X-irradiation (176) 243
Matsuda, Y., Ohara, H. and Tobari, I.
Studies on radiation-induced chromosome aberrations in mouse spermatocytes, II. Dose–response relationships of chromosome aberrations induced at zygotene stage in mouse primary spermatocytes following fast neutron- and ^{60}Co γ-irradiations (176) 251

Matsushima, T., see De Serres, F.J. (182) 173
Matsushima, T., see Sobels, F.H. (182) 297
Mayer, V.W. and Goin, C.J.
Aneuploidy induced by nocodazole or ethyl acetate is suppressed by dimethyl sulfoxide (187) 31
Mayer, V.W. and Goin, C.J.
Effects of chemical combinations on the induction of aneuploidy in *Saccharomyces cerevisiae* (187) 21
Mayo, J., see Clive, D. (189) 143
Mayo, J.K., see Myhr, B.C. (189) 27
Mazar Barnett, B., see Muñoz, E.R. (178) 215
Mazzotti, D., see Sarto, F. (192) 157
Meier, J.R., Knohl, R.B., Coleman, W.E., Ringhand, H.P., Munch, J.W., Kaylor, W.H., Streicher, R.P. and Kopfler, F.C.
Studies on the potent bacterial mutagen, 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5*H*)-furanone: aqueous stability, XAD recovery and analytical determination in drinking water and in chlorinated humic acid solutions (189) 363
Meistrich, M.L., see Bucci, L.R. (176) 259
Melino, G., see Vernole, P. (189) 349
Mello-Filho, A.C., see Larramendy, M. (178) 57
Meneghini, R., see Larramendy, M. (178) 57
Merker, H.J., see Davis, A. (188) 65
Merz, T., see Leonard, J.C. (180) 223
Messing, K., see Seifert, A.M. (191) 57
Metalli, P., see Pacchierotti, F. (176) 233
Meza, M.T., see Espinosa-Aguirre, J.J. (188) 111
Mezzina, M., see Elder, R.H. (181) 61
Miadokova, E., see Vlček, D. (183) 169
Michaelis, A., see Heindorff, K. (181) 157
Michaelis, A., see Heindorff, K. (190) 131
Michaelis, A., see Rieger, R. (191) 93
Middleton, B.J., see Albanese, R. (182) 323
Migita, S., see Miyashita, N. (176) 59
Mikhelson, V.M., see Andriadze, M.I. (180) 89
Miller, A.J. and Fiddler, W.
Inhibitory effects of thiols on a mutagenic contaminant from the synthesis of *N*-nitrosothiazolidine (180) 75
Ming, J., see Decheng, C. (188) 149
Mircheva, Z.I., see Balansky, R.M. (188) 13
Mirkova, E. and Ashby, J.
Relative distribution of mature erythrocytes, polychromatic erythrocytes (PE) and micronucleated PE on mouse bone-marrow smears: control observations (182) 203
Mirsalis, J., see Butterworth, B.E. (189) 113
Mirsalis, J., see Butterworth, B.E. (189) 123
Mirsalis, J.C.
Genotoxicity, toxicity, and carcinogenicity of the antihistamine methapyrilene (185) 309
Mirsalis, J.C., see Hamilton, C.M. (189) 341
Mitani, H., Ito, K., Fujino, M. and Takebe, H.
Difference in O^6-methylguanine methyltransferase activity among transformed NIH3T3 cell clones (191) 201
Mitchel, R.E.J. and Morrison, D.P.
Inducible DNA-repair systems in yeast: Competition for lesions (183) 149
Miyakoshi, J., Tatsumi, K. and Takebe, H.
Radiation sensitivity of T-lymphocytes grown with recombinant human interleukin-2 (192) 163
Miyamae, R., see Suzuki, J. (178) 187
Miyashita, N., Migita, S. and Moriwaki, K.
Effects of H-2 complex and non-H-2 background on urethane-induced chromosomal aberrations in mice (176) 59
Mizuno, M., Ohara, A., Danno, G., Kanazawa, K. and Natake, M.
Mutagens formed from butylated hydroxyanisole treated with nitrite under acidic conditions (176) 179
Moens, W., see Vleminckx, C. (189) 387
Mohammed, R., see Ashby, J. (189) 59
Mohapatra, N., MacNair, P., Bryant, B.J., Ellis, S., Rudo, K., Sangaiah, R., Gold, A. and Nesnow, S.
Morphological transforming activity and metabolism of cyclopenta-fused isomers of benz[*a*]anthracene in mammalian cells (188) 323
Mohn, G.R., see Kerklaan, P.R.M. (176) 171
Monaco, M., see Davis, A. (188) 65
Moncada, R., see Parvez, Z. (188) 233
Montero, M.R., see Ostrosky-Wegman, P. (191) 211
Moore, M., see Clive, D. (189) 143
Moore, M.M., Brock, K.H., Doerr, C.L. and DeMarini, D.M.
Mutagenicity and clastogenicity of adriamycin in L5178Y/TK$^{+/-}$-3.7.2C mouse lymphoma cells (191) 183
Moore, M.M., see DeMarini, D.M. (187) 141
Moore, M.M., see DeMarini, D.M. (192) 151
Moore, R.C. and Randall, C.
Different effects of 1-β-D-arabinofuranosylcytosine and aphidicolin in S-phase cells — chromosome aberrations, cell-cycle delay and cytotoxicity (178) 73
Moquet, J.E., Lloyd, D.C., Prosser, J.S. and Edwards, A.A.
Sister-chromatid exchanges induced by mitomycin C after exposure of human lymphocytes in G_0 to a low dose of X-radiation (176) 143
Morales-Ramírez, P., Rodríguez-Reyes, R. and Vallarino-Kelly, T.
Analysis of spontaneous sister-chromatid exchanges in vivo by three-way differentiation (178) 49
Moravcová, J., see Juříček, M. (178) 43
Moravcová, J., see Juříček, M. (179) 175
Morawetz, C.
Effect of irradiation and mutagenic chemicals on the generation of *ADH2*-constitutive mutants in yeast. Significance for the inducibility of Ty transposition (177) 53
Morgan, W.F., see Cortés, F. (192) 277
Mori, H., Sugie, S., Yoshimi, N., Kinouchi, T. and Ohnishi, Y.
Genotoxicity of a variety of nitroarenes and other nitro compounds in DNA-repair tests with rat and mouse hepatocytes (190) 159
Mori, Y., Yamazaki, H. and Konishi, Y.
Mutagenicity of *N*-nitrosodiethanolamine in the Salmonella/microsome test (192) 91
Morimoto, K., see Tachi-Shinkawa, K. (191) 37
Moriwaki, K., see Miyashita, N. (176) 59

Morooka, N., see Murakami, H. (180) 147
Morooka, N., see Tanaka, H. (176) 165
Morpurgo, G., see Del Gallo, M. (178) 195
Morrison, D.P., see Mitchel, R.E.J. (183) 149
Mortelmans, K., see Claxton, L.D. (176) 185
Mortelmans, K., see Claxton, L.D. (189) 83
Moses, M.J., see Allen, J.W. (190) 19
Mosesso, P., see Davis, A. (188) 65
Mourelatos, D., Petrou, C., Boutis, L., Papageorgiou, A., Catsoulacos, P. and Dozi-Vassiliades, J.
Induction of cytogenetic damage by modified steroidal derivatives of *p*-bis(2-chloroethyl)aminophenylacetic acid in human lymphocytes (190) 205
Mourot, A., see Mourot, D. (188) 53
Mourot, D. and Mourot, A.
Mutagenicity of bithionol sulfoxide and its metabolites in the Salmonella/mammalian microsome test (188) 53
Moustacchi, E., see Papadopoulo, D. (184) 271
Moutschen-Dahmen, M., see Moutschen, J. (181) 187
Moutschen, J., Moutschen-Dahmen, M. and Gilot-Delhalle, J.
Fast rejoining of chromosomes after fractionated exposures to ionizing radiations of plant seeds (181) 187
Mrlina, G., see Narbonne, J.F. (191) 21
Mukherjee, U., see Lloyd, D.C. (179) 197
Muller, G., see Doolittle, D.J. (188) 141
Mullin, C.A., Rashid, K.A. and Mumma, R.O.
Mutagenic potency of some conjugated nitroaromatic compounds and its relationship to structure (188) 267
Mulvihill, J.J., see Murli, H. (180) 101
Mumma, R.O., see Mullin, C.A. (188) 267
Munch, J.W., see Meier, J.R. (189) 363
Muñoz, E.R. and Mazar Barnett, B.
Comparative study of the clastogenic efficiency of ethyl methanesulfonate and diethyl sulfate in *Drosophila melanogaster* mature sperm (178) 215
Munson, A.E., see Johnson, K.W. (182) 211
Munson, P.J., Hauser, J., Levine, A.S. and Dixon, K.
Test of models for the sequence specificity of UV-induced mutations in mammalian cells (179) 103
Murakami, H., Kobayashi, J., Masuda, T., Morooka, N. and Ueno, Y.
ω-Hydroxyemodin, a major hepatic metabolite of emodin in various animals and its mutagenic activity (180) 147
Murli, H., Galloway, S.M., Ivett, J.L., Parry, D.M. and Mulvihill, J.J.
Baseline and mutagen-induced sister-chromatid exchanges in cultures of human whole blood and purified fresh or frozen lymphocytes (180) 101
Murray, V.
5-Amino-4-imidazolecarboxamide is a mutagen in *E. coli* (190) 89
Murray, V.
O6-Methylguanine specifically induces AT GC transition mutations (190) 267
Murray, V.
Transversion-specific purine analogue mutagens and the mechanism of hydroxylaminopurine mutagenesis (177) 189
Mustari, L., see Sarto, F. (192) 157
Myers, L.E., Adams, N.H., Hughes, T.J., Williams, L.R. and Claxton, L.D.
An interlaboratory study of an EPA/Ames/Salmonella test protocol (182) 121
Myhr, B., see Caspary, W.J. (187) 165
Myhr, B., see Cifone, M.A. (189) 39
Myhr, B.C. and Mayo, J.K.
Mutagenicity of rat-liver S9 to L5178Y mouse lymphoma cells (189) 27
Nagao, M., see Shioya, M. (191) 133
Nagao, T.
Frequency of congenital defects and dominant lethals in the offspring of male mice treated with methylnitrosourea (177) 171
Nagase, H., see Fujimoto, T. (178) 209
Nagase, H., see Sato, T. (176) 199
Nagel, R.
Genotoxicity studies with two antichagasic drugs (191) 17
Nakabeppu, Y., see Ishizaki, K. (184) 121
Nakagawa, R., Horikawa, K., Sera, N., Kodera, Y. and Tokiwa, H.
Dinitrofluoranthene: induction, identification and gene mutation (191) 85
Nakajima, H., see Sugita, K. (192) 271
Nakamura, S.-i., Oda, Y., Shimada, T., Oki, I. and Sugimoto, K.
SOS-inducing activity of chemical carcinogens and mutagens in *Salmonella typhimurium* TA1535/pSK1002: examination with 151 chemicals (192) 239
Nakamuro, K., see Sayato, Y. (189) 217
Narbonne, J.F., Cassand, P., Alzieu, P., Grolier, P., Mrlina, G. and Calmon, J.P.
Structure activity relationships of the *N*-methylcarbamate series in *Salmonella typhimurium* (191) 21
Narbonne, J.F., see Alzieu, P. (192) 227
Narbonne, J.F., see Cassano, P. (191) 67
Natake, M., see Mizuno, M. (176) 179
Natarajan, A.T., see Darroudi, F. (177) 133
Natarajan, A.T., see Darroudi, F. (177) 149
Natarajan, A.T., see Lloyd, D.C. (179) 197
Natarajan, A.T., see Van Buul, P.P.W. (190) 145
Natarajan, A.T., see Van Buul, P.P.W. (191) 163
Neary, D., see Smith, T.A.D. (184) 107
Negishi, K., see Nomura, A. (177) 283
Nelson, R.L., see Garry, V.F. (190) 289
Nervi, F., see Bull, P. (187) 113
Nesnow, S., see Mohapatra, N. (188) 323
Nesnow, S., see Ray, V.A. (185) 197
Nestmann, E., see Claxton, L.D. (189) 83
Neubert, D., see Davis, A. (188) 65
Neuhäuser-Klaus, A. and Chauhan, P.S.
Studies on somatic mutation induction in the mouse with isoniazid and hydrazine (191) 111
Neuhäuser-Klaus, A., see Favor, J. (177) 161
Ng, J., see Buchwald, M. (184) 153
Ni, Y.-C., Heflich, R.H., Kadlubar, F.F. and Fu, P.P.
Mutagenicity of nitrofurans in *Salmonella typhimurium* TA98, TA98NR and TA98/1,8-DNP_6 (192) 15

Nicoletti, B., see Vernole, P. (189) 349
Nicoloff, H. and Kappas, A.
Benomyl-induced mitotic disturbances in *Hordeum vulgare* (189) 271
Nicoloff, H., Rieger, R. and Russev, G.
Mutations in rDNA, 5. Is translocation involvement of barley nucleolus organizer regions influenced by chromatin architecture? (181) 147
Nilan, R.A., see Velemínský, J. (181) 73
Nilsson, L., see Övervik, E. (187) 47
Nilsson, L.M., see Sterner, O. (188) 169
Ninomiya, S.-i., see Kohda, K.H. (177) 219
Nishimura, S., see Aida, M. (192) 83
Nishio, K., see Yanagisawa, K. (183) 89
Nishioka, H., see Nunoshiba, T. (183) 39
Nishioka, H., see Nunoshiba, T. (184) 99
Noda, A., see Tao, K. (183) 231
Nomura, A., Negishi, K., Hayatsu, H. and Kuroda, Y.
Mutagenicity of N^4-aminocytidine and its derivatives in Chinese hamster lung V79 cells. Incorporation of N^4-aminocytosine into cellular DNA (177) 283
Nomura, T., Hata, S., Shibata, K. and Kusafuka, T.
Killing of preimplantation mouse embryos by main ingredients of cleansers AS and LAS (190) 25
Nord, C.-E., see Övervik, E. (187) 47
Norlén, E., see Curvall, M. (188) 105
Norman, J.O., see Joe, C.O. (184) 129
Norppa, H., see Davis, A. (188) 65
Norppa, H., see Mäki-Paakkanen, J. (190) 41
Norris, E.S., see Woodruff, R.C. (191) 145
Nováková, J., see Kučerová, M. (192) 59
Nove, J., Tarone, R.E., Little, J.B. and Robbins, J.H.
Radiation sensitivity of fibroblast strains from patients with Usher's syndrome, Duchenne muscular dystrophy, and Huntington's disease (184) 29
Nozu, K., see Ohnishi, T. (184) 7
Nunbhakdi, V. and Jacobson, E.L.
Effects of a poly(ADP-ribose) polymerase inhibitor on mutation frequencies in dividing and quiescent C3H10T1/2 cells (180) 249
Nunoshiba, T. and Nishioka, H.
Effect of pKM101 plasmid on lethal and mutagenic damage in UV-irradiated *E. coli* strains (183) 39
Nunoshiba, T. and Nishioka, H.
Sodium arsenite inhibits spontaneous and induced mutations in *Escherichia coli* (184) 99
Nuzzo, F., Sala, F., Biondi, O., Casati, A., Osorio-Sanabria, G., Cestaro, B., Della Valle, G. and De Carli, L.
Chromosomal aberrations induced in human cultured cells by liposome-encapsulated deoxyribonuclease I (177) 117
Nuzzo, F., see Stefanini, M. (191) 117

Oakberg, E.F., see Russell, L.B. (188) 335
Obaseiki-Ebor, E.E. and Akerele, J.O.
Expression of a novel R-plasmid pEB017 compared to pKM101 in *Escherichia coli* wild-type, *recA* and *uvrA* strains (192) 175
Obe, G. and Anderson, D.
Genetic effects of ethanol (186) 177
Obe, G., Johannes, C., Vasudev, V., Kasper, P. and Lamprecht, I.
Induction of chromosomal aberrations in Chinese hamster ovary cells by the restriction endonuclease Dra I: dose–effect relationships and effect of substitution of chromosomal DNA with bromodeoxyuridine (192) 263
Obe, G., see Vasudev, V. (178) 81
Oberly, T.J., Bewsey, B.J. and Probst, G.S.
A procedure for the CHO/HGPRT mutation assay involving treatment of cells in suspension culture and selection of mutants in soft-agar (182) 99
Oberly, T.J., see Clive, D. (189) 143
Ochi, T., Takahashi, K. and Ohsawa, M.
Indirect evidence for the induction of a prooxidant state by cadmium chloride in cultured mammalian cells and a possible mechanism for the induction (180) 257
Ochi, T., see Ishiguro, T. (184) 57
O'Connor, H.J., Riley, S.E., Axon, A.T.R. and Garner, R.C.
Effect of histamine H2–receptor antagonist therapy on the mutagenic activity of gastric juice (188) 201
Oda, Y.
Induction of SOS responses in *Escherichia coli* by 5-fluorouracil (183) 103
Oda, Y., see Nakamura, S.-i. (192) 239
Oesch, F., see Glatt, H.R. (190) 7
Oesch, F., see Turchi, G. (190) 31
Ogawa, S., Hirayama, T., Fujioka, Y., Ozasa, S., Tokuda, M., Hirai, K. and Fukui, S.
Mutagenicity modulating effect of quercetin on aromatic amines and acetamides (192) 37
Ogawa, S., Hirayama, T., Sumida, Y., Tokuda, M., Hirai, K. and Fukui, S.
Enhancement of the mutagenicity of 2-acetylaminofluorene by flavonoids and the structural requirements (190) 107
Ogawa, S., Hirayama, T., Tokuda, M., Hirai, K. and Fukui, S.
Mutagenicity-enhancing effect of quercetin on the active metabolites of 2-acetylaminofluorene with mammalian metabolic activation systems (190) 241
Ohara, A., see Mizuno, M. (176) 179
Ohara, H., see Matsuda, Y. (176) 251
Ohara, Y., see Arimoto, S. (192) 253
Ohnishi, T., Iwamoto, S., Ikai-Tano, K. and Nozu, K.
Induction of *umu* gene expression by cross-links and other DNA lesions (184) 7
Ohnishi, Y., see Mori, H. (190) 159
Ohsawa, M., see Ishiguro, T. (184) 57
Ohsawa, M., see Ochi, T. (180) 257
Ohsawa, M., see Suzuki, J. (178) 187
Ohta, T., see Sasaki, Y.F. (189) 313
Ohta, T., see Sasaki, Y.F. (191) 193
Ohtsuki, Y., see Shiraishi, Y. (176) 157
Ohyama, S., Kitamori, S., Kawano, H., Yamada, T., Inamasu, T., Ishizawa, M. and Ishinishi, N.
Ingestion of parsley inhibits the mutagenicity of male human urine following consumption of fried salmon (192) 7
Oki, I., see Nakamura, S.-i. (192) 239
Oleinick, N.L., see Warters, R.L. (180) 21
Olivier, P. and Marzin, D.

Study of the genotoxic potential of 48 inorganic derivatives with the SOS chromotest (189) 263
O'Neill, J.P., see Li, A.P. (189) 135
Önfelt, A.
Spindle disturbances in mammalian cells. III. Toxicity, c-mitosis and aneuploidy with 22 different compounds. Specific and unspecific mechanisms (182) 135
Önfelt, A.
Spindle disturbances in mammalian cells. IV. The action of some glutathione-specific agents in V79 Chinese hamster cells, changes in levels of free sulfhydryls and ATP, c-mitosis and effects on DNA metabolism (182) 155
Ong, T., see Whong, W.-Z. (177) 241
Ong, T.-M., see Brockman, H.E. (177) 61
Ono, M., see Hirayama, T. (191) 73
Ono, M., see Watanabe, T. (190) 113
Ortiz, T., see Cortés, F. (180) 183
Osborne, D.J., see Elder, R.H. (181) 61
Ose, Y., see Fujimoto, T. (178) 209
Ose, Y., see Sato, T. (176) 199
Osorio-Sanabria, G., see Nuzzo, F. (177) 117
Ostrosky-Wegman, P., Montero, M.R., De Nava, C.C., Tice, R.R. and Albertini, R.
The use of bromodeoxyuridine labeling in the human lymphocyte HGPRT somatic mutation assay (191) 211
Otsuka, F., see Ishiguro, T. (184) 57
Ottea, J.A., Harshman, L.G. and Hammock, B.
Patterns of epoxide metabolism by epoxide hydrolase and glutathione *S*-transferase associated with age and genotype in *Drosophila melanogaster* (177) 247
Övervik, E., Nilsson, L., Fredholm, L., Levin, Ö., Nord, C.-E. and Gustafsson, J.-Å.
Mutagenicity of pan residues and gravy from fried meat (187) 47
Ozasa, S., see Ogawa, S. (192) 37

Pacchierotti, F., Russo, A. and Metalli, P.
Meiotic non-disjunction induced by fission neutrons relative to X-rays observed in mouse secondary spermatocytes, II. Dose–effect relationships after treatment of pachytene cells (176) 233
Pagano, D.A. and Zeiger, E.
Conditions affecting the mutagenicity of sodium bisulfite in *Salmonella typhimurium* (179) 159
Pagano, D.A., see Stark, A.-A. (177) 45
Páldy, A., Puskás, N., Vincze, K. and Hadházi, M.
Cytogenetic studies on rural populations exposed to pesticides (187) 127
Pall, M.L. and Hunter, B.J.
Induction of genetic tandem duplications in Salmonella by polycyclic aromatic hydrocarbon and amine carcinogens (182) 5
Palmer, R.G., Dore, C.J., Henderson, L. and Denman, A.M.
Sister-chromatid exchange frequencies in fibroblasts and lymphocytes of patients with systemic lupus erythematosus (177) 125
Paolini, M., Hrelia, P., Corsi, C., Bronzetti, G., Biagi, G.L. and Cantelli-Forti, G.
NADPH as rate-limiting factor for microsomal metabolism. An alternative and economic NADPH-generating system for microsomal mono-oxygenase in in vitro genotoxicity studies (178) 11
Pap, M. and Varga, C.
Sister-chromatid exchanges in peripheral lymphocytes of workers occupationally exposed to xylenes (187) 223
Papadopoulo, D., Averbeck, D. and Moustacchi, E.
The fate of 8-methoxypsoralen-photoinduced DNA interstrand crosslinks in Fanconi's anemia cells of defined genetic complementation groups (184) 271
Papageorgiou, A., see Mourelatos, D. (190) 205
Parádi, E., see Pastink, A. (177) 101
Paramio, J.M., Bauluz, C. and De Vidania, R.
Lethal and mutagenic effects of 8-methoxypsoralen-induced lesions on plasmid DNA (176) 21
Parker, K.R. and Von Borstel, R.C.
Base-substitution and frameshift mutagenesis by sodium chloride and potassium chloride in *Saccharomyces cerevisiae* (189) 11
Parmar, N.S., see Tariq, M. (190) 153
Parry, D.M., see Murli, H. (180) 101
Parry, E.M., see Lafi, A. (189) 319
Parry, E.M., see Parry, J.M. (181) 267
Parry, J.M. and Parry, E.M.
Comparisons of tests for aneuploidy (181) 267
Parry, J.M., see Lafi, A. (189) 319
Parvez, Z., Kormano, M., Satokari, K., Moncada, R. and Eklund, R.
Induction of mitotic micronuclei by X-ray contrast media in human peripheral lymphocytes (188) 233
Pasley, T.C., see DeMarini, D.M. (189) 205
Pastink, A., Schalet, A.P., Vreeken, C., Parádi, E. and Eeken, J.C.J.
The nature of radiation-induced mutations at the *white* locus of *Drosophila melanogaster* (177) 101
Pastori, M.C., see Dulout, F.N. (189) 381
Paterson, P., see Chipman, J.K. (187) 105
Patnaik, K., see Tripathy, N.K. (189) 277
Pavaskar, S.V., see Ghaskadbi, S. (187) 219
Peak, J.G., see Cunningham, M.L. (184) 217
Peak, M.J., see Cunningham, M.L. (184) 217
Pedrali-Noy, G., see Marchesi, M.L. (181) 93
Pedrini, M.A., see Brandi, G. (190) 237
Pegg, A.E., see Scicchitano, D.A. (192) 207
Pelissier, M.A., see Cassano, P. (191) 67
Pellicer, A., see Guerrero, I. (185) 293
Penman, B.W., see Crespi, C.L. (190) 69
Pérez-Chiesa, Y., Cintrón, C.N. and Rodríguez, A.
Effect of fagaronine on chromosome breaks and loss in *Drosophila melanogaster* (188) 307
Perreault, S.D., see Libbus, B.L. (182) 265
Petkova, S., see Leitao, J. (180) 239
Petranović, D., see Trgovčević, Ž. (184) 1
Petranović, M., see Trgovčević, Ž. (184) 1
Petrinelli, P., see Elli, R. (191) 177
Petrou, C., see Mourelatos, D. (190) 205
Pfaendler, H.R., see Schmid, E. (191) 5
Picciotto, A., see De Flora, S. (192) 169

Pierce, M.K., Giroux, C.N. and Kunz, B.A.
Development of a yeast system to assay mutational specificity (182) 65
Piñero, J., see Cortés, F. (180) 183
Pinkel, D., see Libbus, B.L. (182) 265
Piperakis, S.M.
Enhanced reactivation of UV-irradiated adenovirus 2 is not associated with enhanced mutagenesis in carcinogen-pretreated HeLa cells (192) 203
Piras, A., see Rainaldi, G. (177) 255
Player, A.N. and Kantor, G.J.
The endogenous nuclease sensitivity of repaired DNA in human fibroblasts (184) 169
Pleskach, N.M., see Andriadze, M.I. (180) 89
Plewa, M.J., see Gentile, J.M. (188) 185
Plewa, M.J., see Gentile, J.M. (191) 151
Podstavkova, S., see Vlček, D. (183) 169
Pohlová, H., see Černá, M. (190) 177
Pohlová, H., see Rössner, P. (190) 183
Polasa, H., see Devi, P.S. (188) 343
Polívková, Z., see Kučerová, M. (192) 59
Poorman, P.A., see Allen, J.W. (190) 19
Popoff, S.C., Beck, D.J. and Rupp, W.D.
Repair of plasmid DNA damaged in vitro with *cis*- or *trans*-diamminedichloroplatinum(II) in *Escherichia coli* (183) 129
Porfirio, B., see Vernole, P. (189) 349
Porjadkova, N.A., see Luchnik, N.V. (190) 149
Povirk, L.F.
Bleomycin-induced mutagenesis in repackaged lambda phage: base substitution hotspots at the sequence C–G–*C*–C (180) 1
Prasanna, P., Jacobs, M.M. and Yang, S.K.
Selenium inhibition of benzo[a]pyrene, 3-methylcholanthrene, and 3-methylcholanthrylene mutagenicity in *Salmonella typhimurium strains TA98 and TA100* (190) 101
Preston, R.J., Dean, B.J., Galloway, S., Holden, H., McFee, A.F. and Shelby, M.
Mammalian in vivo cytogenetic assays Analysis of chromosome aberrations in bone marrow cells (189) 157
Preston, R.J., Sebastian, J.R.S. and McFee, A.F.
The in vitro human lymphocyte assay for assessing the clastogenicity of chemical agents (189) 175
Pretsch, W., see Charles, D.J. (176) 81
Prijalgauskienė, A.J., see Cieminis, K.G.K. (181) 9
Prinsen, W.J.C., see Bos, R.P. (187) 119
Probst, G., see Butterworth, B.E. (189) 113
Probst, G., see Butterworth, B.E. (189) 123
Probst, G.S., see Oberly, T.J. (182) 99
Prosser, J.S., see Lloyd, D.C. (179) 197
Prosser, J.S., see Moquet, J.E. (176) 143
Pueyo, C., see Alejandre-Durán, E. (188) 251
Puig, M., see Souza, V. (189) 357
Pulci, R., see Rossi, A.M. (182) 75
Puskás, N., see Páldy, A. (187) 127

Qi, Z.-T. and Du, P.
A study of the ability of Namalwa interferon to induce sister-chromatid exchanges in vitro (192) 75
Quillardet, P. and Hofnung, M.
Induction of the SOS system in a *dam-3* mutant: a diagnostic strain for chemicals causing DNA mismatches (177) 17
Quinto, I. and Radman, M.
Carcinogenic potency in rodents versus genotoxic potency in *E. coli*: a correlation analysis for bifunctional alkylating agents (181) 235
Qureshi, S., see Tariq, M. (190) 153

Radermacher, J., Thorne, G.M., Goldin, B.R., Sullivan, C.E. and Gorbach, S.L.
Mutagenicity of 2-amino-3-methylimidazo[4,5-*f*]quinoline (IQ) in the granuloma pouch assay (187) 99
Radman, M., see Quinto, I. (181) 235
Răileanu, L., see Luca, D. (189) 333
Rainaldi, G., Flori, L., Colella, C.M., Mariani, T., Piras, A., Simi, S. and Simili, M.
Analysis by BrUdR-labelling technique of induced aneuploidy in mammalian cells in culture (177) 255
Rainaldi, G., see Caligo, M.A. (177) 261
Ramanujam, V.M.S., see Rithidech, K. (188) 135
Ramel, C., see MacGregor, J.T. (189) 103
Ramsay Shaw, B., see Sowers, L.C. (177) 201
Rančelienė, V.M., see Cieminis, K.G.K. (181) 9
Randall, C., see Moore, R.C. (178) 73
Randerath, K., see Vijayaraj Reddy, M. (179) 75
Ranjekar, P.K., see Sahota, A. (180) 81
Rapoport, I.A., see Gichner, T. (192) 95
Rashid, K.A., see Mullin, C.A. (188) 267
Rasko, I., see Johnson, R.T. (184) 113
Rasool, S.A., Khan, M.A., Alvi, A.Z. and Umer, M.N.
Genetic activity of trimethoprim in the Salmonella/microsomal screening system (188) 197
Ray, V.A., Kier, L.D., Kannan, K.L., Haas, R.T., Auletta, A.E., Wassom, J.S., Nesnow, S. and Waters, M.D.
An approach to identifying specialized batteries of bioassays for specific classes of chemicals: Class analysis using mutagenicity and carcinogenicity relationships and phylogenetic concordance and discordance patterns, 1. Composition and analysis of the overall data base, A Report of Phase II of the U.S. Environmental Protection Agency Gene-Tox Program (185) 197
Reali, D., Di Marino, F., Bahramandpour, S., Carducci, A., Barale, R. and Loprieno, N.
Micronuclei in exfoliated urothelial cells and urine mutagenicity in smokers (192) 145
Recio, L. and Hsie, A.W.
Modulation of the cytotoxicity and mutagenicity of benzo[*a*]pyrene and benzo[*a*]pyrene 7,8-diol by glutathione and glutathione *S*-transferases in mammalian cells (CHO/HGPRT assay) (178) 255
Reddy, K.S., see Savage, J.R.K. (178) 65
Refolo, L.M., see Jacobsen, J.S. (179) 89
Reidy, J.A.
Folate- and deoxyuridine-sensitive chromatid breakage may result from DNA repair during G2 (192) 217
Reynolds, R.J.
Induction and repair of closely opposed pyrimidine dimers in *Saccharomyces cerevisiae* (184) 197

Reynolds, R.J., see Lam, L.H. (178) 167
Riach, C., see Caspary, W.J. (187) 165
Riccio, E.S., see Claxton, L.D. (176) 185
Richardson, J.C., see Jasiewicz, M.L. (190) 95
Richardson, V.B., Littlefield, L.G. and Colyer, S.P.
Cytogenetic evaluations in human lymphocytes exposed to methyl acetimidate, a lysine-specific protein crosslinking agent (180) 121
Riddle, J.C., see Li, A.P. (189) 135
Rieger, R., Michaelis, A. and Aurich, O.
Effects of benzamide pretreatment on clastogenic adaptation of *Vicia faba* root-tip meristem cells to triethylenemelamine (TEM) and maleic hydrazide (MH) (191) 93
Rieger, R., see Heindorff, K. (181) 157
Rieger, R., see Heindorff, K. (190) 131
Rieger, R., see Nicoloff, H. (181) 147
Rietveld, E.C., Garnaat, M.A. and Seutter-Berlage, F.
Bacterial mutagenicity of some methyl 2-cyanoacrylates and methyl 2-cyano-3-phenylacrylates (188) 97
Riley, S.E., see O'Connor, H.J. (188) 201
Rinehart, R.R., see Biggart, N.W. (180) 55
Rinehart, R.R., see Biggart, N.W. (188) 175
Ringhand, H.P., see Meier, J.R. (189) 363
Ripe, E., see Romert, L. (178) 123
Rithidech, K., Au, W.W., Ramanujam, V.M.S., Whorton Jr., E.B. and Legator, M.S.
Induction of chromosome aberrations in lymphocytes of mice after subchronic exposure to benzene (188) 135
Rizzoni, M., Vitagliano, E., Marconi, M.C., Sottili, A. and Gustavino, B.
Micronucleus induction by low doses of X-rays in *Vicia faba* root tips (176) 205
Rizzoni, M., see Gustavino, B. (192) 109
Robberson, D.L., see Lloyd, R.S. (183) 109
Robbins, J.H., see Nove, J. (184) 29
Roberts, C.J., see Cambray, G.J. (176) 225
Roberts, S.A., see Scott, D. (189) 47
Rodríguez, A., see Pérez-Chiesa, Y. (188) 307
Rodríguez-Reyes, R., see Morales-Ramírez, P. (178) 49
Roh, J.K., see Lee, H.K. (192) 99
Röhrborn, G., see Walk, R.-A. (182) 333
Romano, M., see Rossi, A.M. (182) 75
Romert, L., Andersson, O., Zhang, L.-H., Ripe, E. and Jenssen, D.
Mutagenicity studies by co-cultivation of bronchoalveolar cells and blood lymphocytes with V79 Chinese hamster cells (178) 123
Romert, L., see Curvall, M. (188) 105
Rosenkranz, H.S.
Diesel emissions revisited: is the carcinogenicity due to a genotoxic mechanism? (182) 1
Rosenkranz, H.S., see Holloway, M.P. (187) 199
Rosichan, J.L., see Velemínský, J. (181) 73
Rosman, L.B., Gaddamidi, V. and Sinsheimer, J.E.
Mutagenicity of aryl propylene and butylene oxides with Salmonella (189) 189
Rossberger, S. and Wiebel, U.A.F.J.
Comparison of the continuous rat hepatoma cell line 2sFou with primary rat hepatocyte cultures for the induction of DNA repair synthesis by nitrosamines, benzo[*a*]pyrene and hydroxyurea (182) 41
Rossi, A.M., Romano, M., Zaccaro, L., Pulci, R. and Salmona, M.
DNA synthesis, mitotic index, drug-metabolising systems and cytogenetic analysis in regenerating rat liver. Comparison with bone marrow test after 'in vivo' treatment with cyclophosphamide (182) 75
Rossman, T.G., see Shirnamé-Moré, L. (178) 177
Rössner, P., Černá, M., Lepši, P. and Pohlová, H.
Mutagenicity of some substituted 1-phenyl-3,3-dimethyltriazenes, II. Chromosomal aberrations in human peripheral lymphocytes in vitro (190) 183
Rössner, P., see Černá, M. (190) 177
Roza, L., see Zdzienicka, M.Z. (183) 69
Rubeš, J.
Chromosomal aberrations and sister-chromatid exchanges in swine (191) 105
Rudo, K., see Mohapatra, N. (188) 323
Rudzianskaitė, A.M., see Cieminis, K.G.K. (181) 9
Rueff, J., see Llagostera, M. (191) 1
Ruiz-Rubio, M., see Bridges, B.A. (181) 219
Rupp, W.D., see Popoff, S.C. (183) 129
Russell, L.B. and Hunsicker, P.R.
Study of the base analog 6-mercaptopurine in the mouse specific-locus test (176) 47
Russell, L.B., Hunsicker, P.R., Oakberg, E.F., Cummings, C.C. and Schmoyer, R.L.
Tests for urethane induction of germ-cell mutations and germ-cell killing in the mouse (188) 335
Russev, G., see Nicoloff, H. (181) 147
Russo, A., see Pacchierotti, F. (176) 233
Rutledge, J.C., see Generoso, W.M. (176) 269
Ryser, H.J.-P., see Mandel, R. (176) 1

Sabatier, L., Al Achkar, W., Hoffschir, F., Luccioni, C. and Dutrillaux, B.
Qualitative study of chromosomal lesions induced by neutrons and neon ions in human lymphocytes at G_0 phase (178) 91
Sahota, A., Ranjekar, P.K., Alfonzo, J., Lewin, A.S. and Taylor, M.W.
Mutants of *Saccharomyces cerevisiae* deficient in adenine phosphoribosyltransferase (180) 81
Sainz, L., see Dulout, F.N. (189) 381
Sala, F., see Marchesi, M.L. (181) 93
Sala, F., see Nuzzo, F. (177) 117
Salaj-Šmic, E., see Trgovčević, Ž. (184) 1
Salamone, M.F., see MacGregor, J.T. (189) 103
Salles, B., Germanier, M. and Defais, M.
A bacterial strain for detecting agents that produce free radical-mediated DNA strand breaks (183) 213
Salmeen, I.T., see Ball, J.C. (192) 283
Salmona, M., see Rossi, A.M. (182) 75
Salvaggio, L., see Brandi, G. (190) 237
Sambamurti, K., see Jacobsen, J.S. (179) 89
San, R.H.C. and Chan, R.I.M.
Inhibitory effect of phenolic compounds on aflatoxin B_1 metabolism and induced mutagenesis (177) 229

Sangaiah, R., see Goldring, J.M. (187) 67
Sangaiah, R., see Mohapatra, N. (188) 323
Santaló, J., Estop, A.M. and Egozcue, J.
The genotoxic effect of β-propiolactone on mammalian oocytes (189) 407
Sarasin, A., see Daya-Grosjean, L. (183) 185
Sarasin, A., see Elder, R.H. (181) 61
Sargentini, N.J. and Smith, K.C.
Ionizing and ultraviolet radiation-induced reversion of sequenced frameshift mutations in *Escherichia coli*: a new role for *umuDC* suggested by delayed photoreactivation (179) 55
Sarto, F., Mustari, L., Mazzotti, D., Tomanin, R. and Levis, A.G.
Variations of SCE frequencies in peripheral lymphocytes of ex-smokers (192) 157
Sasaki, M.S., see Lloyd, D.C. (179) 197
Sasaki, M.S., see Wakata, A. (190) 51
Sasaki, Y.F., Imanishi, H., Ohta, T. and Shirasu, Y.
Effects of antimutagenic flavourings on SCEs induced by chemical mutagens in cultured Chinese hamster cells (189) 313
Sasaki, Y.F., Imanishi, H., Ohta, T. and Shirasu, Y.
Effects of vanillin on sister-chromatid exchanges and chromosome aberrations induced by mitomycin C in cultured Chinese hamster ovary cells (191) 193
Sato, K., see Shiomi, T. (182) 223
Sato, K., see Tsuji, H. (178) 99
Sato, K., see Tsuji, H. (178) 107
Sato, S., see Shioya, M. (191) 133
Sato, S.-i., Kitajima, H., Konishi, S., Takizawa, H. and Inui, N.
Mouse strain differences in the induction of micronuclei by polycyclic aromatic hydrocarbons (192) 185
Sato, T., Ose, Y., Nagase, H. and Hayase, K.
Mechanism of the desmutagenic effect of humic acid (176) 199
Sato, T., see Fujimoto, T. (178) 209
Satoh, Y., see Kondo, S. (183) 95
Satokari, K., see Parvez, Z. (188) 233
Savage, E.A., see Hennig, U.G.G. (187) 79
Savage, J.R.K. and Reddy, K.S.
On the localization of mitomycin C-induced aberrations in normal human and Fanconi's anaemia cells (178) 65
Savarino, V., see De Flora, S. (192) 169
Saviozzi, M., see Chieli, E. (192) 141
Sawada, M., Sofuni, T. and Ishidate Jr., M.
Cytogenetic studies on 1,1-dichloroethylene and its two isomers in mammalian cells in vitro and in vivo (187) 157
Sawyer, J.R., see Turner, N.T. (189) 285
Sayato, Y., Nakamuro, K. and Ueno, H.
Mutagenicity of products formed by ozonation of naphthoresorcinol in aqueous solutions (189) 217
Scaria, A. and Edenberg, H.J.
Preirradiation of host (monkey) cells mitigates the effects of UV upon simian virus 40 DNA replication (183) 265
Scearce, L.M. and Masker, W.E.
Nitrous acid induced damage in T7 DNA and phage (190) 1
Schaaper, R.M., Koplitz, R.M., Tkeshelashvili, L.K. and Loeb, L.A.
Metal-induced lethality and mutagenesis: Possible role of apurinic intermediates (177) 179
Schalet, A.P., see Pastink, A. (177) 101
Schlatter, C., see Bösch, R. (188) 161
Schmid, E., Bauchinger, M., Braselmann, H., Pfaendler, H.R. and Göggelmann, W.
Dose-response relationship for chromosome aberrations induced by fecapentaene-12 in human lymphocytes (191) 5
Schmid, E., see Bauchinger, M. (180) 135
Schmid, E., see Bauchinger, M. (190) 217
Schmid, E., see Kugler, U. (187) 151
Schmoyer, R.L., see Russell, L.B. (188) 335
Schoeny, R. and Warshawsky, D.
Mutagenicity of 7*H*-dibenzo[*c*,*g*]carbazole and metabolites in *Salmonella typhimurium* (188) 275
Schreinemachers, D., see Lundgren, K. (188) 223
Schroeder, A.L., see Koga, S.J. (183) 139
Schubert, I., see Heindorff, K. (181) 157
Schvartzman, J.B.
Sister-chromatid exchanges in higher plant cells: past and perspectives (181) 127
Schweikart, K.M., see Freeman, A.G. (184) 187
Schyns, R., see Dandoy, E. (181) 57
Scicchitano, D.A. and Pegg, A.E.
Inhibition of O^6-alkylguanine–DNA-alkyltransferase by metals (192) 207
Scott, B.R., see Donnelly, K.C. (180) 43
Scott, D. and Roberts, S.A.
Extrapolation from in vitro tests to human risk: Experience with sodium fluoride clastogenicity (189) 47
Scribner, H.E., see Doolittle, D.J. (188) 141
Searle, A.G., see Van Buul, P.P.W. (191) 163
Sebastian, J.R.S., see Preston, R.J. (189) 175
Seccati, L., see Celotti, L. (190) 35
Sedgwick, S.G., see Bridges, B.A. (181) 219
Sedgwick, S.G., see White, C.I. (183) 161
Sedliaková, M., Kleibl, K. and Mašek, F.
Inhibition of pyrimidine dimer excision in ultraviolet-irradiated *Escherichia coli* overproducing RecA protein (191) 13
Sedwick, W.D., see Sowers, L.C. (177) 201
Seeger, M.A., see Woodruff, R.C. (191) 145
Seifert, A.M., Bradley, W.E.C. and Messing, K.
Exposure of nuclear medicine patients to ionizing radiation is associated with rises in $HPRT^-$ mutant frequency in peripheral T-lymphocytes (191) 57
Seilanov, A.S., see Luchnik, N.V. (190) 149
Seixas, G.M., see Crespi, C.L. (190) 69
Sekiguchi, M., see Ishizaki, K. (184) 121
Selby, C.P., Calkins, J., Enoch, H.G., Wright, C.W. and Wilson, B.W.
Chemical basis for photomutagenicity in synthetic fuels and correlation with carcinogenicity (188) 287
Sera, N., see Nakagawa, R. (191) 85
Serra, D., see De Flora, S. (192) 169
Sestili, P., see Brandi, G. (190) 237

Seutter-Berlage, F., see Rietveld, E.C. (188) 97
Seymour, G.J., see Dunn, T.L. (189) 299
Shabtai, F., see Friedman, J. (191) 207
Shahin, M.M.
Relationships between structure and mutagenic activity of environmental chemicals (181) 243
Shan, W., see Decheng, C. (188) 149
Shankel, D.M., see De Silva, H.V. (187) 11
Shapiro, N.I., see Manuilova, E.S. (179) 231
Sharif, F., see Bridges, B.A. (181) 219
Sharma, R.C. and Smith, K.C.
Comparison of the *rep-38* and *mmrA1* mutations of *Escherichia coli* (184) 23
Sharma, R.C., see Smith, K.C. (183) 1
Sharma, T., see Das, B.C. (176) 93
Shay, J.W. and Werbin, H.
Are mitochondrial DNA mutations involved in the carcinogenic process? (186) 149
Shelby, M., see Preston, R.J. (189) 157
Shetty, T.K., see Bhattacharya, R.K. (188) 121
Sheu, C.-j., see Green, S. (189) 167
Shibata, K., see Nomura, T. (190) 25
Shima, A., see Ikenaga, M. (184) 161
Shimada, H. and Ebine, Y.
Mutagenicity studies with N^6,$O^{2'}$-dibutyryl cyclic adenosine 3′,5′-monophosphate (DBcAMP) (192) 1
Shimada, T., see Nakamura, S.-i. (192) 239
Shimizu, M. and Yano, E.
Mutagenicity of instant coffee and its interaction with dimethylnitrosamine in the micronucleus test (189) 307
Shiomi, T., Hieda-Shiomi, N., Hama-Inaba, H., Ito, A. and Sato, K.
Mutagen detection with a mouse line containing 3 distinct mutations conferring sensitivity (182) 223
Shiomi, T., see Tsuji, H. (178) 99
Shiomi, T., see Tsuji, H. (178) 107
Shioya, M., Wakabayashi, K., Sato, S., Nagao, M. and Sugimura, T.
Formation of a mutagen, 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine (PhIP) in cooked beef, by heating a mixture containing creatinine, phenylalanine and glucose (191) 133
Shiraishi, Y. and Ohtsuki, Y.
SCE levels in Bloom-syndrome cells at very low bromodeoxyuridine (BrdU) concentrations: Monoclonal anti-BrdU antibody (176) 157
Shiraki, K., see Kohda, K.H. (177) 219
Shirasu, Y., see Sasaki, Y.F. (189) 313
Shirasu, Y., see Sasaki, Y.F. (191) 193
Shirnamé-Moré, L., Rossman, T.G., Troll, W., Teebor, G.W. and Frenkel, K.
Genetic effects of 5-hydroxymethyl-2′-deoxyuridine, a product of ionizing radiation (178) 177
Shoniya, N.N., see Sinelshchikova, T.A. (184) 265
Shubber, E.K.
Sister-chromatid exchanges in lymphocytes from patients with *Schistosoma hematobium* (180) 93
Silburn, K.A., see Thomas, S.M. (192) 233
Simi, S., see Rainaldi, G. (177) 255
Simić, D., see Knežević-Vukčević, J. (192) 247
Simili, M., see Rainaldi, G. (177) 255
Simmons, J.E., see DeMarini, D.M. (189) 205
Simons, J.W.I.M., see Zdzienicka, M.Z. (178) 233
Simons, J.W.I.M., see Zdzienicka, M.Z. (183) 69
Sinclair, D.A.R., see Henderson, D.S. (177) 83
Sinelshchikova, T.A., Lvova, G.N., Shoniya, N.N. and Zasukhina, G.D.
Defective DNA excision repair in cells of patients with homocystinuria (184) 265
Sinsheimer, J.E., see Rosman, L.B. (189) 189
Sirianni, S.R. and Huang, C.C.
Comparison of S9 fractions from rats, mice, and Chinese hamsters to metabolize dimethylnitrosamine and diethylnitrosamine to intermediates that induce sister-chromatid exchanges in V79 cells (188) 7
Sirover, M.A., see Katz, E.J. (183) 249
Skopek, T.R., see Craft, T.R. (176) 147
Slagboom, P., see Lohman, P.H.M. (181) 227
Small, G.D.
Repair systems for nuclear and chloroplast DNA in *Chlamydomonas reinhardtii* (181) 31
Small, G.D., see Frost, B.F. (181) 37
Small, G.D., see Vlček, D. (183) 169
Smith, J.R.L., see Wood, M.L. (176) 11
Smith, K.C. and Sharma, R.C.
A model for the *recA*-dependent repair of excision gaps in UV-irradiated *Escherichia coli* (183) 1
Smith, K.C., see Sargentini, N.J. (179) 55
Smith, K.C., see Sharma, R.C. (184) 23
Smith-Oliver, T. and Butterworth, B.E.
Correlation of the carcinogenic potential of di(2-ethylhexyl)phthalate (DEHP) with induced hyperplasia rather than with genotoxic activity (188) 21
Smith, P.D., see Mason, J.M. (189) 93
Smith, T.A.D., Neary, D. and Itzhaki, R.F.
DNA repair in lymphocytes from young and old individuals and from patients with Alzheimer's disease (184) 107
Smolińska, U.
Mitochondrial mutagenesis in yeast: mutagenic specificity of EMS and the effects of *RAD9* and *REV3* gene products (179) 167
Snow, E.T., Kunkel, T.A. and Loeb, L.A.
Base substitution mutagenesis by terminal transferase: its role in somatic mutagenesis (180) 137
Snyder, S., Hsu, I.C. and Trump, B.F.
Comparison of metabolic activation of carcinogens in human, rat, and hamster hepatocytes (182) 31
Snyder, S., see Hsu, I.C. (177) 1
Sobel, N., see Dulout, F.N. (189) 381
Sobels, F.H., Sorsa, M., De Serres, F.J., MacPhee, D. and Matsushima, T.
The International Association of Environmental Mutagen Societies (IAEMS) (182) 297
Sobels, F.H.
Environmental mutagenesis in retrospect (181) 299
Sobels, F.H.
In vitro testing as a step in the evaluation of in vivo genotoxicity (189) 7

Socha, R., see Marec, F. (188) 209
Søderlund, E., see Holme, J.A. (187) 181
Sofuni, T., see Sawada, M. (187) 157
Sora, S. and Carbone, M.L.A.
Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae* (190) 13
Sorsa, M., see Davis, A. (188) 65
Sorsa, M., see Sobels, F.H. (182) 297
Sottili, A., see Gustavino, B. (192) 109
Sottili, A., see Rizzoni, M. (176) 205
Souza, V. and Puig, M.
Cytogenetic study of a group of workers exposed to thinner (189) 357
Sowers, L.C., Ramsay Shaw, B., Veigl, M.L. and Sedwick, W.D.
DNA base modification: Ionized base pairs and mutagenesis (177) 201
Spadari, S., see Marchesi, M.L. (181) 93
Spandidos, D.A. and Anderson, M.L.M.
A study of mechanisms of carcinogenesis by gene transfer of oncogenes into mammalian cells (185) 271
Spanggord, R.J., see Claxton, L.D. (176) 185
Speit, G. and Haupter, S.
Cytogenetic effects of penicillamine (190) 197
Spielmann, H., see Vogel, R. (192) 137
Springer, J.A., see Green, S. (189) 167
Sree Ramulu, K. and Van der Veen, J.H.
The protective effect of hypoxia and dithiothreitol on X-ray-induced genetic damage in Arabidopsis (177) 77
Staffa, J.A., see Hoffmann, S.H. (188) 29
Stamatis, N., see Yannopoulos, G. (176) 37
Stamato, T.D. and Hu, J.
Normal DNA ligase activity in a γ-ray-sensitive Chinese hamster mutant (183) 61
Stamato, T.D., see Aronson, J.F. (177) 277
Stamato, T.D., see Aronson, J.F. (192) 79
Staněk, S., see Juříček, M. (178) 43
Staněk, J., see Juříček, M. (179) 175
Stankowski Jr., L.F., see Li, A.P. (189) 135
Stark, A.-A., Zeiger, E. and Pagano, D.A.
Glutathione mutagenesis in *Salmonella typhimurium* TA100: Dependence on a single enzyme, γ-glutamyltranspeptidase (177) 45
Stecca, C., see Duverger-van Bogaert, M. (178) 21
Stefanini, M., Lagomarsini, P., Giorgi, R. and Nuzzo, F.
Complementation studies in cells from patients affected by trichothiodystrophy with normal or enhanced UV photosensitivity (191) 117
Sterner, O., Carter, R.E. and Nilsson, L.M.
Structure–activity relationships for unsaturated dialdehydes, 1. The mutagenic activity of 18 compounds in the Salmonella/microsome assay (188) 169
Stewart, J.D., see Whong, W.-Z. (177) 241
Stookey, G.K., see Li, Y. (190) 229
Stookey, G.K., see Li, Y. (192) 191
Streicher, R.P., see Meier, J.R. (189) 363
Suda, T., see Fritz-Niggli, H. (192) 47
Sugie, S., see Mori, H. (190) 159
Sugimoto, K., see Nakamura, S.-i. (192) 239
Sugimura, T., see Shioya, M. (191) 133
Sugita, K., Suzuki, N. and Nakajima, H.
Enhancement of plasminogen activator activities by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in tuberous sclerosis fibroblasts (192) 271
Sullivan, C.E., see Radermacher, J. (187) 99
Sumida, Y., see Ogawa, S. (190) 107
Sun, L., Yu, Y. and Chen, X.
A test using cultured cells with induced mixed-function oxygenase in the unscheduled DNA synthesis assay for detecting promutagens/procarcinogens (191) 45
Suzuki, J., Takahashi, N., Kobayashi, Y., Miyamae, R., Ohsawa, M. and Suzuki, S.
Dependence on *Salmonella typhimurium* enzymes of mutagenicities of nitrobenzene and its derivatives in the presence of rat-liver S9 and norharman (178) 187
Suzuki, N.
4NQO- or MNNG-resistant variants established from a human cell line, RSb, with high sensitivity to both agents (178) 135
Suzuki, N., see Sugita, K. (192) 271
Suzuki, S., see Suzuki, J. (178) 187
Swann, P.F., Graves, R.J. and Mace, R.
Effect of ethanol on nitrosamine metabolism and distribution. Implications for the role of nitrosamines in human cancer and for the influence of alcohol consumption on cancer incidence (186) 261
Sylvia, V.L., see Joe, C.O. (184) 129
Szabad, J. and Würgler, F.E.
A genetic assay to detect chromosome gain and/or loss in somatic cells of *Drosophila melanogaster* (180) 201
Szabad, J. and Würgler, F.E.
Malsegregation of chromosomes is not a major source of somatic mosaicism in *Drosophila melanogaster* (180) 207
Tachi-Shinkawa, K., Kuroda, Y., Morimoto, K. and Koizumi, A.
Enhancing effects of cytosine arabinoside on ethyl methanesulfonate-induced 6-thioguanine resistance mutations in Chinese hamster V79 cells (191) 37
Takahashi, E.-I., see Tsuji, H. (178) 99
Takahashi, E.-I., see Tsuji, H. (178) 107
Takahashi, H., see Kurihara, T. (183) 197
Takahashi, K. and Kawazoe, Y.
Potent induction of the adaptive response by a weak mutagen, methyl iodide, in *Escherichia coli* (180) 163
Takahashi, K., Kaiya, T. and Kawazoe, Y.
Structure–mutagenicity relationship among aminoquinolines, aza-analogues of naphthylamine, and their *N*-acetyl derivatives (187) 191
Takahashi, K., see Ochi, T. (180) 257
Takahashi, N., see Suzuki, J. (178) 187
Takebe, H., see Mitani, H. (191) 201
Takebe, H., see Miyakoshi, J. (192) 163
Takeda, N., see Tsuda, H. (189) 375
Takeda, Y., see Kikugawa, K. (177) 35
Takehisa, S., see Heindorff, K. (190) 131

Takemoto, B.T., see Knize, M.G. (192) 23
Takizawa, H., see Sato, S.-i. (192) 185
Talpaert-Borlè, M.
Formation, detection and repair of AP sites (181) 45
Tan, H.-k., Wheeler, W.B. and Wei, C.-i.
Reaction of chlorine dioxide with amino acids and peptides: Kinetics and mutagenicity studies (188) 259
Tanaka, H., Morooka, N., Haraikawa, K. and Ueno, Y.
Metabolic activation of emodin in the reconstituted cytochrome P-450 system of the hepatic microsomes of rats (176) 165
Tano, S.
Induced somatic mutations by radiation and chemicals in Tradescantia (181) 209
Tao, K., Noda, A. and Yonei, S.
The roles of different excision-repair mechanisms in the resistance of *Micrococcus luteus* to UV and chemical mutagens (183) 231
Tariq, M., Parmar, N.S., Qureshi, S., El-Feraly, F.S. and Al-Meshal, I.A.
Clastogenic evaluation of cathinone and amphetamine in somatic cells of mice (190) 153
Tarone, R.E., see Nove, J. (184) 29
Tatsumi, K., see Kurihara, T. (183) 197
Tatsumi, K., see Kurihara, T. (184) 147
Tatsumi, K., see Miyakoshi, J. (192) 163
Tawn, E.J.
The frequency of chromosome aberrations in a control population (182) 303
Taylor, M.W., see Sahota, A. (180) 81
Taylor, V.I., see Bradley, M.O. (189) 69
Tedeschi, B., see Vernole, P. (189) 349
Teebor, G.W., see Boorstein, R.J. (183) 257
Teebor, G.W., see Shirnamé-Moré, L. (178) 177
Teo, I.A.
Proteolytic processing of the Ada protein that repairs DNA O^6-methylguanine residues in *E. coli* (183) 123
Terlizzese, M., see Livia Tosato, M. (179) 123
Thacker, J., see Jones, N.J. (183) 279
Thakar, A., see Mason, J.M. (189) 93
Theuws, J.L.G., see Bos, R.P. (187) 119
Thilly, W.G., see Kersch, R.L. (182) 83
Thomas, E.L., Jefferson, M.M., Bennett, J.J. and Learn, D.B.
Mutagenic activity of chloramines (188) 35
Thomas, S.M. and MacPhee, D.G.
RecA-independent mutagenesis in *Escherichia coli* may be subject to glucose repression (180) 67
Thomas, S.M., Silburn, K.A. and MacPhee, D.G.
Frameshift mutagenesis by chloroquine in *Escherichia coli* and *Salmonella typhimurium* (192) 233
Thompson, E.D., see Zimmering, S. (192) 55
Thorne, G.M., see Radermacher, J. (187) 99
Tice, R.R., Ivett, J.L. and McFee, A.F.
The effect of agent treatment time on the induction of sister-chromatid exchanges in mouse bone marrow cells in vivo (182) 15
Tice, R.R., see MacGregor, J.T. (189) 103
Tice, R.R., see Ostrosky-Wegman, P. (191) 211
Tiedemann, G., see Madle, E. (188) 153
Tiunaitienė, N.V., see Cieminis, K.G.K. (181) 9
Tkeshelashvili, L.K., see Schaaper, R.M. (177) 179
Tobari, I., see Matsuda, Y. (176) 243
Tobari, I., see Matsuda, Y. (176) 251
Tobari, I., see Tsuji, H. (178) 99
Tobari, I., see Tsuji, H. (178) 107
Tokiwa, H., see Nakagawa, R. (191) 85
Tokuda, M., see Ogawa, S. (190) 107
Tokuda, M., see Ogawa, S. (190) 241
Tokuda, M., see Ogawa, S. (192) 37
Tomanin, R., see Sarto, F. (192) 157
Trgovčević, Ž., Petranović, D., Salaj-Šmic, E. and Petranović, M.
Kinetics of *recB*-dependent repair: Relationship to post-UV inactivation of the prophage (184) 1
Tripathy, N.K., Majhi, B., Dey, L., Patnaik, K. and Das, C.C.
Mutagenicity of dimecron studied in 3 mosaic assays and the sex-linked recessive lethal test in *Drosophila melanogaster* (189) 277
Troll, W., see Shirnamé-Moré, L. (178) 177
Trump, B.F., see Hsu, I.C. (177) 1
Trump, B.F., see Snyder, S. (182) 31
Truzman, C., see Dayan, J. (187) 55
Tsuda, H. and Takeda, N.
Effect of tumor promoter TPA on spontaneous and mitomycin C induced mitotic recombination in *Drosophila melanogaster* (189) 375
Tsuji, H., Takahashi, E.-I., Tsuji, S., Tobari, I., Shiomi, T. and Sato, K.
Chromosomal instability in mutagen-sensitive mutants isolated from mouse lymphoma L5178Y cells. II. Abnormal induction of sister-chromatid exchanges and chromosomal aberrations by mutagens in an ionizing radiation-sensitive mutant (M10) and an alkylating agent-sensitive mutant (MS 1) (178) 107
Tsuji, H., Takahashi, E.-I., Tsuji, S., Tobari, I., Shiomi, T., Hama-Inaba, H. and Sato, K.
Chromosomal instability in mutagen-sensitive mutants isolated from mouse lymphoma L5178Y cells. I. Five different genes participate in the formation of baseline sister-chromatid exchanges and spontaneous chromosomal aberrations (178) 99
Tsuji, S., see Tsuji, H. (178) 99
Tsuji, S., see Tsuji, H. (178) 107
Tsujimura, T., see Ikenaga, M. (184) 161
Tsujimura, T., see Ishizaki, K. (184) 121
Tucker, J.D. and Christensen, M.L.
Effects of anticoagulants upon sister-chromatid exchanges, cell-cycle kinetics, and mitotic index in human peripheral lymphocytes (190) 225
Tuinenburg-Bolraap, A., see Van Buul, P.P.W. (191) 163
Turchi, G., Glatt, H., Doerjer, G. and Oesch, F.
A benzo[a]pyrene metabolite DNA adduct occurring in the activating cell but not in exogenous DNA (190) 31
Turner, G.N., see Amacher, D.E. (176) 123
Turner, N.T., Woolley Jr., J.L., Hozier, J.C., Sawyer, J.R. and Clive, D.

Methapyrilene is a genotoxic carcinogen: Studies on methapyrilene and pyrilamine in the L5178Y/TK$^{+/-}$ mouse lymphoma assay (189) 285
Turner, P.M., see Ferguson, L.R. (184) 13
Turner, P.M., see Ferguson, L.R. (187) 1
Turner, P.M., see Ferguson, L.R. (187) 209

Ueno, H., see Sayato, Y. (189) 217
Ueno, Y., see Murakami, H. (180) 147
Ueno, Y., see Tanaka, H. (176) 165
Uitterlinden, A.G., see Lohman, P.H.M. (181) 227
Umeda, M., see Davis, A. (188) 65
Umer, M.N., see Rasool, S.A. (188) 197

Vaidya, V.G., see Ghaskadbi, S. (187) 219
Valencia, R., see Mason, J.M. (189) 93
Vallarino-Kelly, T., see Morales-Ramírez, P. (178) 49
Van Bladeren, P.J., see Kerklaan, P.R.M. (176) 171
Van Buul, P.P.W., Hanson, K., Goudzwaard, H.J. and Natarajan, A.T.
Influence of post X-irradiation treatment with Neurospora endonuclease on the symmetry of chromatid interchanges in CHO cells in vitro (190) 145
Van Buul, P.P.W., Tuinenburg-Bolraap, A., Searle, A.G. and Natarajan, A.T.
A search for radiosensitive mouse mutants by use of the micronucleus technique (191) 163
Van der Heijden, C.A., see Davis, A. (188) 65
Van der Veen, J.H., see Sree Ramulu, K. (177) 77
Van Oosterom, A.T., see Fichtinger-Schepman, A.M.J. (190) 59
Van Rooy, J.G.M., see Bos, R.P. (187) 119
Van Sluis, C.A., see Ahmad, S.I. (190) 77
Van Tassell, R.L., see Bashir, M. (190) 187
Van Thiel, D.H., see Gavaler, J.S. (186) 269
Varga, C., see Pap, M. (187) 223
Vasilieva, S.V., see Gichner, T. (192) 95
Vasudev, V. and Obe, G.
Effect of heat treatment on chromosomal aberrations induced by the alkylating agent trenimon or the restriction endonuclease Alu I in Chinese hamster ovary (CHO) cells (178) 81
Vasudev, V., see Obe, G. (192) 263
Vázquez-Ramos, J.M., see Zarain H., M. (181) 103
Vegt, G.B. and Ferro, W.
Studies on mutagen-sensitive strains of *Drosophila melanogaster*. X. Repair of radiation-induced DNA damage in primary cell cultures after irradiation with X-rays (177) 95
Veigl, M.L., see Sowers, L.C. (177) 201
Velemaansky, J. and Angelis, K.J.
Effects of sodium azide on replicative and repair DNA synthesis in barley embryos (190) 125
Velemínskí, J., see Gichner, T. (192) 31
Velemínský, J., Rosichan, J.L., Juříček, M., Kleinhofs, A., Nilan, R.A. and Gichner, T.
Interaction of the mutagenic metabolite of sodium azide, synthesized in vitro, with DNA of barley embryos (181) 73
Véleminský, J., see Gichner, T. (192) 95
Velemínský, J., see Juříček, M. (178) 43
Velemínský, J., see Juříček, M. (179) 175
Venitt, S., Bosworth, D. and Easton, D.F.
Lack of mutagenic activity of bile acids in bacterial fluctuation tests (190) 191
Venitt, S., Bosworth, D. and Easton, D.F.
Letter to the Editor (191) 129
Verfaillie, J., see Biggart, N.W. (180) 55
Verly, W.G., see Dandoy, E. (181) 57
Vermeulen, N.P.E., see Kerklaan, P.R.M. (176) 171
Vernole, P., Caporossi, D., Tedeschi, B., Porfirio, B., Melino, G., Bonmassar, E. and Nicoletti, B.
Cytogenetic effects of 1-*p*-(3-methyltriazeno)benzoic acid potassium salt on human lymphocytes in vitro (189) 349
Victorin, K., Busk, L. and Ahlborg, U.G.
Retinol (vitamin A) inhibits the mutagenicity of *o*-aminoazotoluene activated by liver microsomes from several species in the Ames test (179) 41
Vijayaraj Reddy, M. and Randerath, K.
^{32}P-Analysis of DNA adducts in somatic and reproductive tissues of rats treated with the anticancer antibiotic, mitomycin C (179) 75
Vijg, J., see Lohman, P.H.M. (181) 227
Villaggi, F., see Marchesi, M.L. (181) 93
Villani, G., Lherisson, C., Defais, M. and Johnson, N.P.
Further characterization of an *E. coli* strain resistant to the toxic and mutagenic action of *cis*-diamminedichloroplatinum(II) (183) 21
Villaverde, A., see Barbé, J. (192) 105
Vincze, K., see Páldy, A. (187) 127
Vitagliano, E., see Gustavino, B. (192) 109
Vitagliano, E., see Rizzoni, M. (176) 205
Vlček, D., Podstavkova, S., Miadokova, E., Adams, G.M.W. and Small, G.D.
General characteristics, molecular and genetic analysis of two new UV-sensitive mutants of *Chlamydomonas reinhardtii* (183) 169
Vleminckx, C., Arany, J., Hendrickx, B. and Moens, W.
Genotoxic effects of glycidyltrimethylammonium chloride (189) 387
Vogel, E., see Davis, A. (188) 65
Vogel, E.W. and Zijlstra, J.A.
Mechanistic and methodological aspects of chemically-induced somatic mutation and recombination in *Drosophila melanogaster* (182) 243
Vogel, E.W. and Zijlstra, J.A.
Somatic cell mutagenicity in *Drosophila melanogaster* in comparison with genetic damage in early germ-cell stages (180) 189
Vogel, R. and Friebe, B.
Induction of sister-chromatid exchanges and exchange aberrations by UV light and quinacrine mustard in relation to chiasma formation in a standard line and two oligochiasmatic mutants of *Vicia faba* L. (192) 121
Vogel, R. and Spielmann, H.
Spontaneous and cyclophosphamide-induced sister-chromatid exchanges in diploid and endoreduplicated tetraploid metaphases of preimplantation mouse embryos (192) 137

Volkert, M.R. and Hartke, M.A.
Effects of the *Escherichia coli recF* suppressor mutation, *recA801*, on *recF*-dependent DNA-repair associated phenomena (184) 181
Von Borstel, R.C., see Hennig, U.G.G. (187) 79
Von Borstel, R.C., see Parker, K.R. (189) 11
Von der Decken, A., see Klaude, M. (183) 287
Von Guradze, H.N., see Dulout, F.N. (189) 381
Von Wartburg, J.P.
Acute aldehyde syndrome and chronic aldehydism (186) 249
Voogd, C.E., see Davis, A. (188) 65
Vreeken, C., see Pastink, A. (177) 101
Vuillaume, M.
Reduced oxygen species, mutation, induction and cancer initiation (186) 43
Vuković, B., see Knežević-Vukčević, J. (192) 247
Vuksanovic, L. and Cleaver, J.E.
Unique cross-link and monoadduct repair characteristics of a xeroderma pigmentosum revertant cell line (184) 255

Wada, O., see Manabe, S. (179) 33
Wade, M.J., see Hoffmann, S.H. (188) 29
Wakabayashi, K., see Shioya, M. (191) 133
Wakata, A. and Sasaki, M.S.
Measurement of micronuclei by cytokinesis-block method in cultured Chinese hamster cells: comparison with types and rates of chromosome aberrations (190) 51
Walk, R.-A., Jenderny, J., Röhrborn, G. and Hackenberg, U.
Chromosomal abnormalities and sister-chromatid exchange in bone marrow cells of mice and Chinese hamsters after inhalation and intraperitoneal administration: I. diepoxybutane (182) 333
Wallace, S.S., see Margulies, L. (179) 183
Walsh, D.B. and Claxton, L.D.
Computer-assisted structure–activity relationships of nitrogenous cyclic compounds tested in Salmonella assays for mutagenicity (182) 55
Wang, L.-H.
The mechanism of transduction of proto-oncogene c-*src* by avian retroviruses (186) 135
Wang, T.C., Lee, T.C., Lin, M.F. and Lin, S.Y.
Induction of sister-chromatid exchanges by pesticides in primary rat tracheal epithelial cells and Chinese hamster ovary cells (188) 311
Wang, T.C., see Lin, M.F. (188) 241
Wang, Y.-K., see Whong, W.-Z. (177) 241
Ward, P.E. and McKenna, P.G.
Mutation at the APRT locus in Friend erythroleukaemia cells. 2. Sensitivity to mitomycin C induced cytogenetic damage (180) 273
Ward, P.E., see McKenna, P.G. (180) 267
Warren, S.H., see DeMarini, D.M. (189) 205
Warshawsky, D., see Schoeny, R. (188) 275
Warters, R.L., Lyons, B.W., Chiu, S.-M. and Oleinick, N.L.
Induction of DNA strand breaks in transcriptionally active DNA sequences of mouse cells by low doses of ionizing radiation (180) 21
Washizu, K., see Kohda, K.H. (177) 219
Wassom, J.S., see Ray, V.A. (185) 197
Watanabe, T., Ono, M., Hirayama, T. and Fukui, S.
2,7-Diamino-3,8-dimethylphenazine as the major mutagenic product from the reaction of 2,4-diaminotoluene with hydrogen peroxide (190) 113
Watanabe, T., see Hirayama, T. (191) 73
Waters, M.D., see Ray, V.A. (185) 197
Wei, C.-i., see Tan, H.-k. (188) 259
Weinstein, I.B., see Lambert, M.E. (183) 203
Weitberg, A.B.
Antioxidants inhibit the effect of vitamin C on oxygen radical-induced sister-chromatid exchanges (191) 53
Weitberg, A.B.
Chloramine-induced sister-chromatid exchanges (190) 277
Weitberg, A.B.
The effect of L-2-oxothiazolidine on glutathione levels in cultured nmammalian cells (191) 189
Werbin, H., see Shay, J.W. (186) 149
Westerveld, A., see Zdzienicka, M.Z. (183) 69
Wheeler, W.B., see Tan, H.-k. (188) 259
White, C.I. and Sedgwick, S.G.
Repair of UV-irradiated plasmid DNA in *Saccharomyces cerevisiae*. Inability to complement mutational defects in excision repair by in vitro treatment with *Micrococcus luteus* UV endonuclease (183) 161
Whong, W.-Z., Stewart, J.D., Wang, Y.-K. and Ong, T.
Acid-mediated mutagenicity of tobacco snuff: its possible mechanism (177) 241
Whorton, E., see Green, S. (189) 167
Whorton Jr., E.B., see Rithidech, K. (188) 135
Wiebel, U.A.F.J., see Rossberger, S. (182) 41
Wild, D., see MacGregor, J.T. (189) 103
Wilkins, T.D., see Bashir, M. (190) 187
Willems, M.I., De Raat, W.K., Baan, R.A., Wilmer, J.W.G.M., Lansbergen, M.J. and Lohman, P.H.M.
Monitoring the exposure of rats to 2-acetylaminofluorene by the estimation of mutagenic activity in excreta, sister-chromatid exchanges in peripheral blood cells and DNA adducts in peripheral blood, liver and spleen (176) 211
Williams, G., see Butterworth, B.E. (189) 113
Williams, G., see Butterworth, B.E. (189) 123
Williams, L.R., see Myers, L.E. (182) 121
Williams, R.W., see DeMarini, D.M. (189) 205
Wilmer, J.W.G.M., see Willems, M.I. (176) 211
Wilson, B.W., see Selby, C.P. (188) 287
Winer, A.M., see Zielinska, B. (190) 259
Wolff, S., see Cortés, F. (192) 277
Wood, M.L., Smith, J.R.L. and Garner, R.C.
Aflatoxin B_1 activation to a plasmid mutagen by a chemical model of cytochrome P-450 (176) 11
Woodgate, R., Bridges, B.A., Herrera, G. and Blanco, M.
Mutagenic DNA repair in *Escherichia coli,* XIII. Proofreading exonuclease of DNA polymerase III holoenzyme is not operational during UV mutagenesis (183) 31
Woodgate, R., see Bridges, B.A. (181) 219
Woodruff, R.C., Seeger, M.A. and Norris, E.S.
Clusters of premeiotic ring-X chromosome loss are not observed in males of *Drosophila melanogaster* (191) 145

Woodruff, R.C., see Mason, J.M. (189) 93
Woolley Jr., J.L., see Turner, N.T. (189) 285
Wright, C.W., see Selby, C.P. (188) 287
Wu, C.L., see Lin, M.F. (188) 241
Würgler, F.E., see Mason, J.M. (189) 93
Würgler, F.E., see Szabad, J. (180) 201
Würgler, F.E., see Szabad, J. (180) 207

Xinshui, Z., see Decheng, C. (188) 149

Yager, J.W.
Effect of concentration–time parameters on sister-chromatid exchanges induced in rabbit lymphocytes by ethylene oxide inhalation (182) 343
Yagi, T. and Day III, R.S.
Differential sensitivities of transformed and untransformed murine cell lines to DNA cross-linking agents relative to repair of O^6-methylguanine (184) 223
Yamada, T., see Ohyama, S. (192) 7
Yamazaki, H., see Mori, Y. (192) 91
Yan-shu, D., see Cheng, L. (180) 115
Yanagisawa, H., see Manabe, S. (179) 33
Yanagisawa, K., Nishio, K. and Gotoh, S.
Screening for carcinogens by the DNA synthesis inhibition test using human fibroblasts (183) 89
Yanez, L., see Bull, P. (187) 113
Yang, L.L., see Li, A.P. (189) 135
Yang, S.K., see Prasanna, P. (190) 101
Yangpei, Z., see Ishizaki, K. (184) 121
Yannopoulos, G. and Stamatis, N.
Positive correlation between the occurrence of chromosome breakage and the induction of point mutations associated with male recombination 31.1 MRF system of hybrid dysgenesis in *Drosophila melanogaster* (176) 37
Yano, E., see Shimizu, M. (189) 307
Yawata, H., see Ishizaki, K. (184) 121
Yefremova, G.I., see Juříček, M. (179) 175
Yonei, S., see Tao, K. (183) 231
Yoshimi, N., see Mori, H. (190) 159
Young, W.C., see Ball, J.C. (191) 79
Young, W.C., see Ball, J.C. (192) 283
Yu, Y., see Dai, Y. (191) 29
Yu, Y., see Sun, L. (191) 45
Yuan, Z.P. and Mailhes, J.B.
Aneuploidy determination in C-banded mouse metaphase II oocytes following cyclophosphamide treatment in vivo (179) 209

Zaccaro, L., see Rossi, A.M. (182) 75
Zarain H., M., Bernal-Lugo, I. and Vázquez-Ramos, J.M.
Effect of benzyl adenine on the DNA synthesis during early germination of maize embryo axes (181) 103
Zasukhina, G.D., see Sinelshchikova, T.A. (184) 265
Ždárský, E., see Kučerová, M. (192) 59
Zdzienicka, M.Z. and Simons, J.W.I.M.
Mutagen-sensitive cell lines are obtained with a high frequency in V79 Chinese hamster cells (178) 233
Zdzienicka, M.Z., Roza, L., Westerveld, A., Bootsma, D. and Simons, J.W.I.M.
Biological and biochemical consequences of the human *ERCC-1* repair gene after transfection into a repair-deficient CHO cell line (183) 69
Zech, L., see Jansson, T. (190) 221
Zeiger, E., see Claxton, L.D. (189) 83
Zeiger, E., see Pagano, D.A. (179) 159
Zeiger, E., see Stark, A.-A. (177) 45
Zhang, L.-H., see Romert, L. (178) 123
Zhang, S. and Dong, W.
Chromosomal aberrations induced by the restriction endonucleases EcoR I, Pst I, Sal I and Bam HI in CHO cells (180) 109
Zhang, Y.-P., see Ikenaga, M. (184) 161
Zhestyanikov, V.D., see Andriadze, M.I. (180) 89
Ziegler-Skylakakis, K., and Andrae, U.
Mutagenicity of hydrogen peroxide in V79 Chinese hamster cells (192) 65
Zielenska, M. and Guttenplan, J.B.
Effects of UV repair, error-prone repair and critical site of mutation on mutagenesis induced by *N*-nitrosamines (180) 11
Zielinska, B., Harger, W.P., Arey, J., Winer, A.M., Haas, R.A. and Hanson, C.V.
The mutagenicity of 2-nitrofluoranthene and its in vitro hepatic metabolites (190) 259
Zijlstra, J.A., see Vogel, E.W. (180) 189
Zijlstra, J.A., see Vogel, E.W. (182) 243
Zimmering, S. and Thompson, E.D.
Mutagenesis with ethyl nitrosourea (ENU) in oogonia of repair-deficient *mus(2)201*^{D1} Drosophila females (192) 55
Zimmering, S., see Mason, J.M. (189) 93
Ziqing, X., see Decheng, C. (188) 149

Mutation Research, 176–192/INDEX (1987) 29–44
Elsevier

Cumulative Keyword Index 1987
Volumes 176–192

Aberrations, (192), 59
Aberrations, induced, (178), 65
Ab initio MO, (192), 83
Abnormal foetuses, (188), 57
Abstracts, (182), 353
Abstracts 1986 Meeting, (181), 311
Abstracts 1987 Meeting (Erlangen), (182), 275
Acetaldehyde, (180), 183
Acetaldehyde level, blood, (186), 249
Acetaldehyde, levels, (186), 235
Acetamides, (192), 37
Acetone, (187), 21; (192), 31
2-Acetylaminofluorene, (176), 211
Acetylaminofluorene, (182), 31
2-Acetylaminofluorene, (190), 107; (190), 241
N-Acetyl-2-aminofluorene, (177), 83
2-Acetylaminofluorene mutagenesis, (187), 105
Acetylaminoquinolines, (187), 191
Acid citrate dextrose, (190), 225
Acidity, (189), 1
Acinetobacter calcoaceticus, (183), 219
ACNU, (184), 161
ACNU: MNNG, (191), 201
Acridine frameshift mutagenicity, (179), 115
Acrylamide, (189), 185
Actinomycin D, (181), 147; (192), 151
Activation, (186), 135
Active oxygen species, (178), 57; (180), 257
Acute aldehyde syndrome, (186), 249
Ada protein, (183), 123
ADAPT, (182), 55
Adaptation, (190), 131
Adaptive, (190), 83
Adaptive response, (180), 215
Adaptive response, induction, (180), 163
Adaptive responses, induction, (183), 11
Adenine phosphoribosyltransferase, (180), 81
Adenine phosphoribosyl transferase locus, (180), 267; (180), 273
Adenine, release from DNA, (177), 179
Adenosine monophosphate, (192), 1
Adenovirus, UV-irradiated, (192), 203
ADH2-constitutive mutants, (177), 53
ADP-ribosylation inhibitors, (180), 249
ADP-ribosyl transferase, (191), 29
AE-CAPA, (190), 205
Aflatoxin B_1, (176), 11; (177), 1; (182), 31; (188), 121; (188), 153; (191), 105; (192), 203
Aflatoxin B_1, 2,3-dichloride and 2,3-oxide, (179), 89
Aflatoxin B_1, inhibition, (177), 229
Agent treatment time, (182), 15
Aging, biological process, (181), 227
AHH activity, (191), 45
Alachlor, (188), 241
Alcohol, (186), 175
Alcohol abuse, (186), 269
Alcohol as mutagenic agent, ICPEMC Report, (186), 173
Alcohol, consumption, (190), 253
Alcohol dehydrogenase, (186), 241; (186), 249
Alcohol dehydrogenase pathway, (186), 201
Alcoholics, (186), 177
Alcohol, intoxication, (186), 235
Alcohol metabolism and consumption, (186), 241
Alcohol sulphate, (190), 25
Aldehyde dehydrogenase, (186), 241; (186), 249
Aldicarb, (191), 99
Alkaline elution, (176), 147; (184), 271
Alkaline filter elution assay, (180), 21
Alkylating agent, (181), 235; (184), 139
Alkylating agents, (177), 17; (179), 123; (183), 11; (184), 161; (190), 119
Alkylating agent-sensitive mutant, (178), 107
Alkylating agents, monofunctional, (177), 267
Alkylbenzene sulphonate, (190), 25
O^6-Alkylguanine–DNA-alkyltransferase, (192), 207
Alzheimer's disease, (184), 107
α-Amanitin, (181), 93; (181), 147
Amebicide drugs, (188), 111
Ames assay, (180), 171; (189), 217; (192), 95
Ames assay, direct-acting, (192), 283
Ames assay method, (189), 81
Ames method, (192), 1
Ames mutagenicity test, (192), 99
Ames Salmonella/microsome assay, (190), 229
Ames/Salmonella test protocol, (182), 121
Ames test, (187), 55; (188), 161; (189), 83
Amine carcinogens, (182), 5
Amino acid activation, (192), 221
Amino acids, (188), 259
Amino acids, essential, dietary deficiency, (183), 287
Amino acid transport, (192), 221
9-Aminoacridine, (180), 67
o-Aminoazotoluene, (179), 41
3-Aminobenzamide, (177), 133
p-Aminobenzoic acid, (192), 95
N^4-Aminocytidine, (177), 283
N^4-Aminocytosine, (177), 283
2-Amino-3,4-dimethylimidazo[4,5-*f*]quinoline, (187), 181

0027-5107/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Aminofluorene, (182), 31
2-Aminofluorene, (191), 151
5-Amino-4-imidazolecarboxamide, (190), 89
2-Amino-3-methyl-3*H*-imidazo[4,5-*f*]quinoline, (190), 187
2-Amino-3-methylimidazo[4,5-*f*]quinoline, (187), 99; (187), 181
2-Amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine, (191), 133
1-(4-Amino-2-methyl-5-pyrimidinyl)methyl-3-(2-chloroethyl)-3-nitrosourea, (184), 161
2-Aminopurine, (177), 17
Aminoquinolines, (187), 191
Aminotriphenylmethane derivatives, (189), 223
Amphetamine, (190), 153
Analgesic compounds, (189), 299
Analysis, (181), 227
Aneugenic chemicals, (181), 267
Aneuploid induction, mechanisms, (181), 257
Aneuploidy, (182), 135; (190), 13; (190), 137
Aneuploidy, determination, (179), 209
Aneuploidy, frequency suppression by DMSO, (187), 31
Aneuploidy, induced, analysis, (177), 255
Aneuploidy induction, (187), 21; (187), 31; (187), 91; (190), 69
Aneuploidy test, (180), 201
Aneuploidy tests, (181), 267
Aniline derivatives, (188), 185
Animal model systems of carcinogenesis, (185), 293
Anisaldehyde, (189), 313
Annual Meeting 1986, (182), 353
Anoxia, (190), 237
Anthelmintic drugs, (188), 111
Anthelmintic drugs, genetic activity, (187), 79
Anthraquinoid pigment, (180), 147
Anthraquinone glycosides, natural, (188), 161
Antichagasic drugs, (191), 17
Anticoagulants, (190), 225
Antihistamine, (185), 309
Antileukemic agent, (188), 307
Antimutagenic factors, (178), 209
Antimycin-A-resistant phenotype, (177), 53
Antioxidants, (191), 53
Antitubercular drugs, (191), 111
Aphidicolin, (178), 73; (192), 217
Apical centre, (192), 47
AP sites, (181), 45
Apurinic/apyrimidinic sites, (180), 1; (181), 45; (181), 57
Apurinic intermediates, (177), 179
Aquatic plants, (178), 209
Aqueous phase, (188), 175
Arabidopsis, (177), 77
Arabinofuranosylcytosine, (180), 183
1-β-D-Arabinofuranosylcytosine, (177), 261
Arabinose resistance test, (188), 251
Ara-C, (178), 73
ArgH locus, (190), 77
Arginine resistance, (176), 29
Aroclor 1254, (189), 205
Aromatic amines, (192), 37
Aryl butylene oxides, (189), 189
Aryl propylene oxides, (189), 189
ASE, (190), 205
Aspergillus nidulans, (180), 43
Aspirin, (190), 95
Astrocytoma, (192), 271
Ataxia telangiectasia, (184), 107
Ataxia telangiectasia cell lines, (183), 139
AT GC transition mutations, (190), 267
Atherosclerosis, (182), 301
ATP, (182), 155
Autooxidation, (179), 159
Autoradiography, (184), 39
8-Azaadenine, (180), 81
5-Azacytidine, (176), 123
Azacytidine, (181), 215
Azide metabolite, (177), 27
Azidoalanine, (177), 27; (181), 73
Azidoglycerol, (178), 43
3-Azido-1,2-propanediol, (178), 43; (179), 175
Azo dye, benzidine-derived, (187), 227
Azoospermia, (176), 259
Azospirillum brasilense, (178), 195

Bacillus subtilis phages and their DNAs, (184), 187
Bacillus thuringiensis, (183), 225; (190) 83
Bacterial assays, (188), 63
Bacterial fluctuation tests, (190), 191; (191), 129
Bacterial growth inhibition, (192), 99
Bacterial mutagenicity, (189), 83
Bacterial strain, (183), 213
Bacteriophage Φ8, UV-irradiated, (183), 225
Bacteriophage T4, (183), 109
Bamethan, (177), 35
Barley cells, (181), 9
Barley embryos, (181), 73; (190), 125
Base analogues, (177), 17
Baseline, (180), 101
Base-pair substitution, (179), 159
Base-pair substitution, UV-induced, (181), 219
Base substitution, (180), 137
Base substitution, rate, (179), 65
Benomyl, (177), 255; (189), 271
Benorylate, (190), 95
Benz[*a*]anthracene, cyclopenta-fused isomers, (187), 67; (188), 323
Benzamide, (192), 69
Benzamide, pretreatment, (191), 93
Benzene, (179), 23; (187), 223
Benzene, subchronic exposure, (188), 135
Benzidines, (182), 231
Benznidazole, (188), 129
Benzo[*a*]pyrene, (177), 1; (178), 255; (179), 23; (182), 41; (184), 57; (191), 67
Benzo[*a*]pyrene 7,8-diol, (178), 123; (178), 255
Benzo[*a*]pyrene, DNA adduct, (190), 31
Benzo[*a*]pyrene, inhibition, (190), 101
Benzo[*a*]pyrene-initiated, (184), 129
Benzo[*a*]pyrene mutagenicity, (192), 227
Benzodiazepines, (189), 319

5,6-Benzoflavone-treated rats, (190), 31
Benzonidazole, (191), 17
Benzyl adenine, (181), 103
Beryllium chloride, (186), 35
Beryllium sulphate, (186), 35
Bile acids, (190), 191; (191), 129
Binary mixtures, (190), 247
Bioassays, specialized batteries, (185), 197
Biological effects, (184), 139
Biological risk assessment, (185), 243
p-Bis(2-chloroethyl)aminophenylacetic acid, (190), 205
Bis(tri-*n*-butyltin)oxide, (188), 65
Bithionol sulphoxide, (188), 53
Bleomycin, (183), 139; (190), 131; (192), 247
Blood lymphocyte culture, (176), 93
Blood lymphocytes, (189), 399
Blood, whole, human, cultures, (180), 101
Bloom's syndrome, (184), 229
Bloom's syndrome fibroblasts, (183), 197; (184), 147
Bloom syndrome cells, (176), 157
BND–cellulose chromatography, (181), 103
Bone marrow cells, (182), 15; (188), 45; (189), 157
Bone marrow chromosomal aberrations, (188), 215
Bone marrow, micronuclei, (187), 227
Bone-marrow micronucleus induction, (188), 343
Bone-marrow smears, (182), 203
BrdU–Giemsa method, (176), 93
BrdUrd, (192), 277
Bromazepam, (189), 319
Bromodeoxyuridine, (192), 263
Bromodeoxyuridine, low concentration, (176), 157
5-Bromodeoxyuridine, (178), 49; (190), 149
5-Bromo-2-deoxyuridine, (188), 223
5-Bromo-2′-deoxyuridine, (177), 17
5-Bromouracil-substituted DNA, (176), 133
Bronchoalveolar cells, (178), 123
BrUdR labelling technique, (177), 255
BudR–Giemsa technique, (178), 223
Buffer composition, (179), 123
Busulfan, (176), 259
Butachlor, (188), 241; (188), 311
Butylated hydroxyanisole, (176), 179
Butylated hydroxytoluene (BHT), (187), 105
Butylene oxides, (189), 189

Cadmium, (191), 105
Cadmium chloride, (180), 257
Cadmium ions, (192), 207
Cadmium, mutagenicity, (176), 1
Cadmium sulphate, (189), 69
Caffeic acid, (177), 229
Caffeine, (177), 133; (180), 89; (180), 183; (181), 9; (181), 147; (183), 169; (189), 299; (190), 51; (192), 69
Calcium hypochlorite, (189), 59
Cancer incidence, (186), 261
Cancer initiation, (186), 43
Captan, (176), 29
Carbamate pesticide, (191), 41; (191), 99
Carcinogenesis, (186), 149
Carcinogenic heterocyclic amines, (179), 33
Carcinogenicity, prediction, (185), 243; (190), 173
Carcinogens, (186), 201; (192), 239
Carcinogens, metabolic activation, (182), 31
Carcinogens, screening, (183), 89
Cardiovascular drugs, (177), 35
Catalase, (186), 43; (190), 197
Catalase pathway, (186), 201
Cathinone, (190), 153
Cell culture, (189), 135
Cell-cycle associated pathway, (183), 75
Cell-cycle delay, (178), 73
Cell-cycle kinetics, (190), 225
Cell cycle phases, (180), 239
Cell division inhibition, (192), 247
Cell division kinetics, (181), 267
Cell growth inhibition, (180), 257
Cell killing, (177), 267
Cell-mediated mutagenesis assay, (177), 1
Cell mutants, (178), 99
Cell-to-cell contact, (188), 153
Cercobin, (176), 29
Cereals, (181), 199
Chagas disease, (191), 17
Chemical agents, (189), 175
Chemical basis for photomutagenicity, (188), 287
Chemical class analysis, (185), 197
Chemical screening, (189), 1
Chenodeoxycholic acid, (190), 191
Chiasma formation, (192), 121
Chinese hamster cells, (177), 255; (180), 215
Chinese hamster cells, V79, (178), 123; (182), 155; (190), 169
Chinese hamster lung V79 cells, (177), 283
Chinese hamster mutant, γ-ray-sensitive, (183), 61
Chinese hamster ovary cell, (189), 135
Chinese hamster ovary cells, (188), 241; (190), 145; (192), 277
Chlamydomonas reinhardtii, (181), 31; (183), 169
Chloral hydrate, (190), 13
Chloramine, (190), 277
Chloramines, (188), 35
Chlorinated pyridines, (176), 185
Chlorination by-products, (189), 363
Chlorine dioxide, (188), 259
Chloroacetic acid, (187), 157
Chloroacetyl chloride, (187), 157
3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5*H*)-furanone, (189), 363
Chloroethylnitrosourea, (184), 223
Chlorogenic acid, (177), 229
1-Chloromethylpyrene, (191), 79
Chloronitrobenzenes, (178), 187
N-Chloropiperidine, (189), 59
Chloroplast genome, mutations, (181), 199
Chloroquine, (192), 233
Chloroquine diphosphate, (188), 111
CHO cell line, (178), 233
CHO cell mutant strain, (192), 221

CHO cells, (192), 79
CHO/HGPRT assay, (178), 255
CHO/HGPRT assay, (189), 135
Cholic acid, (190), 191
CHO variant, (184), 139
Chromatid aberration, (182), 333
Chromatid aberrations, (181), 157
Chromatid architecture, (181), 147
Chromatid breakage, (192), 217
Chromatid interchanges, (190), 145
Chromatid-type aberrations, (180), 183
Chromatin, (183), 53
Chromatin-associated enzyme, (191), 29
Chromatin, molecular composition, (180), 115
Chromium, (192), 169
Chromium chloride, (191), 207
Chromium(VI) compounds, (190), 35
Chromosomal aberration, (187), 157
Chromosomal aberration bioassay, (188), 45
Chromosomal aberrations, (177), 117; (177), 149; (178), 81; (178), 107; (180), 109; (180), 223; (186), 1; (186), 177; (187), 141; (191), 105; (191), 207
Chromosomal aberrations, induction by X-rays, (177), 133
Chromosomal aberrations, spontaneous, (178), 99
Chromosomal damage, (182), 243
Chromosomal damage, germ-line, (190), 19
Chromosomal lesions, (178), 91
Chromosomal mis-distribution, (178), 33
Chromosomal mutagenesis, (181), 199
Chromosomal mutations, (189), 285
Chromosomal rearrangement, (186), 161
Chromosomal scaffold, (178), 243
Chromosomal segregation, (190), 13
Chromosome aberration, (182), 333; (189), 333; (192), 263
Chromosome aberration: chromium, (189), 395
Chromosome aberration dosimetry, (179), 197
Chromosome aberration frequencies, (190), 51
Chromosome aberrations, (176), 59; (176), 93; (176), 243; (178), 73; (184), 107; (187), 127; (189), 15; (189), 69; (189), 157; (189), 175; (189), 399; (190), 221; (191), 5; (191), 193
Chromosome aberrations, frequency, (182), 303
Chromosome aberrations: (mouse), (188), 135
Chromosome aberrations, radiation-induced, (176), 251
Chromosome aberration test, (180), 231
Chromosome analyses, (190), 217
Chromosome anomalies, (188), 343
Chromosome breakage, (176), 37; (178), 223; (192), 217
Chromosome breaks and loss, (188), 307
Chromosome damage, (181), 9; (181), 173; (182), 265; (190), 63
Chromosome flexion, (190), 137
Chromosome loss, (178), 215
Chromosome number changes, (181), 267
Chromosome, ring-X, loss, (191), 145
Chromosomes, (181), 187
Chromosome-type aberrations, (176), 105
Chronic aldehydism, (186), 249
Cigarette smokers, (188), 105
CI gene, (180), 1
Cinnamaldehyde, (189), 313
Cinnamaldehyde, effects on reversion and survival, (187), 11
Circadian reduction, (192), 169
Cisplatin, (192), 181
Cis-platinum, (183), 231
Cisplatinum-DNA crosslinks, (190), 59
Clastogenesis, metal-induced, (180), 257
Clastogen exposure, (182), 303
Clastogenic adaptation, (181), 157
Clastogenic effects, (192), 151
Clastogenicity, (189), 175
Clastogenicity, toxicity-dependent, (189), 59
Clastogens, (190), 131
Clastogen-treated human lymphocytes, (176), 105
CldUrd, (192), 277
Cleansers, (190), 25
Cluster, (191), 145
C-mitosis, (182), 135
Coal tar, (187), 119
Colcemid, (177), 255; (190), 51
Colchicine, (192), 109
Collagen synthesis, (186), 249
Colony-forming ability, (184), 147
Comparative mutagenicity, (179), 175
Complex mixtures, (188), 63
Concentration/proportional mixture model, (190), 247
Concentration–time parameters, (182), 343
Conclusions, (186), 175
Concordance, (185), 197
Congenital defects, (177), 171
Control levels, (182), 303
Cooked beef, (191), 133
Cooked food mutagen, (190), 187
Corn oil suspensions, (187), 45
Coumarin, (189), 313
Coumermycin, (183), 53
Covalent binding index, (190), 173
Creatinine, (191), 133
Creosote, (187), 119
Crepis capillaris, (190), 271
Critical site for mutation, (180), 11
Cross-link repair, (184), 255
Cross-links, (184), 7, 271
Cr(VI) compounds, (189), 263
c-*src*, (186), 135
Curled pondweed, (178), 209
Cyclobutyl pyrimidine dimers, (178), 167; (179), 143
Cyclophos, (188), 153
Cyclophosphamide, (178), 21; (179), 23; (182), 15; (182), 75; (182), 309; (182), 323; (187), 227; (188), 57; (190), 19; (192), 137
Cyclophosphamide, activation, (187), 151
Cyclophosphamide, induction of dominant lethal mutations, (187), 37
Cyclophosphamide treatment, in vivo, (179), 209
L-Cysteine, (187), 219
Cytochalasin B-blocked, (178), 117
Cytochrome *c*, (192), 253

Cytochrome P-450, chemical model, (176), 11
Cytochrome P-450-dependent, (186), 81
Cytochrome P-450 inducers, (182), 231
Cytochrome P-450 system, reconstituted, (176), 165
Cytogenetic aberrations, (180), 273
Cytogenetic analysis, (182), 75; (189), 381
Cytogenetic assays, in vivo, (189), 157
Cytokinesis-block method, (190), 51
Cytomegalovirus, human, enhanced survival, (179), 49
Cytonucleus test, (182), 309
Cytosine arabinoside, (191), 37; (192), 217
Cytotoxicity, (189), 69

Daconil, (176), 29
Dam-3 mutant, (177), 17
2,4-DAT, (190), 113
Data interpretation, (189), 1
DBcAMP, (192), 1
DDT, (191), 105
Decisions about carcinogens, (185), 243
Deethylase, (178), 11
Deficient mutants, (180), 81
DEHP, (188), 21
Dehydroemetine, (188), 111
Delayed photoreactivation, (179), 55
Demethylase, (178), 11
N-Demethylation, (182), 211
Deoxycholic acid, (190), 191
Deoxynucleoside triphosphate pool size, (183), 249
Deoxyribonuclease, liposome-encapsulated, (177), 117
Deoxyuridine, (192), 217
Deployment, (182), 173
Depurination, (177), 179
Desmutagenic effect, (176), 199
Desmutagenic effects, (177), 9
Detection, (181), 227; (183), 213
Diakinesis–metaphase I, (176), 243
Dialdehydes, unsaturated, (188), 169
Dialysis fluid, (179), 33
2,7-Diamino-3,8-dimethylphenazine, (190), 113
2,4-Diaminotoluene, (190), 113
Diamminedichloroplatinum, (192), 181
cis-Diamminedichloroplatinum, (184), 223
Diamminedichloroplatinum(II), (183), 129
cis-Diamminedichloroplatinum(II), (190), 59
Dianisidine, (182), 231
Diazepam, (189), 319
Diaziquone, (178), 117
7*H*-Dibenzo[*c*,*g*]carbazole, (188), 275
Dibutyryl cyclic adenosine 3′,5′-monophosphate, (192), 1
α-Dicarbonyl compounds, (177), 9
Dichlorobenzidine, (182), 231
3,3′-Dichlorobenzidine, (191), 139
Dichlorodiphenyltrichloromethylmethane, (191), 105
1,1-Dichloroethylene, (187), 157
Diepoxybutane, (182), 333
Diesel emissions, (182), 1
Diesel-particle extracts, (192), 283
Dietary factors, (188), 121
Dietary imbalances, (191), 67
Di(2-ethylhexyl)phtalate, (188), 21
Diethylnitrosamine, (187), 133; (188), 7
Diethyl sulphate, (178), 215
Dihalomethylbenzenes, (191), 79
Diiodohydroxyquin, (188), 111
Diiodohydroxyquinoline, (187), 219
Dimecron, (189), 277
DiMeIQx, (178), 25
4,8-DiMeIQX, (179), 5
6-Dimethylaminophenylazobenzthiazole, (187), 227
9-[(3-Dimethylaminopropyl)amino]acridine, (187), 1; (187), 209
7,12-Dimethylbenz[*a*]anthracene, (182), 15
Dimethyl benzanthracene, (182), 309
Dimethylformamide, (192), 31
Dimethyl methylphosphonate, (189), 15
Dimethylnitrosamine, (182), 211; (183), 287; (187), 133; (188), 7; (188), 141; (188), 153
Dimethylnitrosamine, interaction with, (189), 307
Dimethyl sulphate, (189), 69
Dimethyl sulphoxide, (187), 31
o-Dinitrobenzene, (191), 73
Dinitrobenzenes, substituted, (176), 171
3,4-Dinitrobiphenyl derivatives, (191), 73
Dinitrofluoranthene, (191), 85
1,8-Dinitropyrene, (187), 199
Diphenylhydantoin, (187), 91
Diplochromosomes, (192), 137
Direct Black 38, (187), 227
Disazo, (189), 223
Discordance, (185), 197
Dispersed middle repetitive (mobile) DNA sequences, (192), 259
Dithane, (176), 29
Dithiothreitol, (177), 77
DNA, (179), 151; (181), 45; (181), 73
DNA adducts, (176), 211; (179), 75
DNA alterations, (182), 65
DNA amplification, (189), 387
DNA base modification, (177), 201
DNA binding, (188), 161
DNA, binding to, (190), 173
DNA, BrUra-substituted, (176), 133
DNA, cellular, (177), 283
DNA content, (182), 265
DNA crosslinking agents, (184), 153, 223
DNA damage, (177), 95; (178), 177; (181), 9; (184), 7; (184), 87; (184), 129; (190), 119; (192), 175
DNA damaging activity, (176), 179
DNA-damaging agents, (183), 45
DNA double-strand breaks, (189), 69
DNA excision repair, (184), 169
DNA excision repair, defective, (184), 265
DNA fragmentation, (181), 61
DNA glycosylase, (181), 111
DNA glycosylase, activity, (184), 197
DNA, integrity, (190), 267

DNA lesions, (176), 105; (191), 177
DNA ligase, (181), 61
DNA ligase, normal, activity, (183), 61
DNA loops, (178), 243
DNA metabolism, (182), 155
DNA methods, (181), 227
DNA methylation, (181), 215
DNA methyltransferase, (184), 245
DNA, mouse liver, alkylation, (183), 287
DNA, multimeric structures, (183), 109
DNA, nuclear, (183), 169
DNA, nuclear and chloroplast, (181), 31
DNA, nuclear, mammalian, (179), 65
DNA nucleotide, (183), 249
DNA photoproducts, (179), 143
DNA, plasmid, (176), 21
DNA, plasmid, UV-irradiated, (183), 161
DNA polymerase alpha, activation, (184), 129
DNA polymerase-β, (180), 137
DNA polymerase I, *E. coli*, (181), 93
DNA polymerase I, inducible, synthesis, (190), 77
DNA polymerase III complex, (181), 219
DNA polymerases, (181), 81; (184), 57
DNA polymerases, blocking, (184), 39
DNA primase, (181), 81; (181), 93
DNA–protein cross-links, (184), 217
DNA–protein crosslinks, formation, (176), 147
DNA–protein crosslinks, repair, (183), 75
DNA repair, (181), 1; (181), 17; (181), 57; (183), 31; (183), 123; (183), 177; (183), 265; (184), 7; (184), 57; (184), 67; (184), 107; (184), 139; (184), 209; (186), 1; (192), 207; (192), 211
DNA-repair assay, (189), 123
DNA-repair enzyme, (183), 257
DNA-repair enzyme, prokaryotic, (183), 53
DNA repair gene, (183), 69
DNA repair, inducible, (183), 225
DNA repair inhibitor, (180), 89
DNA-repair proficient, deficient, strains, (183), 129
DNA-repair synthesis, (182), 41
DNA-repair systems, inducible, (183), 149
DNA-repair tests, (190), 159
DNA repair, UV-inducible, (183), 219
DNA replication, (183), 75; (183), 185; (183), 265; (188), 141; (190), 271
DNA replication-blocking properties of adducts, (179), 89
DNA sequence, (178), 167
DNA sequences, (179), 135
DNA sequencing, (182), 65
DNA, single-strand breaks, (184), 217
DNA strand breaks, (180), 21; (180), 239; (183), 213; (184), 47; (189), 15
DNA synthesis, (181), 103; (182), 75; (183), 203
DNA, synthesis and repair, (181), 173
DNA synthesis inhibition, (180), 257
DNA synthesis inhibition test, (183), 89
DNA synthesis, inhibitors, (177), 261; (180), 183
DNA synthesis, replicative and repair, (190), 125
DNA synthesis, replicative, inhibitors, (176), 123
DNA synthesis, unscheduled, (183), 95; (187), 227; (189), 341; (191), 45
DNA transfection, (184), 121
DNA viruses, (181), 81
Dominant cataract mutations, (177), 161
Dominant lethal, (189), 167
Dominant lethal mutations, (187), 37; (191), 171
Dominant lethals, (177), 171
Dominant lethal study, (188), 29
Dopamine, (177), 229
Dose–effect relation, (176), 233
Dose–response relationship, (176), 81
Dose–response relationships, (176), 251
Double-strand breaks, repair, (191), 9
Down's syndrome, (184), 107
Down's syndrome fibroblasts, (180), 223
Drinking water, (189), 363
Drosophila, sensitive mutants, (183), 45
Drosophila simulans, (192), 259
Drosophila wing spot test, (188), 209
Drug-metabolising systems, (182), 75
Drugs, (186), 201
Drugs, new, (182), 187
D7 strain, (178), 43
Duchenne muscular dystrophy, (184), 29
Dyes, (189), 223
Dyskeratosis congenita, (184), 255

Early germination, (181), 103
E. coli multitest, (181), 235
E. coli ung, (179), 143
EEMS, (182), 113; (182), 385
EEMS Award lecture, (181), 299
Ekatin, (188), 45
Electronic factors, (179), 115
Electrostatic potential, (192), 83
Emodin, (188), 161
Emodin, hepatic metabolite, (180), 147
Emodin, metabolic activation, (176), 165
EMS, (192), 79
Endomitosis, (192), 137
Endonuclease action, (181), 9
Endonuclease activity, (183), 231
Endonucleases, (180), 109
Endonuclease V, T4, (183), 109
Endonuclease V, T4 purification, (183), 117
Endoreduplicated cells, (177), 261
Enhanced mutagenicity, (179), 15
Enhanced survival, (183), 265
Environmental chemicals, (181), 243
Environmental mutagenesis, (181), 299
Environmental mutagens/carcinogens, (181), 289
Environmental Mutagen Societies, (182), 297
Enzymatic photorepair, (192), 211
Enzymatic studies, (184), 209
Enzyme activity, (183), 257
Enzymic repair reactions, (190), 267

EPA standard protocol, (182), 121
Epidemiology, (181), 289
Epigenetic defects, (181), 215
Epoxide hydrolase, (177), 247
Epoxides, (189), 387
ERCC-1, (183), 69
Error-prone repair, (178), 199; (180), 11
Erythrocyte enzyme-activity mutations, (176), 81
Erythrocytes, (182), 203; (182), 323; (189), 103
Erythrocytes, micronucleated, (192), 141
Erythrocytes, micronucleated polychromatic, (190), 41; (190), 153
Escherichia coli, (183), 1; (190), 89; (192), 233
Escherichia coli cells, (180), 155
Escherichia coli tester strains, (177), 219
Escherichia coli, UV hyper-resistant mutant, (190), 77
Escherichia coli, UV-irradiated, (183), 39
Ethanol, (186), 173; (186), 175; (186), 177; (186), 241; (186), 261; (186), 269; (192), 31
Ethanol, metabolism, metabolic effects, (186), 201
Ethidium bromide, (181), 147; (190), 13
Ethyl acetate, (187), 21; (187), 31
Ethylenediaminetetraacetic acid, (190), 225
Ethylene oxide, (176), 269; (182), 343
O^6-Ethylguanine, (183), 241
Ethyl methanesulphonate, (177), 277; (178), 195; (178), 215; (179), 167; (180), 81; (191), 37; (192), 203
Ethyl nitrosourea, (192), 55
Ethylnitrosourea treated mice, (176), 81
N-Ethyl-*N*-nitrosourea, (177), 267; (179), 123; (184), 147
N-Ethyl-*N*-nitrosourea mutagenesis, (178), 1
Ethylvanillin, (189), 313
Etintidine, (180), 231; (188), 301
Eukaryotic bioassay, (180), 43
European cut-grass, (178), 209
European Environmental Mutagen Society, (181), 311; (182), 113; (182), 385
Evaluation, (189), 7
Exchange aberrations, (189), 381
Excision gaps, (183), 1
Excision repair, (178), 199; (181), 111; (183), 45; (183), 241
Excision-repair defects, (183), 161
Excision-repair mechanisms, (183), 231
Excision-repair synthesis, (183), 249
Excision-repair system, (183), 213
Excreta, (176), 211
Exonuclease, proofreading, (183), 31
Exponentially dividing cells, (180), 249
Exposure protocols, (188), 175
Expression of *umuC* gene, (183), 103
Ex-smokers, (192), 157
Eye imaginal discs, (182), 243

Fagaronine, (188), 307
Fanconi anaemia, (184), 153; (184), 271
Fanconi anaemia cells, (178), 65
Fast rejoining, (181), 187
Fecapentaene-12, (191), 5
Feeder cell density, (188), 153
Fenitrothion, (188), 45
Fertility, (176), 259
Fibroblast cell line GM1492, (184), 229
Fibroblast preparations, human, (184), 47
Fibroblasts, (177), 125; (184), 29; (184), 271
Fibroblasts, human, (183), 89; (184), 237
Fish meats, heated, (179), 5
Fission neutrons, (176), 233
Flavonoids, enhancing effects, (190), 107
Flavourings, (189), 313
Flow sorting, (182), 265
Fluctuation tests, (190), 191; (190), 281
Fluoranthene, (187), 119; (187), 199; (189), 185
Fluoride, (187), 165; (190), 229; (192), 191
5-Fluorodeoxyuridine, (180), 183
5-Fluorouracil, (183), 103
Focus formation, (185), 293
Foetal malformation, (176), 269
Foetus, (190), 289
Folate, (192), 217
Formaldehyde, (176), 147
Formaldehyde workers, (180), 131; (180), 135
Forward mutation tests, (188), 301
Frameshift mutagenesis, (184), 13; (192), 233
Frameshift mutagens, (179), 159
Frameshift mutations, sequenced, (179), 55
Free radical-mediated, (183), 213
Frequency, (177), 171
Frequency of induced mutations, (179), 231
Fried ground beef, (178), 25
Fried meat, (187), 47
Friend erythroleukaemia cells, (180), 267; (180), 273
Frog cells, (192), 211
Fuels, synthetic, (188), 287
Fulvic acid, (176), 199
Fungicides, induction by, (176), 29
Furocoumarins, (190), 63
Furylfuramide, (184), 99

Gallic acid, (177), 229
Gas phase, (188), 175
Gastric cancer, high risk area, (187), 113
Gastric environment, (192), 169
Gastric juice, (188), 201
Gene mutation, (187), 141
Gene mutation assay, (189), 135
Gene mutations, (186), 1
Genetic damage, (179), 183; (180), 189
Genetic mosaicism, (180), 207
Genetic toxicology, (185), 197
Genetic variation, (177), 247
Gene-Tox data base, overall composition and analysis, (185), 197
Genetoxic potential, (192), 191
Gene transfer, (184), 67; (185), 271
Gene transfer and reversion, (184), 153
Genotoxic, (190), 289
Genotoxic effects, (177), 1
Genotoxicity, (182), 333; (192), 239

Genotoxicity induction, (187), 151
Genotoxicity testing, (189), 185
Genotoxicity, treatment-condition-induced, (189), 1
Genotoxins, assay for, (177), 17
Germ cell mutagenesis assays, (189), 93
Germ cells, male mice, (176), 53
Germ cell stages, early, (180), 189
Germ-cell survival, (188), 335
Germinal centre, (192), 47
Germination, early, (181), 57
Gesellschaft für Umwelt-Mutationsforschung, (182), 275
Glucose, (191), 133
Glucose 6-phosphate, (179), 151
Glucose, repression, (180), 67
γ-Glutamyltranspeptidase, (177), 45
Glutathione, (177), 45; (178), 255; (191), 189; (192), 227
Glutathione-deficient TA100, (176), 171
Glutathione-specific agents, (182), 155
Glutathione *S*-transferase, (177), 247; (178), 255
Glycosylases, (184), 209
Glycylglycine, (177), 45
G_1 phase, (176), 105
Granuloma pouch assay, (187), 99
Gravy, (187), 47
Griess reagent test, (177), 241
G1 stage irradiation, (190), 149
Guanine, release from DNA, (177), 179
Guide, (189), 83; (189), 93; (189), 123; (189), 135; (189), 167
Guide, DNA-repair assay, (189), 113
Guidelines, (189), 103; (189), 175
Guide, new standard, (189), 143
GUM, (182), 275

Haber's rule, (182), 343
Haber–Weiss reaction, (178), 57
Haemoglobin adducts, (182), 343
Halogenated pyridines, (176), 185
Hamster, (192), 91
Hazardous wastes, (189), 205
Heat shock, (183), 149
Heat treatment, (178), 81
Heavy water, inhibitory effect, (180), 155
HeLa cells, (184), 113; (192), 203
Helicase, (181), 81
Hemoglobin, (192), 253
Heparin, (190), 225
Hepatectomy, partial, (182), 75
Hepatic DNA repair, (188), 141
Hepatic (mammalian) activation, (188), 185
Hepatic metabolites, (190), 259
Hepatic microsomes, (176), 165
Hepatic S9 prepn., (188), 7
Hepatocarcinogen, (185), 309
Hepatocellular carcinomas, (188), 21
Hepatocyte activation, (188), 153
Hepatocyte cultures, (182), 41
Hepatocyte DNA-repair assay, (189), 113; (189), 341
Hepatocyte, in vitro rat, (189), 113
Hepatocytes, (182), 31; (187), 181; (187), 227; (190), 159
Hepatocyte/Salmonella assays, (187), 105
Hepatocytes, cultured, (190), 119
Hepatocytes, human, (177), 1
Hepatoma cell line 2sFou, (182), 41
Hepatotoxicity, (188), 141
Herpes simplex virus, (178), 1
Heterochromatin, (190), 271
Heterocyclic amines, (177), 9; (192), 253
Heterocyclic aromatic amines, (187), 181
4-Hexylresorcinol, (188), 111
HGPRT-deficient mutants, (190), 47
HGPRT locus, (176), 225; (178), 143
HGPRT mutation assay, (182), 99
Higher plant cells, (181), 127
Higher plants, (181), 9; (181), 199
HisC3076, (184), 13
his reversion assay, (176), 179
Histamine H_2–receptor antagonist, (180), 231; (188), 301
Histamine H_2–receptor antagonist therapy, (188), 201
Historical overview, (186), 1
HMU-DNA glycosylase, (183), 257
Homocystinuria, (184), 265
Homogenizer, (187), 45
Hordeum vulgare, (189), 271
Host-mediated assay, (190), 289
HPRT mutant frequency, (179), 215; (191), 57
Human cell, (182), 83
Human cell strains, (184), 245
Human cultured cells, (177), 117
Human fibroblasts, (189), 47
Human lymphoblastoid interferon, (192), 75
Human (normal) cells, (178), 65
Humic acid, (176), 199
Humic acids, (189), 363
Huntington's disease, (184), 29
Hybrid cell lines, (184), 113
Hybrid dysgenesis, (176), 37
Hydrazine, (191), 111
Hydrocarbons, aromatic, nitro-substituted cyclopenta-fused polycyclic, (187), 67
Hydrogen bonding, (177), 201
Hydrogen ion concentration, (176), 1
Hydrogen ion concentration, shifts, (189), 39
Hydrogen peroxide, (178), 57; (188), 251; (190), 113; (190), 237; (192), 65
Hydrogen peroxide-induced damage, (184), 87
Hydroxyanisole, butylated, (176), 179
p-Hydroxybenzoic acid, (177), 229
α-Hydroxycarbonyl compounds, (177), 9
Hydroxyemodin, (180), 147
8-Hydroxyguanine, (192), 83
Hydroxylaminopurine, (177), 189
Hydroxyl radicals, (188), 251
5-Hydroxymethyl-2′-deoxyuridine, (178), 177
4′-Hydroxymethyl-4,5′,8-trimethylpsoralen, (184), 255
5-Hydroxymethyluracil-DNA glycosylase, (183), 257
4-Hydroxynonenal, (190), 169

N-Hydroxyparacetamol, (189), 299
N-Hydroxyphenacetin, (189), 299
Hydroxytoluene, butylated (BHT), (187), 105
Hydroxyurea, (180), 183; (181), 147; (182), 41; (183), 249; (192), 105
Hyperdiploidy, (187), 91
Hyper-mutation, (178), 199
Hyperosmotic medium, (189), 15
Hyper-recombination, (178), 199
Hypochlorous acid, (188), 35
Hypothalamic pituitary gonadal axes, (186), 269
Hypoxanthine, (191), 53
Hypoxanthine–guanine phosphoribosyl transferase, (189), 135
Hypoxanthine guanine phosphoribosyltransferase locus, (178), 143; (190), 169
Hypoxia, protective effect, (177), 77

IAEMS, (182), 297
ICPEMC Report, (186), 175
Imbibition, (181), 61
Immortalization, (183), 185
Immunoperoxidase reaction, (176), 157
Immunosuppression of intact cells in vitro, (182), 211
Indomethacin, (188), 343
Inducible repair, (192), 211
Induction, (186), 43
Induction of mutations, (176), 133
Inflammatory response, (190), 277
Inhalation, (182), 333
Inhibition of mutations, (184), 99
Inhibitors, (181), 173
Inorganic derivatives, (189), 263
Insect epoxide metabolism, (177), 247
Insidon R, (190), 7
Instant coffee, (189), 307
Interindividual human variation, (190), 59
Inter-laboratory variability, (180), 171
Interleukin-2, (192), 163
Internal 6-base palindrome, (179), 135
Internal standards, (182), 83
Intranuclear localization, (183), 177
In vitro cytogenetic assays, (189), 175
In vitro cytogenetics, (189), 387
In vitro testing, (189), 7
In vitro tests, extrapolation from, (189), 47
In vivo genotoxicity, (189), 7
Iodochlorhydroxyquin, (188), 111
Iodosylbenzene, (176), 11
Iohexol, (188), 233
Ionic alterations, (189), 1
Ionized base pairs, (177), 201
Ionizing radiation, (178), 177; (180), 21; (180), 215; (190), 145
Ionizing radiation exposure, (191), 57
Ionizing radiation-sensitive mutant (M10), (178), 107
Iopromide, (188), 233
Iosimide, (188), 233
Iotrolan, (188), 233
IQ, (187), 99; (187), 181; (190), 187
Iron(III)porphyrin catalyst, (176), 11
γ-Irradiation, (184), 265
γ-Irradiation, external, (176), 53
X-Irradiation, (177), 95
X-Irradiation, low dose, (176), 143
irs 1 to irs 4, (183), 279
Isocitrate, (189), 27
Isoniazid, (191), 111
Isopropanol, (182), 211
Isozymes, (177), 247

Japanese Environmental Mutagen Society, (182), 353

Keratinocytes, epidermal, cultured, (183), 95
Korea, (192), 99

LacI gene, (179), 143
LacZ gene, (183), 273
Lambda prophage, (178), 177; (192), 105
Lannate, (191), 41
Large colony mutants, (189), 285
Lead, (191), 105
LE-CAPA, (190), 205
Lethal sectoring, (177), 277
Letter to the Editor, (182), 295; (191), 129
Leukaemia, chronic myelocytic, (186), 161
Leukocytes, stimulated, (188), 35
Ligase, (181), 81
Lignin, (176), 199
Lindane, (191), 105
Liver microsomal lipids, (190), 169
Liver S9, (192), 91
Local activity reports, (182), 113; (182), 385
Localized genomic repair, (184), 169
L5178Y mouse lymphoma assay, (187), 141
L5178Y mouse lymphoma cell, (176), 123
Lymphoblastoid cell line, human, (190), 69
Lymphoblastoid cells, (178), 143
Lymphoblasts, (176), 147
Lymphocyte assay, human, (189), 175
Lymphocyte cultures, (187), 127
Lymphocytes, (177), 125; (180), 93; (180), 131; (180), 135; (184), 107; (188), 135
Lymphocytes, cultured, (190), 211
Lymphocytes, cultured human, (191), 99
Lymphocytes, frozen, (180), 101
Lymphocytes, human, (176), 105; (187), 151; (190), 63; (190), 217
Lymphocytes T, (192), 163
Lymphocyte T, (179), 215
Lymphoma cells, mouse, (189), 185
Lysine, (179), 151
Lysosomal breakdown, (189), 69
L5178Y/TK$^{+/-}$, (189), 285

Maize embryo axes, (181), 103
Maleic hydrazide, (191), 93; (192), 125
Male recombination 31.1 MRF system, (176), 37
Malformation, (186), 73
Mammalian cell extracts, (184), 229

Mammalian cell mutagenicity, (189), 143
Mammalian cell populations, cultured, (190), 281
Mammalian cells, (187), 157; (189), 135; (192), 69
Mammalian cells, cultured, (190), 35
Mammalian germ cell mutagenicity, (185), 319
Mammalian microsome test, (176), 185
Mammalian mutagenicity, (189), 167
Master cell, presence of, (192), 47
Mature sperm, (178), 215
Mebendazole, (187), 79
Mechanisms of carcinogenesis, (185), 271
Mechlorethamine, (191), 171
Medazepam, (189), 319
Medicinal herbs, (192), 99
Meglumine, (188), 233
Meiosis, (181), 257; (190), 13
Meiosis, different stages, (189), 407
Meiotic non-disjunction, (176), 233
MeIQ, (187), 181
MeIQx, (178), 25; (179), 5
Mer$^-$, (184), 161
Mer$^-$ cells, (184), 121
6-Mercaptopurine, (176), 47; (179), 231
Mercury, (191), 105
Metabolizing enzymes, (191), 67
Meta-induced lathelity and mutagenesis, (177), 179
Metal ions, (192), 207
Metaphase, (190), 137
Metaphase analysis, (182), 309
Metaphase II oocytes, (179), 209
Metaphases, identification, (176), 93
Methapyrilene hydrochloride, (185), 309; (189), 285
Methionine suppressors, (176), 29
Methoprene, (188), 209
Methoxyamine, (181), 45
3-Methoxybenzamide, (180), 249
Methoxychlor, (189), 185
5-Methoxypsoralen, (190), 63
8-Methoxypsoralen, (176), 21; (184), 271; (190), 63
8-Methoxypsoralen, angelicin, (183), 231
3-Methyladenine-DNA glycosylase, deficiency, (183), 11
Methylating *N*-nitroso compounds, (184), 139
α-Methylbenzyl halides, (191), 79
Methyl bromide, (192), 131
Methyl-1-(butylcarbamoyl)-2-benzimidazole carbamate, (189), 271
3-Methylcholanthrene, (190), 101
3-Methylcholanthrylene, (190), 101
Methyl 2-cyanoacrylates, (188), 97
Methyl 2-cyano-3-phenylacrylates, (188), 97
Methyl ethyl ketone, (187), 21
Methylglucamine diatrizoate, (188), 233
Methylglyoxal, (190), 47
O^6-Methylguanine, (181), 37; (184), 223; (184), 245; (190), 267
O^6-Methylguanine–DNA methyltransferase, (183), 287
O^6-Methylguanine methyltransferase, (184), 121; (184), 161; (191), 201
O^6-Methylguanine residues, DNA, (183), 123
Methyl iodide, (180), 163
5′-Methylisopsoralen, (184), 255
Methylmercury hydroxide, (190), 13
Methyl methanesulphonate, (177), 83; (177), 267; (180), 155; (182), 223; (184), 99; (192), 203
1-Methyl-3-nitro-1-nitrosoguanidine, (178), 195
Methylnitrosourea, (177), 171
N-Methyl-*N*′-nitro-*N*-nitrosoguanidine, (177), 267; (178), 135; (189), 69; (190), 83; (192), 95; (192), 271
N-Methyl-*N*-nitrosourea, (176), 1; (177), 267; (180), 155
Methylparathion, (188), 45
1-*p*-(3-Methyltriazeno)benzoic acid potassium salt, (189), 349
N-Methyolcarbamate aromatic hydrocarbons, (191), 21
Metronidazole, (190), 289
Mex$^-$, (184), 161
mfd gene, (183), 241
Mice strain, (177), 161
Micrococcus luteus mutants, (183), 231
Micronucleated erythrocyte, (192), 185
Micronucleated PE, (182), 203
Micronuclei, (180), 215; (189), 399; (190), 51; (192), 109; (192), 145
Micronuclei, induced, (187), 219
Micronuclei, induction, (190), 41
Micronuclei, persistence, (191), 157
Micronucleus, (179), 23; (188), 215
Micronucleus analysis, (182), 309
Micronucleus assay, in vitro, (189), 299
Micronucleus assay protocol, (189), 185
Micronucleus assays, (189), 103
Micronucleus induction, (176), 205; (189), 333
Micronucleus, polychromatic, (182), 323
Micronucleus technique, (191), 163
Micronucleus test, (180), 231; (189), 307; (192), 181
Microsomal metabolism, (178), 11
Microsomal oxidizing system, (186), 201
Microsomes, (189), 83
Microtubules, (190), 137
Midazolam, (189), 319
Minimal criteria, (189), 175
Mismatch correction system, (177), 17
Mismatch repair, (176), 133
Mitochondrial DNA mutations, (186), 149
Mitochondrial mutagenesis, (179), 167
Mitomycin C, (176), 143; (178), 65; (179), 75; (180), 273; (182), 15; (183), 231; (184), 153; (184), 223; (189), 313; (189), 375; (190), 19; (190), 51; (191), 157; (191), 193
Mitotic abnormalities, (180), 121
Mitotic cell division, (189), 319
Mitotic disturbances, (189), 271
Mitotic index, (182), 75; (190), 225
Mitotic micronuclei, (188), 233
Mitotic recombination, (189), 375; (189), 387; (192), 131
Mitotic spindle abnormalities, (187), 91
Mixed-function oxidases, (186), 81
Mixed-function oxidase system, (178), 255
Mixed-function oxygenase, (191), 45
MMC, (184), 7

MMC–DNA adducts, (179), 75
MmrA1, (184), 23
MNNG, (184), 139; (184), 161; (184), 245; (192), 31
MNU, (192), 31
Model system, (191), 133
Mode of action, (192), 69
Molecular aspects, (184), 67
Molecular cloning, (184), 67
Molluscicide, (188), 65
Monoadduct repair, (184), 255
Monoazo, (189), 223
Monoclonal anti-BrdU antibody, (176), 157
Monocrotophos, (188), 241; (188), 311
Mono-oxygenase, (178), 11
8MOP, (184), 7
Morphological transforming activity and metabolism, (188), 323
Mosaic assays, (189), 277
Mosaic spots, (180), 201
Mouse cell mutant, (182), 223
Mouse-embryo fibroblasts, (188), 323
Mouse in vivo system, (188), 215
Mouse lymphoma assay, (189), 143
Mouse lymphoma cells, (187), 165; (189), 27; (192), 151
Mouse lymphoma L5178Y cells, (178), 99; (178), 107
Mouse lymphoma $TK^{+/-}$, (189), 223
Mouse mutants, (191), 163
Mouse spermatocytes, (176), 251
Mouse spot test, variation, (182), 295
Mouse strains, (179), 23
Mouse, use of a battery of strains, (187), 37
muc genes, (183), 39
Multi-locus deficiencies, (177), 101
Multiple mutations, (192), 79
Murine cell lines, (184), 223
Murine spermatogenesis, (176), 259
mus-9, (183), 139
$Mus(2)201^{D1}$ mutants, (192), 55
Mus strains, (177), 83
Mutagen detection, (182), 223
Mutagenic activity, (181), 243; (192), 23
Mutagenicity, (180), 171; (189), 217; (192), 239
Mutagenicity and carcinogenicity comparisons, (185), 197
Mutagenicity testing, (182), 187
Mutagenic potency, (181), 235
Mutagen-induced level, (180), 101
Mutagen levels, (188), 105
Mutagen-sensitive cell lines, (178), 233
Mutant clones, (177), 277
Mutant frequencies, (179), 215
Mutant frequency, (189), 39
Mutational response, (190), 247
Mutational specificity, assay of, (182), 65
Mutation assays, (182), 83
Mutation frequencies, (180), 249
Mutation frequencies, abnormal, (184), 113
Mutation initiation, (186), 43
Mutation rates, evaluation, (190), 281
Mutation response, (176), 225
Mutations in vivo, (181), 227
Mutation surveillance, (186), 73
Mutations, UV-induced, (179), 143
Myleran, (176), 259
Myoglobin, (192), 253
Mytilus galloprovincialis, (191), 157

NAD content, cellular, (191), 29
NADP, (189), 27
NADPH, (178), 11
Na^+/K^+-ATPase locus, (183), 69
Namalwa IFN, (192), 75
α-Naphthoflavone, (188), 223
Naphthoresorcinol, (189), 217
Naphthylamine, aza analogues, (187), 191
Neon ions, (178), 91
Neurocutaneous disorder, (192), 271
Neurospora crassa, (183), 139
Neurospora endonuclease, (190), 145
Neutrons, (178), 91
News column, (182), 297
Nickel carbonyl, (188), 149
Nifurtimox, (188), 129; (191), 17
NIH3T3, (191), 201
Nitracrine, (184), 13
Nitracrine analogues, (187), 209
Nitracrine and nitro derivatives, mutagenic potential, (187), 1
Nitrated polycyclic aromatic hydrocarbons, (182), 1
Nitrilotriacetic acid, (190), 35
Nitrite, (177), 35
Nitrite treatment, acidic conditions, (176), 179
Nitroarenes, (182), 1; (190), 159
Nitroarene traces, (190), 7
Nitroaromatic compounds, conjugated, (188), 267
Nitrobenzene, (178), 187
Nitrobenzo[*a*]pyrene, (190), 247
3-Nitrofluoranthene, (187), 199
2-Nitrofluoranthene, (190), 259
Nitrofurans, (192), 15
Nitrogen chlorine derivatives, (190), 277
Nitrogen dioxide, (188), 175
Nitrogen-fixing bacterium, (178), 195
Nitrogen mustard, (177), 83; (190), 69
4-Nitro-*o*-phenylenediamine, (191), 151
Nitro-PAH, nitrated polycyclic aromatic hydrocarbons, (190), 259
Nitropropane, (192), 181
2-Nitropropane, (179), 15; (190), 217
2-Nitropropane nitronate, (179), 15
1-Nitropyrene, (187), 199
Nitropyrenes, (183), 203; (190), 159
Nitroquinoline 1-oxide, (178), 135
4-Nitroquinoline-*N*-1-oxide, (191), 177
4-Nitroquinoline 1-oxide, (180), 155; (183), 231
Nitroquinoline oxide, (184), 99
4-Nitroquinoline 1-oxide, (184), 265
Nitroreductase-deficient TA100, (176), 171
Nitrosamine, metabolism and distribution, (186), 261
Nitrosamines, (182), 41

N-Nitrosamines, (180), 11; (186), 81
N-Nitrosobamethan, 3-diazo-*N*-nitrosobamethan, (177), 35
Nitroso compounds, ascorbic acid, (177), 241
N-Nitroso compounds, intragastric formation, (188), 201
N-Nitrosodiethanolamine, (192), 91
N-Nitrosodimethylamine, (177), 1
N-Nitroso-*N*-ethylurea, (180), 239
N-Nitrosothiazolidine, synthesis, (180), 75
Nitrosoureas, mono- and di-alkyl, (178), 157
N-Nitrosoureas, substituted, (177), 219
Nitrous acid induced damage, (190), 1
Nocodazole, (187), 21; (187), 31; (190), 137
Non-disjunction, (180), 207; (182), 295
Nonhistone protein, (180), 115
Non tobacco users, (188), 105
Norharman, (178), 187
Nor-nitrogen mustard, (178), 21
Novobiocin, (180), 89; (183), 53
4NQO, (191), 73
N region diversity, (180), 137
dNTP pool size, (183), 249
Nuclear DNA, (181), 37
Nuclear gene, (186), 149
Nuclear gene mutation, radiation-induced, (181), 199
Nuclear matrix, (178), 243
Nuclear medicine patients, (191), 57
Nuclease sensitivity, (184), 169
Nucleolus organizer regions, (181), 147
Nucleolytic enzyme, incorporation, (177), 117
Nucleotide excision pathway, (183), 75
Nucleotidyl DNA excision repair pathway, (184), 237
Nude mice tumorigenesis assay, (185), 293
Nutrition, (186), 201

Obituary, (178), 155; (179), 1
Occupational cancer, (181), 289
Occupational exposure, (188), 149
Oligonucleotide differential hybridization, (185), 293
Oncogene activation, (186), 161
Oncogenes, (185), 271
Oncogenes, cellular, (186), 149
Oncogenes, mutational activation, (185), 293
Oogonia, (192), 55
Opipramol, (190), 7
Oral cancer, (192), 145
Oral contraceptives, (180), 115
Organophosphate pesticide, (189), 277
Organophosphorus pesticides, (188), 45
Osmolality, (189), 11
Osmotic strength, high, (189), 15
Ouabain resistance, (179), 231
Ovary cells, (188), 311
Oxidative mutagens, (180), 1
5-Oxoprolinase, (191), 189
Oxothiazolidine, (191), 189
Oxyuriasis therapy, (187), 79
Ozonation, (189), 217
Ozonation products, (189), 217

Pachytene cells, (176), 233
^{32}P-analysis, (179), 75
Pan residues, (187), 47
Paper factory, (180), 131; (180), 135
Paracetamol, (189), 299; (190), 95
Paraquat, (188), 241; (188), 311
Partial body irradiation, (179), 197
Pattern recognition, (179), 115; (182), 55
Penicillamine, (190), 197
Peptides, (188), 259
Peripheral blood, (187), 127; (192), 59
Peripheral blood lymphocytes, (178), 117; (191), 105
Peripheral lymphocytes, (182), 343; (192), 157
Peripheral T-lymphocytes, (191), 57
Peroxidase, (186), 43; (190), 197
Peroxidation, (190), 169
Peroxidative activation, (191), 139
Pesticide clastogenicity, (188), 241
Pesticides, (187), 127; (188), 311; (189), 381
Pesticides, chlorinated, (182), 193
Petroleum distillates, (188), 63
Petunia, (181), 17
Phage T4, (184), 87
Phamide, (188), 153
Pharmaceutical agents, (187), 55
o-Phenanthroline, (178), 57
Phenobarbital, (182), 211
Phenobarbital, pretreatment of animals, (180), 147
Phenolic compounds, (177), 229
Phenylalanine, (191), 133
1-Phenyl-3,3-dimethyltriazenes, (190), 177
Phenylenediamines, (188), 185
Phorate, (188), 45; (188), 241; (188), 311
Photoreactivation, (179), 143
Photoreactivation repair-deficient *ebony* strain, (177), 95
Phylogenetic patterns, (185), 197
Phytohaemagglutinin, (191), 207; (192), 163
Pinworm infestations, (187), 79
Piperazine adipate, (187), 79
Piperazine citrate, (187), 79
Plant activation, (188), 185
Plant breeders, (189), 381
Plant cells, (181), 1; (181), 81; (181), 157; (191), 151
Plasmid DNA, repair, (183), 129
Plasmid mutagen, (176), 11
Plasmid, pKM101, (183), 39
Plasmid pR, (191), 177
Plasmids, shuttle vector, (183), 273
Plasminogen activator, (192), 271
Plate-incorporation assay, (189), 205
cis-Platinum, (184), 7
trans-Platinum(II)diamminedichloride, (183), 75
Point mutation induction, (176), 37
Point-mutation mutagens, (176), 29
Pollen, (181), 17
Poly(ADP-ribose) synthetase inhibitor, (177), 149
Polychlorinated biphenyls, (191), 105
Polychromatic erythrocytes, (182), 203

Polycyclic aromatic compounds, (188), 287
Polycyclic aromatic hydrocarbons, (182), 5; (187), 67; (187), 199; (192), 185
Polymerase III holoenzyme, (183), 31
α-Polymerase inhibitors, (177), 149
Polyoma virus, (183), 203
Postimplantation embryos, (176), 117
Post-replication repair-deficient *mus(1)101*^{D1} strain, (177), 95
Potassium chloride, (189), 11
Prediction, (185), 319
Preimplantation embryo, (192), 137
Preimplantation, killing, (190), 25
Pre-irradiation, (183), 265
Primary cell cultures, (177), 95
Primate cells, (183), 265
Probability, (192), 79
Procarbazine, (191), 171
Procarcinogens, (177), 1
Progesterone-treated pregnancy, (191), 121
Prokaryotic bioassay, (180), 31
Promutagen activation, (191), 151
Prophage inactivation, (184), 1
Prophage-inducing effects, (178), 157
Prophage lambda induction, (182), 193
β-Propiolactone, (189), 407
Propylene oxides, (189), 189
Protection, (192), 175
Proteinase K-sensitive sites, (181), 73
Protein crosslinking agents, (180), 121
Proteins, nuclear, (190), 119
Protein synthesis, (190), 125
Protein synthesis inhibition, (183), 149
Proteolytic processing, (183), 123
Protocol, (189), 113; (189), 123
Proto-oncogene, (186), 135
Pulmonary alveolar macrophages, (178), 123
Purine base analogues, (177), 189
Purine biosynthesis, (190), 89
Pyrantel pamoate, (187), 79
Pyrene, cyclopenta-fused isomers, (187), 67
Pyridines, halogenated, (176), 185
Pyrilamine maleate, (189), 285
Pyrimidine dimer–DNA glycosylase, (178), 167
Pyrimidine dimer excision, inhibition, (191), 13
Pyrimidine dimers, (183), 53
Pyrimidine dimers, closely opposed, (184), 197
Pyrimidine dimers, excision, (183), 169
Pyrimidine dimer-specific nicking activity, (183), 117
Pyrimidine dimers, UV-induced, (183), 109
Pyrimidine (6–4) pyrimidone photoproducts, (179), 143
Pyrvinium p, (188), 111
Pyrvinium pamoate, (187), 79

Quercetin, (190), 241; (191), 1; (192), 37
Quiescent cells, (180), 249
Quinacrine mustard, (190), 69; (192), 121
Quinoxaline isomers, (178), 25

RAD9 gene products, (179), 167
X-Radiation, (178), 223
Radiation accident, (179), 197
Radiation-induced, (179), 183
Radiation-induced mutation, (176), 225
Radiation-induced mutation rate, (177), 161
Radiation-induced mutations, (177), 101
Radiations, (181), 187
Radiation sensitivity, (177), 161; (184), 29
Radiosensitive, (191), 163
Radiosensitivity, (176), 243
rad 54 mutants, (191), 9
Rat, (192), 91
Rate-limiting step in metabolism in vitro, (186), 81
Rat hepatocyte, in vivo, (189), 123
Rat hepatocytes, (189), 69
Rat liver, (187), 151
Rat-liver S9, (189), 27; (189), 285
X-Ray-induced, (176), 93
X-Ray-induced mutants, (178), 143
X-Rays, (192), 109
γ-Ray-sensitive mutants, (183), 139
X-Ray-sensitive mutants, (183), 279
X-Rays, low doses, (176), 205
Reactive intermediates, (179), 151
RecA, (180), 67; (183), 39
RecA-dependent repair, (183), 1
RecA gene, (191), 1
RecA-like activity, (184), 229
RecA protein, overproduction, (191), 13
Rec assay, (192), 1
RecB270, (184), 1
recB-dependent repair, kinetics of, (184), 1
Recessive lethal test, (189), 277
RecF gene, (184), 181
rec gene, (192), 247
Reciprocal recombination, (182), 295
Recombinagenic potency, (181), 235
Recombinant IL-2, (192), 163
Recombinant plasmids, (190), 77
Recombinational repair, (184), 87
Recombination deficiency, (184), 181
Recombination processes, (184), 1
Recommendations, (186), 175; (189), 83
Reduced oxygen species, (186), 43
Regeneration, liver, (182), 75
Registration, (182), 187
Regulations, (182), 187
rem1, (178), 199
Rep-38, (184), 23
Repair, (184), 271
Repair, apparent lack of, (181), 37
Repair-deficient CHO cell line, (183), 69
Repair-deficient Drosophila females, (192), 55
Repaired DNA, (184), 169
Repair inhibitors, (176), 105
Repair systems, (181), 31
Repair test, (190), 177

Reparative strand incision, (184), 237
Replica microwell technique, (183), 279
Replica-plating technique, (178), 233
Replicative killing, (190), 253
Replicon initiation, (184), 39
Reproductive consequences, (186), 269
Respiratory route, (182), 1
Restaurant personnel, (190), 211
Restriction endonuclease Alu I, (178), 81
Restriction endonuclease Dra I, (192), 263
Restriction endonucleases, (180), 109
Retinoblastoma lymphocytes, (178), 223
Retinol, (179), 41; (187), 133
Retrospect, (181), 299
Reverse mutation tests, (188), 301
Reversion assay, (184), 99
REV3 gene products, (179), 167
R-factor, (183), 39
Rhei, (192), 99
Rheumatoid arthritis, (190), 197
Ribavirin, (188), 29
Ribonuclease, (181), 81
Rice cells, (181), 93
RK mutatest, (190), 253
RNAase mismatch digestion, (185), 293
Rodent bone marrow, (182), 323
Rodents, (185), 243
Root-tip chromosomes, (192), 125
Root-tip meristem cells, (191), 93
Root tips, (176), 205
R-plasmid, (192), 175
RSb, (178), 135
Rural populations, (187), 127
Rye embryos, (181), 61

S9, (187), 151
Saccharomyces cerevisiae rad, (183), 161
Saccharomyces cerevisiae, sodium chloride, (189), 11
S9 age effects, (189), 285
Salicylic acid, (177), 229
Salmonella assay, (185), 319
Salmonella/mammalian microsome assay, (190), 177
Salmonella/mammalian microsome test, (190), 95
Salmonella/microsome liquid culture assay, (180), 55
Salmonella/microsome test, (189), 387; (190), 113
Salmonella mutagenicity test, (187), 113
Salmonella tester strains, (180), 11
Salmonella tester strains, effects of cinnamaldehyde, (187), 11
Salmonella typhimurium, (192), 233
Salmonella typhimurium enzymes, (178), 187
Salmon sperm DNA, (190), 31
Saponin permeabilization, (184), 237
SCE, (180), 89; (180), 121; (189), 399; (191), 193; (192), 59; (192), 125
SCE frequencies, (177), 125
SCE frequencies, variation, (192), 157
SCE frequency, (176), 117; (188), 223
SCE induced, (188), 7
SCE induction, (184), 147; (187), 133; (190), 277
SCE in newborns, (191), 121
SCE levels, (176), 157
SCE, oxygen radical-induced, (191), 53
SCEs, CA, (190), 197
SCE test, (188), 153
Schistosoma hematobium, (180), 93
Schistosomiasis, control of, (188), 65
Scutellariae, (192), 99
SDS–polyacrylamide gels, (183), 117
Secale cereale, (181), 61
Second chromosome mutations, (177), 83
Selenium, (190), 101
Sentinel phenotypes, (186), 73
Sequence context, (179), 65
Serine–borate complex, (177), 45
Serum anti-nuclear antibodies DNA repair defects, (177), 125
SfiA gene, (191), 1
Short-term assay, (190), 253
Short-term assays, (182), 173
Short-term tests, (188), 65; (189), 81
Short-wave UV, (181), 9
Simian virus 40, (183), 265
Sister-chromatid exchange, (176), 143; (178), 57; (180), 115; (182), 333; (187), 157; (188), 129; (188), 311; (190), 149; (192), 75; (192), 121; (192), 137; (192), 191
Sister-chromatid exchange frequency, (190), 211; (192), 277
Sister-chromatid exchanges, (176), 133; (176), 211; (177), 149; (178), 107; (180), 93; (180), 101; (180), 215; (181), 111; (181), 127; (182), 15; (182), 343; (183), 197; (186), 1; (186), 177; (187), 223; (189), 15; (189), 357; (190), 221; (190), 225; (190), 271; (191), 105
Sister-chromatid exchanges, baseline, frequency, (178), 99
Sister-chromatid exchanges, spontaneous, (178), 49
Skin fibroblasts, (180), 223
Small colony mutants, (189), 285
SMART, (180), 207
Smartweed, (178), 209
S9 mix influence, (191), 1
Smokers, (182), 303; (190), 211; (192), 145; (192), 157
Smoking, (188), 223
Sn(II) compounds, (189), 263
Snuff users, (188), 105
Sodium arsenite, (184), 99
Sodium azide, (179), 175; (190), 125
Sodium azide, mutagenic metabolite, (181), 73
Sodium bisulphite, (179), 159
Sodium borohydride reduction, catalyst-free, (192), 283
Sodium dichromate, (189), 69
Sodium fluoride, (190), 229
Sodium fluoride clastogenicity, (189), 47
Sodium nitrite, (189), 333
Soft-agar, (182), 99
Soil, (192), 23
Solvent extracts, (192), 23
Somatic cell mutagenicity, (180), 189
Somatic cells, (190), 153
Somatic mutagenesis, (180), 137

Somatic mutation, (180), 207; (181), 199; (182), 243; (182), 295; (182), 301
Somatic mutation induction, (191), 111
Somatic mutations, induced, (181), 209
Somatic wing-spot assay, (192), 131
Sorbitol, (189), 15
SOS chromotest, (177), 17; (187), 55; (189), 263
SOS error-prone repair system, (178), 195
SOS functions, human cells, (179), 49
SOS-induced wild-type *E. coli*, (190), 1
SOS inducing potency, (181), 235
SOS induction, (183), 11; (184), 7
SOS response, (180), 163; (183), 103; (183), 265; (192), 239
SOS response, induction, (192), 105
SOS system, (190), 83
SOS system induction, (191), 1
Southern blot hybridization, (177), 101
Species-specific, (177), 1
Specific locus mutations, (177), 161
Specific-locus test, (176), 47; (188), 335
Specific translocation, (186), 161
Sperm, (182), 265
Spermatocytes, mouse, (176), 243
Spermatocytes, secondary, (176), 233
Spermatogenesis, (179), 183
Spermatogonial stem cell killing, (176), 69
Spermatogonia, mouse, (191), 171
Sperm-head abnormalities, (188), 215
S-phase, (178), 73
S-phase-independent, (190), 131
Spindle assembly, (190), 137
Spindle disturbances, (182), 135; (182), 155
Spontaneous deletion, high-frequency, (179), 135
Spontaneous mutants, (178), 143
Spontaneous mutation, (180), 267
Spontaneous mutation rate, (192), 259
S9, rat liver, (178), 187
Standard methods, (189), 81
Statistical methods, (190), 281
Steroidal derivatives, (190), 205
Stilbene oxide, (177), 247
Strand asymmetrical DNA repair, (183), 241
Streptomycin resistance, (183), 169
Structure, (181), 243
Structure–activity relationship, (177), 27; (179), 115; (188), 169; (191), 21
Structure–mutagenicity relation, (187), 191
Styrene, low-level exposure, (189), 399
Sublethal damage, (192), 163
Sucrose, (189), 15
Sulphydryl, level, changes in, (182), 155
Superovulated mice, (176), 117
Superoxide anion, (178), 57; (184), 217
Superoxide dismutase, (186), 43
SUP4-o, (182), 65
Suppressor mutation, (183), 241; (184), 181
Survival, (178), 73; (182), 83; (184), 271
Suspension culture, (182), 99
SV40 shuttle vector, (183), 185; (183), 273
Swain Scott substrate constant, (190), 119
Swine, (191), 105
Synaptonemal complex damage, (190), 19
Synergism, mechanisms, (176), 1
Synthetic fuels, (188), 287
Systemic lupus erythematosus, (177), 125

Tandem duplications, (182), 5
Target-organ binding index, (190), 173
TBTO, (188), 65
T7 DNA, (190), 1
Tea, (188), 251
Temperature, (190), 237
T4 endonuclease V, (183), 109
T4 endonuclease V, purification, (183), 117
Teniposide, (187), 141
Terminal transferases, (180), 137
Terpenes, (188), 169
12-*O*-Tetradecanoylphorbol-13-acetate, (179), 231; (189), 375
Thermal resistance, (179), 143
Thiabendazole, (187), 79; (188), 1
2-(4′-Thiazolyl)benzimidazole, (188), 1
Thymidine kinase locus, (187), 141
Thinner, exposure, (189), 357
Thioacetamide, (192), 141
Thioamides, primary, (192), 141
Thiobenzamide, (192), 141
6-Thioguanine resistance, (177), 283; (179), 215; (182), 83; (182), 99; (190), 35; (190), 47
6-Thioguanine resistance mutations, (191), 37
Thiols, inhibitory effects, (180), 75
Thiono-sulphur containing xenobiotics, (192), 141
Thiourea, (190), 237
Three-way differentiation, (178), 49
Thymidine, (184), 129
Thymidine, exogenous, (192), 277
Thymidine kinase gene, (178), 1
Thymidine kinase gene locus, (176), 123
Thymidine kinase locus, (176), 147; (187), 165; (189), 39
Tobacco smoke, (188), 13
Tobacco snuff, acid-mediated mutagenicity, (177), 241
Tobacco use, (189), 357
Tolidine, (182), 231
Toluene, (187), 223
Topoisomerase, (181), 81
Topoisomerase II, inhibitor, (180), 89
TPA, (179), 231; (189), 375
T7 phage, (190), 1
Tracheal epithelial cells, (188), 311
Tradescantia stamen hair cells, (181), 209
Transcriptionally active DNA sequences, (180), 21
Transduction, (186), 135
Transformation, (178), 243; (191), 201
Transformation efficiency, (183), 161
Transformation of epithelial cells, (185), 271
Translocation involvement, (181), 147
Translocations, reciprocal, (176), 53

Translocation tests, (178), 215
Translocation yield, reduced, (176), 69
Transposon-induced, (179), 183
Transversion-specific, (177), 189
Trenimon, (178), 81; (182), 309
Triazene derivatives, (189), 349
Trichloroacetic acid, (188), 215
Tricyclic drugs, (190), 7
Triethylenemelamine, (191), 93
Trifluorothymidine resistance, (187), 165
Trimethoprim, (188), 197
Trinitrofluoranthene, (191), 85
Trisomy 21, (180), 223
Tritiated thymidine, (180), 215
Truncated *ada* gene, (184), 121
Trypanocidal drugs, (191), 17
Tryptophan pyrolysis products, (179), 33
Tryptophan synthetase A gene, (190), 89
Tryptophan synthetase gene A, (177), 189
Tuberous sclerosis, (192), 271
Tubulin mutants, (178), 33
Tubulin, polymerization, (186), 249
Tumors, human, (186), 161
Tumour development, (185), 293
TV announcers, (192), 59
Ty transposition, inducibility, (177), 53

UDS, (183), 95; (189), 341
UDS responses, (183), 45
Ultra-Turrax, (187), 45
Umbelliferone, (189), 313
UmuC gene, (191), 1
UmuDC, (179), 55
umu gene, (192), 239
Umu gene expression, (184), 7
Uncoupling, (176), 133
Unscheduled DNA synthesis, (184), 129
Unscheduled DNA synthesis in ^{3}H-TdR, (183), 177
Uracil, (181), 111
Uraemia, (179), 33
Urethane, (176), 59; (188), 335
Urine, (192), 145
Urine samples, (178), 21
Urothelial cells, exfoliated, (192), 145
Usher's syndrome, (184), 29
UV damage, (181), 1
UV endonuclease, *M. luteus*, (183), 161
UV induced, (183), 197
UV-induced DNA repair, (183), 177
UV-inducible DNA repair, (183), 219
UV-irradiated, (191), 13
UV irradiation, (183), 1; (184), 47; (192), 247
UV light, (184), 39
UV mutagenesis, (183), 31
UvrA DNA-repair system, (177), 219
UV radiation, (178), 167; (184), 187
UV response, (191), 9
UVR repair, (180), 11
uvs-6, (183), 139
UV-sensitive mutants, (183), 169
UV, solar, (181), 17
UV stress, (192), 211
UVS10, UVS11, (183), 169

Vanillin, (189), 313; (190), 221; (191), 193
V79 cells, (192), 65
V79 Chinese hamster cell line, (190), 35
V79 Chinese hamster cells, (178), 233
Vicia faba, (190), 131; (192), 109
Vinblastine sulphate, (182), 309
Vincristine, (180), 201; (191), 171
Vinyl acetate, (190), 41
Vitamin A, (179), 41; (187), 133; (192), 227
Vitamin C, (191), 53; (192), 227
Vitamin, in vitro effect, (188), 121
VM-26, (187), 141
Volatile mutagen, (187), 119

Water stability, (179), 123
Weigle reactivation, (183), 225
Welding fumes, (188), 175
Welding, mild steel, (180), 55
Western blot analysis, (183), 117
White locus, (177), 101
Wine, red and white, (187), 113
Wood-preserving bottom sediment, (180), 31; (180), 43
Workshop, (184), 67
W-reactivation, (183), 219

Xanthine oxidase, (191), 53
Xenogenization, (189), 349
Xeroderma pigmentosum, (180), 89; (183), 95; (183), 185; (184), 169; (184), 255; (192), 163
Xeroderma pigmentosum fibroblasts, (184), 113
XP-II, (180), 89
X-ray contrast media, (188), 233
X-ray induction, (180), 223
X-rays, small doses, (190), 131
XR-1, Chinese hamster cell mutant, (183), 61
xrs 5, xrs 6, (177), 133; (177), 149
Xylene, (187), 223

Yeast, (177), 53; (183), 149
Yeast system, (182), 65

Zea mays, (181), 57
Zygotene stage, (176), 251
Zygote, pronuclear stage, (176), 269

Publication schedule for 1988

MR is published according to a volume-numbering scheme that embraces all sections of the journal, in addition each section has its own code colour.

Reg (green), 'regular' volumes; EMS (blue), Section on Environmental Mutagenesis and Related Subjects; DRR (brown), 'DNA Repair Reports', special section of Mutation Research; Rev (purple), Reviews in Genetic Toxicology; GTT (red), Genetic Toxicology Testing; MRLett (yellow), Mutation Research Letters.

1988	Reg	EMS	DRR	Rev	GTT	MRLett
Jan.	197/1		193/1	195/1	204/1	207/1
Feb.	197/2	203/1			204/2	207/2
Mar.	198/1		193/2	195/2	204/3	207/3
Apr.	198/2	203/2			204/4	207/4
May	199/1		193/3	195/3	205/1	208/1
June	199/2	203/3			205/2	208/2
July	200/1		194/1	196/1	205/3	208/3
Aug.	200/2	203/4			205/4	208/4
Sep.	201/1		194/2	196/2	206/1	209/1
Oct.	201/2	203/5			206/2	209/2
Nov.	202/1		194/3	196/3	206/3	209/3
Dec.	202/2	203/6			206/4	209/4
17 Vols. 193–209 54 issues +INDEX *	6 Vols. 197–202 12 issues	1 Vol. 203 6 issues	2 Vols. 193, 194 6 issues	2 Vols. 195, 196 6 issues	3 Vols. 204–206 12 issues	3 Vols. 207–209 12 issues

* Author Index and Subject Index for the year 1988 (covering all sections).

Subscription Information

MUTATION RESEARCH (complete)
1988, Volumes 193–209 (17 volumes in 55 issues)
Full subscription: Dfl.4250.00 (US $2297.25) + Dfl.442.00 (US $239.00) postage, packaging and handling. Total price Dfl.4692.00 (US $2536.25).

MUTATION RESEARCH/DNA REPAIR REPORTS
1988, Volumes 193, 194 (2 volumes in 6 issues)
Part subscription: Dfl.510.00 (US $275.25) + Dfl.52.00 (US $28.00) postage, packaging and handling. Total price Dfl.562.00 (US $303.75).

MUTATION RESEARCH/REVIEWS IN GENETIC TOXICOLOGY
1988, Volumes 195, 196 (2 volumes in 6 issues)
Part subscription: Dfl.510.00 (US $275.25) + Dfl.52.00 (US $28.00) postage, packaging and handling. Total price Dfl.562.00 (US $303.75).

MUTATION RESEARCH/GENETIC TOXICOLOGY TESTING
1988, Volumes 204–206 (3 volumes in 12 issues)
Part subscription: Dfl.765.00 (US $413.50) + Dfl.78.00 (US $42.25) postage, packaging and handling. Total price Dfl.843.00 (US $455.75).

MUTATION RESEARCH LETTERS
1988, Volumes 207–209 (3 volumes in 12 issues)
Part subscription: Dfl.765.00 (US $413.50) + Dfl.78.00 (US $42.25) postage, packaging and handling. Total price Dfl.843.00 (US $455.75).

The Dutch guilder price is definitive. The US dollar price is subject to exchange rate fluctuations and is only given as a guide.

Journals are sent by surface delivery to all countries, except the following countries where SAL air delivery (Surface Airlifted Mail) is ensured: U.S.A., Canada, Japan, Australia, New Zealand, P.R. China, India, Israel, South Africa, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, Brazil, Argentina, Mexico and Thailand. Air mail rates for other countries are available on request.

Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam (The Netherlands), telex 18582 ESPA NL, or to your usual subscription agent.

Claims for missing issues should be made within three months of publication, otherwise they cannot be honoured free of charge.

The Publisher reserves the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered after receipt of payment.

In the United States and Canada: For further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishers, Journal Information Center, 52 Vanderbilt Avenue, New York, NY 10017, tel. (212) 370-5520.

CONTENTS

Cumulative Author Index 1987 (Volumes 176–192) 1

Cumulative Subject Index 1987 (Volumes 176–192) 29

Cited in Biological Abstracts; Chemical Abstracts; Current Contents / Life Sciences; Excerpta Medica; Index Medicus; Informedicus

PRINTED IN THE NETHERLANDS